



ONE STEP AHEAD

PROFESSIONAL CATALOG 2023

DESIGN
MANUFACTURING

MADE IN FRANCE



weltico

POOL EQUIPMENT

vipool

PLANT ROOM
EQUIPMENT

jet vag

COUNTER-CURRENT
SWIMMING



3 AREAS OF EXPERTISE IN THE WORLD OF POOLS

The companies Acis, WA Conception and Bio-Pool formed the ACWA group 5 years ago.

This merger has enabled sharing of the knowhow and skills of the various group members to develop new products dedicated to the world of pools.

The group now has three R&D teams working transversally on its various innovations:

- Electronics and connected products brings together engineers at the ACWA design office in Pessac
- Hydraulics, lighting, mechanics and design brings together engineers at

the Acis site in St Philbert-de-Grand-Lieu (44)

► Electricity and water treatment brings together the WA Conception and Bio-Pool teams in Bergerac and Toulouse.

An example of this new approach is the Keypool range of connected products, which has been developed jointly by WA Conception, Acis and Bio-Pool.


In addition, the sales teams have merged and shared their expertise to better respond to customer requirements.

The Marketing department is also

actively following this group dynamic by highlighting shared projects while harmonizing the graphic identity of Acis, WA Conception and Bio-Pool.

We thus maintain the local spirit and values of each of the three entities thanks to the people present from day to day at each individual site, and to the specific services provided by each:

- Sales administration and customer service
- Accounts
- Procurement and deliveries



1 GROUP ACWA

3 COMPANIES, 3 AREAS OF EXPERTISE:



Saint-Philbert-de-Grand-Lieu

Production
Customer Service
Design Office &
Product Design



Creysse

Production
Customer Service
Design Office &
Product Design



Plaisance

Production
Customer Service
Design Office &
Product Design

Design Office

dedicated to
connected
products



6
employees

Pessac



A joint Sales and Marketing team

POOL EQUIPMENT	PLANT ROOM EQUIPMENT	CCS AND BALNEO SOLUTIONS	ELECTRICAL BOXES & REGULATION	LIGHTING	SALT WATER CHLORINATORS	COMPATIBLE CELLS
 55,000* skimmers 40,000* LEDs	 45,000* pumps	 5000* counter-current swimming/balneo sets	130,000* boxes	8000* LEDs	8000* devices	22,000* cells

4 connected product ranges

e.Dro

Blueswim

On.e

Hydrapool



A DESIGNER & MANUFACTURER OF SWIMMING POOL EQUIPMENT

Designing and manufacturing innovative products is in our DNA. Over the years, we have expanded our expertise in various areas of swimming pool equipment.


3 brands

weltico

vipool

jet vag

+ a range of connected products
explained in the ACWA Connect brochure



MANUFACTURING EXPERTISE



Quality components:
Osram LEDs,
resin-coated motors



Carefully sourced materials
& components. Patented
products and concepts
in our various ranges.
Eco-friendly materials.



Air-tested filtration
products and solutions.



Warranty: 5 years on our
resin-coated motors,
2 years on our other
products



20 YEARS
EXPERIENCE



Follow ACIS
on social media!




NEW

les
TUTOS

Watch our first video
tutorials

5 reasons to trust ACIS

MANUFACTURING & TECHNICAL EXPERTISE



Our teams are trained to manufacture our products at our plant: LED lighting, filtration (skimmers, skimfilters, twinfilters, filtration units, cartridge filters, filter walls), CCS and balneo.

We manufacture our products to specifications and offer complete customisation.

We ensure that our products are fully compliant by manufacturing them in accordance with their specifications.



AVAILABILITY / STOCK

- **Responsiveness, availability of products...**



RESEARCH & EXPERTISE

- **6 engineers, 3 design offices** upgrading our ranges every year, while also responding to your needs.
- **Patented products** Our on the ground presence and your comments fuel our creativity.



CUSTOMISATION

- **Our products to suit you:** Please tell us about your product customisation requirements (technical, product, packaging, etc.)

PROXIMITY & SERVICES

- **1 professional space** for instructions, visuals, installation advice, spare parts, etc.
- **Training:** our Technical Sales Executives explain our products during specialist training days, etc.





A team that is always by your side!




ARNAUD DANTIN
Water Treatment Manager
arnaud.dantin@acwa-france.com



LAURENT MORIN
Sales & Marketing Manager
laurent.morin@acwa-france.com



JEAN-CHRISTOPHE HUËT
Dedicated Account Manager
jc.huët@acwa-france.com



JEAN-CHRISTOPHE BOULAN
North East Sales Executive
jc.boulan@acwa-france.com



OLIVIER MOUGENOT
West Sales Executive
olivier.mougenot@acwa-france.com

CHRISTINE LEGAL
South East Sales Executive
christine.legal@acwa-france.com



MAXIME CAZÈRES
South West Sales Executive
maxime.cazeres@acwa-france.com

EXPORT

EXPORT SALES



PATRICIO SILVA 
Export Manager Southern Europe
patricio.export@acwa-france.com



GUIDO CAMP 
Export Manager North Europe
guido.camp@acwa-france.com



- A booming sector (turnover +20%)
- 3 trilingual contacts

EUROPE

Germany, Portugal, Belgium, United Kingdom, Spain, Netherlands, Cyprus, Italy, Austria, Switzerland, Croatia, Slovakia, Greece, Lithuania, Latvia, Hungary, Slovenia, Czech Republic, Poland, Sweden, Romania, Denmark

FRENCH OVERSEAS

DEPARTMENTS &

TERRITORIES

La Réunion, Guadeloupe, Martinique, French Polynesia, Saint Barthelemy.

ASIA

Vietnam

AMERICA

Mexico, Surinam

AFRICA

Senegal, Morocco, Chad, South Africa, Egypt, Tunisia, Cameroon, Algeria.

MIDDLE EAST

United Arab Emirates, Qatar, Israel, Bahrain

SOUTHERN HEMISPHERE

Australia, Mauritius, New Caledonia



CUSTOMER SERVICE

Nathalie Landet
Sales Administration Manager
client.acis@acis-france.com
+33(0)2 21 76 00 44

EXPORT

Auréli Le Roy 
export.acis@acis-france.com
+33(0)2 40 59 94 33

Delphine Guitteny

commercial.acis@acis-france.com
+33(0)2 40 59 99 09

Guylaine Loison

adv@acis-france.com
+33(0)2 40 59 95 35

Emilie Trichereau

emilie.trichereau@acis-france.com
+33(0)2 40 59 15 98



TECHNICAL AFTER-SALES SERVICE

Philippe Dartois

+33(0)2 40 59 15 99
sav.acis@acis-france.com

e.Dro[®]

the revolutionary electrical box



FIND OUT MORE IN
ACWA CONNECT



EXPLORE OUR CONNECTED SOLUTIONS IN

ACWA CONNECT

FROM THE CONNECTED TIMER TO THE SMART ELECTRICAL BOX



ULTRA SIMPLE
SOLUTION





On.e

**BLUETOOTH® CONNECTED
FILTRATION AND LIGHTING**

Easily control your pool's vital systems from your smartphone or with the On.e relay button



CLOSE-RANGE CONTROL
24/7



COMPLETE
CLOSE-RANGE
MANAGEMENT



or

Blueswim

COMPLETE POOL MANAGEMENT WITH 1 APPLICATION
A range that adapts to all uses and pool systems.



EO



Tunable



Shutter



Pilot



LoRa

((wifi))

COMPLETE REMOTE
MANAGEMENT



+

HYDRAPPOOL

COMPLETE REMOTE POOL MANAGEMENT
HYDRAPPOOL provides you with 360° and 24/7 control of pool equipment whatever the brand.



Hydrapool



REMOTE CONTROL
24/7



PROFESSIONAL/
INDIVIDUAL ACCESS



SMART REMOTE
MANAGEMENT



+

e.Dro

**THE NEW GENERATION OF SMART
ELECTRICAL BOXES**
An electrical box with smart control and management of pool equipment, whatever the brand.



SIMPLIFIED
INSTALLATION



PROFESSIONAL/
INDIVIDUAL ACCESS



e.Dro

CONTENTS



LIGHTING

- 12 ▶ THE ADVANTAGES OF OUR LIGHTING
- 13 ▶ TUNABLE SPOTLIGHT RANGE
- 14 ▶ PAR56 LED LIGHT BULBS
- 15 ▶ WIRED PAR56 LED LIGHT BULBS
- 16 ▶ RENOVATION SPOTLIGHTS
 - 16 ▶ WE-LINE range
 - 17 ▶ DESIGN range
- 18 ▶ NEW-BUILD SPOTLIGHTS
 - 18 ▶ WE-LINE range
 - 19 ▶ DESIGN range
 - 20 ▶ Elegance RANGE
- 21 ▶ EASYLED SPOTLIGHTS
 - 21 ▶ WE-LINE range
 - 22 ▶ DESIGN range
 - 23 ▶ IKONE range
 - 24 ▶ EVO range
- 26 ▶ SPOTTIE AND OPTIONS
- 28 ▶ COVER COLOUR OPTIONS
- 29 ▶ LIGHTING CONTROLS
- 30 ▶ JUNCTION BOXES

SEALING PARTS

- 32 ▶ WE-LINE RANGE
 - 32 ▶ A400 skimmer
 - 33 ▶ A800 skimmer
 - 34 ▶ Return nozzles
 - 35 ▶ Vacuum ports
 - 35 ▶ Accessories
 - 36 ▶ Main drains
- 37 ▶ DESIGN RANGE
 - 38 ▶ A400 skimmer
 - 40 ▶ A500 NhL skimmer
 - 41 ▶ A600 skimmer
 - 42 ▶ A800 skimmer
 - 43 ▶ A200 skimmer
 - 44 ▶ Renovation kit
 - 46 ▶ Return nozzles
 - 47 ▶ Vacuum ports
 - 48 ▶ Accessories
 - 49 ▶ Main drains
- 50 ▶ ELEGANCE RANGE
 - 50 ▶ A400 skimmer
 - 51 ▶ A600 skimmer
 - 52 ▶ Jumboskim
 - 53 ▶ Renovation kit
 - 54 ▶ Return nozzles
 - 55 ▶ Vacuum ports
 - 56 ▶ Main drains
 - 57 ▶ Accessories
- 58 ▶ OPTIONS
- 59 ▶ SEALING PARTS WITH INSERTS
- 60 ▶ STAINLESS STEEL SEALING PARTS

FILTRATION

- 64 ▶ CARTRIDGE FILTRATION RANGE
- 66 ▶ CARTRIDGES
- 67 ▶ WELFILTRE
- 68 ▶ SKIMFILTER RANGE
- 69 ▶ DESIGN RANGE
 - 69 ▶ A200 · A300 skimfilters
 - 70 ▶ A400 · A500NHL skimfilters
 - 71 ▶ A600 · A800 skimfilters
- 72 ▶ ELEGANCE RANGE
 - 72 ▶ A400 · A600 skimfilters
 - 72 ▶ Twinfilter
- 74 ▶ SADDLE UNIT
- 75 ▶ FILTER WALLS
- 76 ▶ OPTIONS
- 78 ▶ EVERBAG
- 79 ▶ CLEANING TANKS

ALARMS

- 82 ▶ ALARM RANGE
- 83 ▶ DISCRÈTE
- 84 ▶ IMMERSTAR
- 85 ▶ VISIPOOL



STANDARD PUMPS

- 88 ▶ THE ADVANTAGES OF VIPOOL PUMPS
- 90 ▶ MCB+ PUMP
- 91 ▶ MNB+ PUMP
- 92 ▶ MKB+ PUMP
- 93 ▶ MJB PUMP
- 94 ▶ MPB PUMP
- 95 ▶ NORSTAR PUMP
- 96 ▶ RENOV® PUMP
- 98 ▶ PHT PUMP

EKO PUMPS

- 100 ▶ EKO RANGE
- 101 ▶ VARIPOOL
- 102 ▶ RENOV® VS PUMP
- 104 ▶ MKB 25 PUMP
- 105 ▶ MKB VS PUMP

CCS & BALNEO PUMPS

- 108 ▶ MGD+ PUMP
- 109 ▶ CCS AND BALNEO PUMPS
- 110 ▶ DUAL-SPEED PUMP
- 111 ▶ CCS PRE-FILTER PUMP
- 124 ▶ SPA PUMP
- 113 ▶ DUAL-SPEED SPA PUMP
- 114 ▶ HEATING SPA BLOWER

FILTRATION

- 116 ▶ 6-CLONE
- 117 ▶ 6-CLONE UNIT
- 118 ▶ ALL IN PALL
- 119 ▶ FULL IN PALL
- 120 ▶ FILTRATION UNIT
- 121 ▶ FIBREGLASS SIDE FILTER
- 122 ▶ BLOW-MOULDED SIDE FILTER
- 123 ▶ BLOW-MOULDED TOP FILTER



CCS


- 126 ▶ SEALING PART OPTIONS
- 127 ▶ COUNTER-CURRENT SWIMMING
- 128 ▶ LOW-LEVEL SUCTION
- 130 ▶ BS + JN JET KIT
- 131 ▶ JUNIOR PRO
- 132 ▶ ALVÉO'NOX
- 134 ▶ NEW JET VAG
- 136 ▶ PRO LUXE

BALNEO

- 140 ▶ EFFERVESCENCE® SOLO OR DUO
- 142 ▶ BULLÉO SOLO OR DUO
- 144 ▶ BALNÉO SOLO OR DUO
- 146 ▶ BALNEO KIT
- 148 ▶ DUO MIX
- 150 ▶ HYDROMASSAGE
- 150 ▶ ACCESSORIES
- 152 ▶ PIEZO CONTROLS

NEW ENERGY LABELLING REGULATIONS


All light sources, lights and light bulbs must bear the new energy label on the European market from 1st September 2021. To simplify consumer choice, the European Commission has changed the energy performance class rating: the old maximum ratings "A", "A+" and "A++" now correspond to products rated "G", "F" and "E".



NEW ENERGY EFFICIENCY RATING FROM A TO G

IMPORTANT:

The products are not downgraded by the new classification, but are reclassified on the basis of a different calculation. The new classification from A to G has been chosen to allow sufficient margin for future developments.



From 1st March 2023, the new label must be attached to all packaging for products sold by physical or online outlets. However, products already on the market prior to this date can retain the old energy label until 28th February 2023

Manufacturers' and distributors' obligations to provide information:

- The energy label must be visible on the packaging for light sources.
- For remote or internet sales, the label and product information sheet must be provided.
- Advertising materials must show the product's energy class and the energy efficiency class rating.
- Technical promotional materials must contain the energy efficiency class.




Other information required on the product and the packaging

On the source:

Useful lighting, colour temperature, safety information, beam angle (for directed lighting sources only)

On the packaging with the side facing the customer on the shelf:

Useful lighting and angle at which it is measured, colour temperature, beam angle (for directed lighting sources), information on the characteristics of the electrical interface (e.g. "E27")



new instructions, available in 7 languages



Pool equipment

• THE ADVANTAGES OF OUR LIGHTING	12
• TUNABLE SPOTLIGHT	13
• PAR56 LIGHT BULBS	14
• WIRED PAR56 LIGHT BULBS	15
• RENOVATION SPOTLIGHT.....	16
WE-LINE RANGE.....	16
DESIGN RANGE.....	17
• NEW-BUILD SPOTLIGHTS	18
WE-LINE RANGE.....	18
DESIGN RANGE.....	19
ELEGANCE RANGE	20
• EASYLED SPOTLIGHTS.....	21
WE-LINE RANGE.....	21
DESIGN RANGE.....	22
IKONE RANGE	23
EVO RANGE	24
• SPOTTIE	26
• COVER COLOUR OPTIONS	28
• LIGHTING CONTROLS.....	29
• JUNCTION BOXES.....	30



OSRAM
LED TECHNOLOGY INCLUDED

THE ADVANTAGES OF OUR LIGHTING

We have developed our expertise thanks to a specialist design office and **100% French production** at our plant in **Saint-Philbert-de-Grand-Lieu**.




Our lighting complies with strict specifications



Energy-efficient.
Compliant with the latest applicable standards.



50 to 100 more efficient than traditional lights



Easy to set up



Low maintenance



Resin coating guaranteeing a perfect seal



Wide-angle lighting




Compatible with the majority of available light bulbs



Lighting technology and cover options


► 5 ranges to match the style of your pool



WE-LINE



DESIGN



IKONE



EVO



ELEGANCE

► 4 systems to fit all installations



PAR56 LIGHT BULB



RENOVATION



NEW-BUILD WITH NICHE



CLIP-ON SPOTLIGHT
FOR ATTACHING TO THE
VACUUM PORT



[FOCUS] TUNABLE SPOTLIGHT

2-YEAR
WARRANTY*

Enjoy a wide range of features offered by white and colour Tunable spotlights using the free Blueswim mobile application and the BLUE-TUN control unit (p.29).



SMARTPHONE LIGHTING CONTROL VIA BLUETOOTH

Works with the
Blueswim Tunable

application and the
control unit installed
in the plant room



Blueswim x YouTube

DISCOVER THE RANGE ON VIDEO



Tunable colour

Colour control




Lighting intensity
adjustment




+ customised programs based on 3 settings:
(colour, colour cycle time and colour transition time)

15 built-in programs:



Tunable white


Control of warm and
cool white tones



Lighting intensity
adjustment



9 built-in white programs



Other features:

Calendar

Countdown

Auto power-off


PAR56 LIGHT BULBS

**2-YEAR
WARRANTY***


Available in *STANDARD* or *TUNABLE*, in white or colour

CHARACTERISTICS

- Compatible with all available PAR56 pool spotlights
- Standard or Tunable collimator for optimum lighting diffusion
- Heatshrink sleeving supplied



STANDARD

6 white LEDs 1800 lumens F	12 white LEDs 2500 lumens G	12 colour LEDs 1200 lumens G
---	--	---

- 10 colours and 5 programs available with colour LEDs
- Available in white (6 or 12 LEDs) and colour (12 LEDs)
- Remote control (p.29)



TUNABLE

12 LEDs 1500 lumens E	12 LEDs 1500 lumens G
------------------------------------	------------------------------------



- Close-range control with many features available via the **Blueswim Tunable** mobile application using the BLUE-TUN control unit (p.29)
- Available in white and colour (12 LEDs)
- Colour and white tone customisation (p.13)

CODE	STANDARD PAR56 LIGHT BULB	RETAIL PRICE € EX. VAT PER PACK OF 20	RETAIL PRICE € EX. VAT PER UNIT
64192LB15	6 white LEDs (12V AC – 26W – 36 VA)	119.10	126.30
64192LB30	12 white LEDs (12V AC – 42W – 52 VA)	221.80	229.60
64192LC15	12 colour LEDs (12V AC – 36W – 45 VA)	346.90	359.50
CODE	PAR56 TUNABLE LIGHT BULB	RETAIL PRICE € EX. VAT PER PACK OF 20	RETAIL PRICE € EX. VAT PER UNIT
64192TW30	12 Tunable white LEDs (12V AC – 20W – 27 VA)	330.60	347.40
64192TC15	12 Tunable colour LEDs (12V AC – 36W – 45 VA)	346.90	359.50

WIRED PAR56 LIGHT BULBS



2-YEAR
WARRANTY*



Makes installation easy while ensuring perfect sealing of the assembly, without any need to use the optical bracket or the existing niche seal.

CHARACTERISTICS

- Suitable for all niche types
- 2.4 m cable and retaining lugs
- Standard or Tunable collimator for optimum lighting diffusion
- Heatshrink sleeving supplied



STANDARD

6 LEDs	12 LEDs	12 LEDs
1800 lumens	2500 lumens	1200 lumens
F	G	G

- 10 colours and 5 programs available with colour LEDs
- Available in white (6 or 12 LEDs) and colour (12 LEDs)
- Remote control (p.29)



TUNABLE

12 LEDs	12 LEDs
1500 lumens	1500 lumens
E	G



- Close-range control with many features available via the **Blueswim Tunable** mobile application using the BLUE-TUN control unit (p.13)
- Available in white and colour (12 LEDs)
- Colour and white tone customisation (p.13)

CODE	WIRED STANDARD PAR56 LIGHT BULB	RETAIL PRICE € EX. VAT PER PACK OF 20	RETAIL PRICE € EX. VAT PER UNIT
64192LB15CB	Wired with 6 white LEDs (12V AC – 26W – 36 VA)	143.10	150.30
64192LB30CB	Wired with 12 white LEDs (12V AC – 42W – 52 VA)	246.50	254.30
64192LC15CB	Wired with 12 colour LEDs (12V AC – 36W – 45 VA)	370.30	384.80
CODE	WIRED PAR56 TUNABLE LIGHT BULB	RETAIL PRICE € EX. VAT PER PACK OF 20	RETAIL PRICE € EX. VAT PER UNIT
64192TW30CB	Wired with 12 Tunable white LEDs (12V AC – 20W – 27 VA)	357.10	372.70
64192TC30CB	Wired with 12 Tunable colour LEDs (12V AC – 36W – 45 VA)	370.30	384.80

RENOVATION SPOTLIGHT

WE-LINE RANGE
**2-YEAR
WARRANTY***


LED spotlight to be built into existing niches for pool renovation and enhancement.

CHARACTERISTICS

- Suitable for all niche types (95% of those available)
- Standard or Tunable collimator for optimum lighting diffusion
- Cover colour options [p.28]



KIT COMPONENTS

- ✓ 1 We-line ABS cover
- ✓ 1 x 2.4 m cable
- ✓ 1 protective sheath for wiring to the connection box (not supplied)
- ✓ 2 sets of mounting lugs, long and short, for fixing in the existing niche.



STANDARD

6 LEDs	12 LEDs	12 LEDs
1800 lumens	2500 lumens	1200 lumens
F	G	G

- 10 colours and 5 programs available with colour LEDs
- Available in white (6 or 12 LEDs) and colour (12 LEDs)
- Remote control [p.29]

TUNABLE

12 LEDs	12 LEDs
1500 lumens	1500 lumens
E	G



- Close-range control with many features available via the **Blueswim Tunable** mobile application using the BLUE-TUN control unit [p.29]
- Available in white and colour (12 LEDs)
- Colour and white tone customisation [p.13]

CODE	STANDARD WE-LINE RENOVATION SPOTLIGHT	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
68036LB15	WE-LINE renovation spotlight with 6 white LEDs (12V AC – 26W – 36 VA)	245.20	254.90
68036LB30	WE-LINE renovation spotlight with 12 white LEDs (12V AC – 42W – 52 VA)	286.80	299.40
68036LC15	WE-LINE renovation spotlight with 12 colour LEDs (12V AC – 36W – 45 VA)	376.30	390.80
CODE	WE-LINE RENOVATION TUNABLE SPOTLIGHT	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
68036TW30	WE-LINE renovation spotlight with 12 Tunable white LEDs (12V AC – 20W – 27 VA)	357.10	372.70
68036TC15	WE-LINE renovation spotlight with 12 Tunable colour LEDs (12V AC – 36W – 45 VA)	376.30	390.80

LED spotlight to be built into existing niches for pool renovation and enhancement.

CHARACTERISTICS

- Suitable for all niche types (95% of those available)
- Standard or Tunable collimator for optimum lighting diffusion
- Cover colour options (round or square) (p.28)



KIT COMPONENTS

- ✓ 2 DESIGN ABS covers (round and square)
- ✓ 1 x 2.4 m cable
- ✓ 1 protective sheath for wiring to the connection box (not supplied)
- ✓ 2 sets of mounting lugs, long and short, for fixing in the existing niche.



STANDARD

6 LEDs	12 LEDs	12 LEDs
1800 lumens	2500 lumens	1200 lumens
F	G	G

- 10 colours and 5 programs available with colour LEDs
- Available in white (6 or 12 LEDs) and colour (12 LEDs)
- Remote control (p.29)



TUNABLE

12 LEDs	12 LEDs
1500 lumens	1500 lumens
E	G



- Close-range control with many features available via the **Blueswim Tunable** mobile application using the BLUE-TUN control unit (p.29)
- Available in white and colour (12 LEDs)
- Colour and white tone customisation (p.13)

CODE	STANDARD DESIGN RENOVATION SPOTLIGHT	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
65025LB15	DESIGN renovation spotlight with 6 white LEDs (12V AC – 26W – 36 VA)	245.20	254.90
65025LB30	DESIGN renovation spotlight with 12 white LEDs (12V AC – 42W – 52 VA)	286.80	299.40
67025LC15	DESIGN renovation spotlight with 12 colour LEDs (12V AC – 36W – 45 VA)	376.30	390.80
CODE	DESIGN TUNABLE RENOVATION SPOTLIGHT	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
65025TW30	DESIGN renovation spotlight with 12 white Tunable LEDs (12V AC – 20W – 27 VA)	357.10	372.70
65025TC15	DESIGN renovation spotlight with 12 Tunable colour LEDs (12V AC – 36W – 45 VA)	376.30	390.80

NEW-BUILD SPOTLIGHTS

WE-LINE RANGE
**2-YEAR
WARRANTY***


Optical unit with white or colour LEDs with a cable and niche for easy installation.

CHARACTERISTICS

- Available for all wall types: concrete, shell, concrete/liner, panel/liner
- Easy to install the optical unit in and remove it from the niche without tools
- Standard or Tunable collimator for optimum lighting diffusion
- Cover colour options [p.28]



KIT COMPONENTS

- ✓ 1 We-line ABS cover
- ✓ 1 x 2.4 m cable
- ✓ 1 protective sheath for wiring to the connection box (not supplied)
- ✓ 1 niche option: concrete/liner or panel/liner



STANDARD

6 LEDs	12 LEDs	12 LEDs
1800 lumens	2500 lumens	1200 lumens
F	G	G

- 10 colours and 5 programs available with colour LEDs
- Available in white (6 or 12 LEDs) and colour (12 LEDs)
- Remote control [p.29]



TUNABLE

12 LEDs	12 LEDs
1500 lumens	1500 lumens
E	G



- Close-range control with many features available via the **Blueswim Tunable** mobile application using the BLUE-TUN control unit [p.29]
- Available in white and colour (12 LEDs)
- Colour and white tone customisation [p.13]

CODE	STANDARD NEW-BUILD WE-LINE SPOTLIGHT WITH CABLE	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
69052LB15	WE-LINE spotlight with 6 white LEDs, Concrete-Liner (12V AC – 26W – 36 VA)	283.80	294.60
69053LB15	WE-LINE spotlight with 6 white LEDs, Panel-Liner (12V AC – 26W – 36 VA)	307.80	319.80
69052LB30	WE-LINE spotlight with 12 white LEDs, Concrete-Liner/Shell (12V AC – 42W – 52 VA)	325.80	337.90
69053LB30	WE-LINE spotlight with 12 white LEDs, Panel-Liner (12V AC – 42W – 52 VA)	349.90	364.30
69052LC15	WE-LINE spotlight with 12 colour LEDs, Concrete-Liner (12V AC – 36W – 45 VA)	413.60	429.20
69053LC15	WE-LINE spotlight with 12 colour LEDs, Panel-Liner (12V AC – 36W – 45 VA)	437.60	456.90
CODE	NEW-BUILD WE-LINE TUNABLE SPOTLIGHT WITH CABLE	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
69052TW30	WE-LINE spotlight with 12 Tunable white LEDs, Concrete-Liner (12V AC – 20W – 27 VA)	395.60	412.40
69053TW30	Panel-Liner WE-LINE spotlight with 12 Tunable white LEDs (12V AC – 20W – 27 VA)	419.70	438.80
69052TC15	WE-LINE spotlight with 12 Tunable colour LEDs, Concrete-Liner (12V AC – 36W – 45 VA)	413.60	429.20
69053TC15	WE-LINE spotlight with 12 Tunable colour LEDs, Panel-Liner (12 – 36W – 45 VA)	437.60	456.90

Optical unit with white or colour LEDs with a cable and niche for easy installation.

CHARACTERISTICS

- Available for all wall types: concrete, shell, concrete/liner, panel/liner
- Easy to install the optical unit in and remove it from the niche without tools
- Standard or Tunable collimator for optimum lighting diffusion
- Cover colour options (round or square) (p.28)



KIT COMPONENTS

- ✓ 2 DESIGN ABS covers (round and square)
- ✓ 1 x 2.4 m cable
- ✓ 1 protective sheath for wiring to the connection box (not supplied)
- ✓ 1 niche option: concrete/liner or panel/liner



STANDARD

6 LEDs	12 LEDs	12 LEDs
1800 lumens	2500 lumens	1200 lumens
F	G	G

- 10 colours and 5 programs available with colour LEDs
- Available in white (6 or 12 LEDs) and colour (12 LEDs)
- Remote control (p.29)

TUNABLE

12 LEDs	12 LEDs
1500 lumens	1500 lumens
E	G



BlueSwim
Tunable



- Close-range control with many features available via the **BlueSwim Tunable** mobile application using the BLUE-TUN control unit (p.29)
- Available in white and colour (12 LEDs)
- Colour and white tone customisation (p.13)

CODE	DESIGN NEW-BUILD STANDARD SPOTLIGHT WITH CABLE	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
65030LB15	DESIGN spotlight with 6 white LEDs, Concrete-Liner (12V AC – 26W – 36 VA)	283.80	294.60
65032LB15	DESIGN spotlight with 6 white LEDs, Panel-Liner (12V AC – 26W – 36 VA)	307.80	319.80
65030LB30	DESIGN spotlight with 12 white LEDs, Concrete-Liner/Shell (12V AC – 42W – 52 VA)	325.80	337.90
65032LB30	DESIGN spotlight with 12 white LEDs, Panel-Liner (12V AC – 42W – 52 VA)	349.90	364.30
67030LC15	DESIGN spotlight with 12 colour LEDs, Concrete-Liner (12V AC – 36W – 45 VA)	413.60	429.20
67032LC15	DESIGN spotlight with 12 colour LEDs, Panel-Liner (12V AC – 36W – 45 VA)	437.60	456.90
CODE	DESIGN NEW-BUILD TUNABLE SPOTLIGHT WITH CABLE	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
65030TW30	DESIGN spotlight with 12 Tunable white LEDs, Concrete-Liner (12V AC – 20W – 27 VA)	395.60	412.40
65032TW30	DESIGN spotlight with 12 Tunable white LEDs, Panel-Liner (12V AC – 20W – 27 VA)	419.70	438.80
65030TC15	DESIGN spotlight with 12 Tunable colour LEDs, Concrete-Liner (12V AC – 36W – 45 VA)	413.60	429.20
65032TC15	DESIGN spotlight with 12 Tunable colour LEDs, Panel-Liner (12V AC – 36W – 45 VA)	437.60	456.90

NEW-BUILD SPOTLIGHTS

ELEGANCE RANGE
**2-YEAR
WARRANTY***


Optical unit with white or colour LEDs with a cable and niche for easy installation.

CHARACTERISTICS

- Available for all wall types: concrete, shell, concrete/liner, panel/liner
- Easy to install the optical unit in and remove it from the niche without tools
- Standard or Tunable collimator
- Cover colour options (p.28)



KIT COMPONENTS

- ✓ 1 elegance ABS cover
- ✓ 1 x 2.4 m cable
- ✓ 1 protective sheath for wiring to the connection box (not supplied)
- ✓ 1 niche option: concrete/liner or panel/liner



STANDARD

6 LEDs	12 LEDs	12 LEDs
1800 lumens	2500 lumens	1200 lumens
F	G	G

- 10 colours and 5 programs available with colour LEDs
- Available in white (6 or 12 LEDs) and colour (12 LEDs)
- Remote control (p.29)

TUNABLE

12 LEDs	12 LEDs
1500 lumens	1500 lumens
E	G



- Close-range control with many features available via the **BlueSwim Tunable** mobile application using the BLUE-TUN control unit (p.29)
- Available in white and colour (12 LEDs)
- Colour and white tone customisation (p.13)

CODE	ELEGANCE NEW-BUILD STANDARD SPOTLIGHT WITH CABLE	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
65035LB15	Spotlight with 6 white LEDs, Concrete-Liner (12V AC – 26W – 36 VA)	270.50	280.80
65037LB15	Spotlight with 6 white LEDs, Panel-Liner (12V AC – 26W – 36 VA)	295.70	308.40
65035LB30	Spotlight with 12 white LEDs, Concrete-Liner/Shell (12V AC – 42W – 52 VA)	313.20	325.80
65037LB30	Spotlight with 12 white LEDs, Panel-Liner (12V AC – 42W – 52 VA)	337.90	352.20
67035LC15	Spotlight with 12 colour LEDs, Concrete-Liner (12V AC – 36W – 45 VA)	401.60	418.40
65037LC15	Spotlight with 12 colour LEDs, Panel-Liner (12V AC – 36W – 45 VA)	425.60	444.80
CODE	ELEGANCE NEW-BUILD TUNABLE SPOTLIGHT WITH CABLE	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
65035TW30	Spotlight with 12 Tunable white LEDs, Concrete-Liner (12V AC – 20W – 27 VA)	383.50	400.40
65037TW30	Spotlight with 12 Tunable white LEDs, Panel-Liner (12V AC – 20W – 27 VA)	407.60	426.80
65035TC15	Spotlight with 12 Tunable colour LEDs, Concrete-Liner (12V AC – 36W – 45 VA)	401.60	418.40
65037TC15	Spotlight with 12 Tunable colour LEDs, Panel-Liner (12V AC – 36W – 45 VA)	425.60	444.80

NEW-BUILD
RENOVATION



EASY
INSTALLATION



Clip-on spotlight to be attached to the vacuum port for all pool types (concrete, concrete/liner, panel/liner, shell)


CHARACTERISTICS

- Simple and patented fixing system compatible with all available 1"1/2 sealing parts
- Standard or Tunable collimator for optimum lighting diffusion
- Cover colour options (p.28)



KIT COMPONENTS

- ✓ 1 We-line ABS cover
- ✓ 1 x 2.4 m cable
- ✓ 2 screw-in rings for 1"1/2 ports
- ✓ 1 heatshrink sleeving supplied



SUPPORT RING:
REINFORCED CLIP HOLDER



vacuum port not included



STANDARD

6 LEDs	12 LEDs	12 LEDs
1800 lumens	2500 lumens	1200 lumens
F	G	G

- 10 colours and 5 programs available with colour LEDs
- Available in white (6 or 12 LEDs) and colour (12 LEDs)
- Remote control (p.29)

TUNABLE

12 LEDs	12 LEDs
1500 lumens	1500 lumens
E	G



- Close-range control with many features available via the **Blueswim Tunable** mobile application using the BLUE-TUN control unit (p.29)
- Available in white and colour (12 LEDs)
- Colour and white tone customisation (p.13)

CODE	STANDARD WE-LINE EASYLED SPOTLIGHT	RETAIL PRICE € EX. VAT PER PACK OF 10	RETAIL PRICE € EX. VAT PER UNIT
65070LB15	EasyLED with 6 white LEDs, WE-LINE range (12V AC - 26W - 36 VA)	245.20	254.90
65070LB30	EasyLED with 12 white LEDs, WE-LINE range (12V AC - 42W - 52 VA)	313.20	325.80
65070LC15	EasyLED with 12 colour LEDs, WE-LINE range (12V AC - 36W - 45 VA)	375.70	390.80
CODE	TUNABLE WE-LINE EASYLED SPOTLIGHT	RETAIL PRICE € EX. VAT PER PACK OF 10	RETAIL PRICE € EX. VAT PER UNIT
65070TW30	EasyLED with 12 Tunable white LEDs, WE-LINE range (12V AC - 20W - 27 VA)	357.10	372.70
65070TC15	EasyLED with 12 Tunable colour LEDs, WE-LINE range (12V AC - 36W - 45 VA)	375.70	390.80

EASYLED SPOTLIGHTS

DESIGN RANGE
**2-YEAR
WARRANTY***


NEW-BUILD

RENOVATION


**EASY
INSTALLATION**


Clip-on spotlight to be attached to the vacuum port for all pool types (concrete, concrete/liner, panel, liner, shell)

CHARACTERISTICS

- Simple and patented fixing system compatible with all available 1"1/2 sealing parts
- Standard or Tunable collimator for optimum lighting diffusion
- Cover colour options (round or square) (p.28)



KIT COMPONENTS

- ✓ 2 white DESIGN ABS covers (round and square)
- ✓ 1 x 2.4 m cable
- ✓ 2 screw-in rings for 1"1/2 ports
- ✓ 1 liner thickness-compensation spacer
- ✓ 1 heatshrink sleeving supplied

NEW!
**SUPPORT RING:
REINFORCED
CLIP HOLDER**
vacuum port not included


STANDARD


6 LEDs	12 LEDs	12 LEDs
1800 lumens	2500 lumens	1200 lumens
F	G	G

- 10 colours and 5 programs available with colour LEDs
- Available in white (6 or 12 LEDs) and colour (12 LEDs)
- Remote control (p.29)

TUNABLE

12 LEDs	12 LEDs
1500 lumens	1500 lumens
E	G

- Close-range control with many features available via the **Blueswim Tunable** mobile application using the BLUE-TUN control unit (p.29)
- Available in white and colour (12 LEDs)
- Colour and white tone customisation (p.13)



CODE	STANDARD DESIGN EASYLED SPOTLIGHT	RETAIL PRICE € EX. VAT PER PACK OF 10	RETAIL PRICE € EX. VAT PER UNIT
65050LB15	DESIGN Easyled with 6 white LEDs (12V AC - 26W - 36 VA)	245.20	254.90
65050LB30	DESIGN Easyled with 12 white LEDs (12V AC - 42W - 52 VA)	313.20	325.80
65050LC15	DESIGN Easyled with 12 colour LEDs (12V AC - 36W - 45 VA)	375.70	390.80
CODE	TUNABLE DESIGN EASYLED SPOTLIGHT	RETAIL PRICE € EX. VAT PER PACK OF 10	RETAIL PRICE € EX. VAT PER UNIT
65050TW30	DESIGN Easyled with 12 Tunable white LEDs (12V AC - 20W - 27 VA)	357.10	372.70
65050TC15	DESIGN Easyled with 12 Tunable colour LEDs (12V AC - 36W - 45 VA)	375.70	390.80

EASYLED SPOTLIGHTS

IKONE RANGE



2-YEAR
WARRANTY*




LIGHTING

NEW-BUILD
RENOVATION



EASY
INSTALLATION



Clip-on spotlight to be attached to the vacuum port for all pool types (concrete, concrete/liner, panel/liner, shell)

CHARACTERISTICS

- Simple and patented fixing system
- Clips on to all available 1 1/2" sealing parts
- Standard or Tunable collimator for optimum lighting diffusion
- Cover colour options (round or square) (p.28)



KIT COMPONENTS

- ✓ 2 white IKONE ABS covers (round and square)
- ✓ 1 x 2.4 m cable
- ✓ 2 screw-in rings for 1 1/2" ports
- ✓ 1 heatshrink sleeving supplied

NEW!

SUPPORT RING:
REINFORCED
CLIP HOLDER

vacuum port not included



STANDARD



6 LEDs	12 LEDs	12 LEDs
1800 lumens	2500 lumens	1200 lumens
F	G	G

- 10 colours and 5 programs available with colour LEDs
- Available in white (6 or 12 LEDs) and colour (12 LEDs)
- Remote control (p.29)

TUNABLE

12 LEDs	12 LEDs
1500 lumens	1500 lumens
E	G

- Close-range control with many features available via the **Blueswim Tunable** mobile application using the BLUE-TUN control unit (p.29)
- Available in white and colour (12 LEDs)
- Colour and white tone customisation (p.13)



CODE	STANDARD IKONE EASYLED SPOTLIGHT	RETAIL PRICE € EX. VAT PER PACK OF 10	RETAIL PRICE € EX. VAT PER UNIT
65060LB15	IKONE Easyled with 6 white LEDs (12V AC – 26W – 36 VA)	245.20	254.90
65060LB30	IKONE Easyled with 12 white LEDs (12V AC – 42W – 52 VA)	313.20	325.80
65060LC15	IKONE Easyled with 12 colour LEDs (12V AC – 36W – 45 VA)	375.70	390.80
CODE	TUNABLE IKONE EASYLED SPOTLIGHT	RETAIL PRICE € EX. VAT PER PACK OF 10	RETAIL PRICE € EX. VAT PER UNIT
65060TW30	IKONE Easyled with 12 Tunable white LEDs (12V AC – 20W – 27 VA)	357.10	372.70
65060TC15	IKONE Easyled with 12 Tunable colour LEDs (12V AC – 36W – 45 VA)	375.70	390.80

EASYLED SPOTLIGHTS

EVO RANGE 

2-YEAR
WARRANTY*



DISCREET
INTEGRATION



NEW-BUILD
RENOVATION



Click!

An extra-flat clip-on spotlight for perfect and discreet integration.

CHARACTERISTICS

- Suitable for all pool types (concrete, concrete/liner, panel/liner, shell)
- Easy to install: clips on to all available 1 1/2" sealing parts
- Available in white (6 or 12 LEDs) and colour (12 LEDs)
- Standard or Tunable collimator for optimum lighting diffusion



KIT COMPONENTS

- ✓ 1 x 2.4 m cable
- ✓ 2 screw-in rings for 1 1/2" ports
- ✓ 1 liner thickness-compensation spacer
- ✓ 1 heatshrink sleeving supplied

SUPPORT RING:
REINFORCED CLIP HOLDER




vacuum port not included






EASY
INSTALLATION

Simple and patented fixing
system





STANDARD

6 LEDs	12 LEDs	12 LEDs
1800 lumens	2500 lumens	1200 lumens
		

- 10 colours and 5 programs available with colour LEDs
- Available in white (6 or 12 LEDs) and colour (12 LEDs)
- Remote control (p.29)

TUNABLE

12 LEDs	12 LEDs
1500 lumens	1500 lumens
	



- Close-range control with many features available via the **Blueswim Tunable** mobile application using the BLUE-TUN control unit (p.29)
- Available in white and colour (12 LEDs)
- Colour and white tone customisation (p.13)



SPOTLIGHT
COLOUR
OPTIONS

COLOUR OPTIONS

STANDARD



white



charcoal



grey



sand

CODE	COLOUR	STANDARD EVO EASYLED	RETAIL PRICE € EX. VAT PER PACK OF 10	RETAIL PRICE € EX. VAT PER UNIT
65040EVOLB15		6 white LEDs (12V AC – 26W – 36 VA)	241.70	253.70
65043EVOLB15A			253.70	267.00
65042EVOLB15G			253.70	267.00
65041EVOLB15S			253.70	267.00
65040EVOLB30		12 white LEDs (12V AC – 42W – 52 VA)	313.80	328.30
65043EVOLB30A			325.80	341.40
65042EVOLB30G			325.80	341.40
65041EVOLB30S			325.80	341.40
67040EVOLC15		12 colour LEDs (12V AC – 36W – 45 VA)	376.30	394.40
67043EVOLC15A			388.30	407.60
67042EVOLC15G			388.30	407.60
67041EVOLC15S			388.30	407.60

TUNABLE



white



charcoal



grey



sand

CODE	COLOUR	EVO EASYLED TUNABLE	RETAIL PRICE € EX. VAT PER PACK OF 10	RETAIL PRICE € EX. VAT PER UNIT
65040EVOTW30		12 Tunable white LEDs (12V AC – 20W – 27 VA)	357.10	372.70
65043EVOTW30A			369.20	385.90
65042EVOTW30G			369.20	385.90
65041EVOTW30S			369.20	385.90
65040EVOTC15		12 Tunable colour LEDs (12V AC – 36W – 45 VA)	376.30	394.40
65043EVOTC15A			388.30	407.60
65042EVOTC15G			388.30	407.60
65041EVOTC15S			388.30	407.60


SPOTTIE

2-YEAR
WARRANTY*


Mini spotlight suitable for all pool types and other structures: spas, balneo spaces, stair risers, etc.


**EASY
INSTALLATION**

CHARACTERISTICS





- Simple and patented fixing system compatible with all available 1"1/2 sealing parts depending on the structure (not supplied)
- Can be installed in tight spaces or restricted areas (stairways, etc.)
- Available in white (1 or 3 LEDs) and colour (9 LEDs)
- Cover colour options (p.27)
- Available in the **WE-LINE**  range (next page)


1 LED	3 LEDs	9 LEDs
360 lumens	790 lumens	180 lumens
F	E	G



KIT COMPONENTS

- ✓ 1 x 2.4 m cable
- ✓ 2 DESIGN (square) and ELEGANCE (round) nozzle screw covers
- ✓ 2 screw-in rings for 1"1/2 ports






CODE	SPOTTIE MINI SPOTLIGHT	RETAIL PRICE € EX. VAT PER PACK OF 24	RETAIL PRICE € EX. VAT PER UNIT
65036	 Spottie spotlight with 1 white LED (12V AC - 7W - 17 VA)	137.70	144.90
65050	 Spottie spotlight with 3 white LEDs (12V AC - 10W - 20 VA)	187.60	195.40
65060	 Spottie spotlight with 9 colour LEDs (12V AC - 10W - 20 VA)	313.20	325.80



COLOUR OPTIONS




Spottie offers complete customisation options thanks to the colour ABS screw-in covers and 3 ranges: WE-LINE, DESIGN, ELEGANCE

WE-LINE RANGE

CODE	COLOUR	RETAIL PRICE € EX. VAT
80481A		6.60
80481G		6.60
80481S		6.60



DESIGN RANGE

CODE	COLOUR	RETAIL PRICE € EX. VAT
64166A		6.60
64166G		6.60
64166B		6.60
64166S		6.60
64166I	STAINLESS STEEL	170.60



ELEGANCE RANGE

CODE	COLOUR	RETAIL PRICE € EX. VAT
62971A		10.30
62971G		10.30
62971B		10.30
62971S		10.30
64207	STAINLESS STEEL	143.40



COVER COLOUR OPTIONS



WE-LINE COVERS

► for Renovation and New-build spotlights

CODE	COLOUR	RETAIL PRICE € EX. VAT
80486		20.50
80486A		23.30
80486G		23.30
80486S		23.30



► for Easyled spotlights

CODE	COLOUR	RETAIL PRICE € EX. VAT
80487		25.00
80487A		27.90
80487G		27.90
80487S		27.90



DESIGN ROUND COVER

► for Renovation and New-build spotlights

CODE	COLOUR	RETAIL PRICE € EX. VAT
64215		20.50
64215A		23.30
64215G		23.30
64215S		23.30
64197	STAINLESS STEEL	252.30



► for Easyled spotlights + raiser

CODE	COLOUR	RETAIL PRICE € EX. VAT
64339		25.00
64339A		27.90
64339G		27.90
64339S		27.90



DESIGN SQUARE COVER

► for Renovation and New-build spotlights

CODE	COLOUR	RETAIL PRICE € EX. VAT
64216		24.60
64216A		28.90
64216G		28.90
64216S		28.90
64230	STAINLESS STEEL	325.30



► for Easyled spotlights + raiser

CODE	COLOUR	RETAIL PRICE € EX. VAT
64340		28.90
64340A		33.20
64340G		33.20
64340S		33.20



IKONE ROUND COVER

► for Easyled spotlights

CODE	COLOUR	RETAIL PRICE € EX. VAT
64209		20.50
64209A		23.30
64209G		23.30
64209S		23.30
64209I	STAINLESS STEEL	252.30



IKONE SQUARE COVER

► for Easyled spotlights

CODE	COLOUR	RETAIL PRICE € EX. VAT
64210		25.00
64210A		28.90
64210G		28.90
64210S		28.90
64210I	STAINLESS STEEL	325.30



ELEGANCE COVER

► for New-build spotlights + washer

CODE	COLOUR	RETAIL PRICE € EX. VAT
64320A		23.90
64320G		23.90
64320S		23.90


STICK-ON
COVER

Refer to the
installation manual:



Explore the STAINLESS
STEEL sealing parts range

More information
(p.60)



MOBILE APPLICATION AND REMOTE CONTROLS



ON/OFF WITH
REMOTE CONTROL

CPL UNIT WITH
REMOTE CONTROL

MODULE WITH
REMOTE CONTROL

Blueswim
Tunable

CODE	63254DI	63254	JETVAG-MOD ⁽¹⁾ JETVAG-MOD-LOC	BLUE-TUN
POWER SUPPLY	230V AC	12V AC	230V AC	12V AC
INDEPENDENT OUTPUT	1	-	2	2
TYPE OF CONTROL	<ul style="list-style-type: none"> 1 ON/OFF CONTACT 50 m free field transformer according to the number of light bulbs 	<ul style="list-style-type: none"> POWER BREAK 4 spotlights max. 	<ul style="list-style-type: none"> 1 ON/OFF CONTACT OR POWER BREAK 1 ON/OFF CONTACT 5A per contact 	<ul style="list-style-type: none"> 2 ON/OFF CONTACTS OR POWER BREAK
OPTIONS (contact us)		-		-

SPOTLIGHT COMPATIBILITY

	White Spottie	Colour Spottie	6/12 standard white LEDs	12 standard colour LEDs	12 tunable white LEDs	12 tunable colour LEDs
	😊	-	😊	😊	😊	😊
	-	-	😊	😊	😊	😊
	😊	-	😊	😊	😊	😊
	-	-	😊	😊	😊	😊
	-	-	😊	😊	😊	😊
	-	-	😊	😊	😊	😊

CODE	DESIGNATION	RETAIL PRICE € EX. VAT PER PACK OF 10 OR 20*	RETAIL PRICE € EX. VAT PER UNIT
63254DI	ON/OFF unit + remote control	* 92.00	95.00
63254	CPL unit + remote control	276.60	288.60
JETVAG-MOD ⁽¹⁾	Module for installation in an electrical box (DIN rail) + remote control	276.60	288.60
JETVAG-MOD-LOC	Control unit for installation in a plant room (box) + remote control	276.60	288.60
BLUE-TUN	Blueswim Tunable: control unit + application	368.10	379.70

JUNCTION BOXES

**2-YEAR
WARRANTY***

The junction box enables spotlights to be connected electrically.

CHARACTERISTICS

- Available in 3 colours, allowing the box to be matched with the patio or pool deck.
- G3/4 or 50mm internal diameter threaded outlet



KIT COMPONENTS

- ✓ Box with cover
- ✓ 2 cable glands for clamping the cables or CSS sealing part pipes





sand



charcoal



grey



CODE	JUNCTION BOX WITH 1 INPUT / 2 OUTPUTS	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 20	RETAIL PRICE € EX. VAT PER UNIT
63004	White junction box		23.60	24.80
63004A	Charcoal junction box		38.80	40.80
63004G	Grey junction box		38.80	40.80
63004S	Sand junction box		38.80	40.80



Pool equipment

SEALING PARTS


• WE-LINE RANGE	32
A400 SKIMMER	32
A800 SKIMMER	33
RETURN NOZZLES	34
VACUUM PORTS	35
ACCESSORIES	35
MAIN DRAINS	36
• DESIGN RANGE	37
A400 SKIMMER	38
A500 NHL SKIMMER	40
A600 SKIMMER	41
A800 SKIMMER	42
A200 SKIMMER	43
RENOVATION KIT	44
RETURN NOZZLES	46
VACUUM PORTS	47
ACCESSORIES	48
MAIN DRAINS	49
• ELEGANCE RANGE	50
A400 SKIMMER	50
A600 SKIMMER	51
JUMBOSKIM	52
RENOVATION KIT	53
RETURN NOZZLES	54
VACUUM PORTS	55
MAIN DRAINS	56
ACCESSORIES	57
OPTIONS	58
SEALING PARTS WITH INSERTS	59
• STAINLESS STEEL SEALING PARTS	60
STAINLESS STEEL SKIMMER	60
STAINLESS STEEL ACCESSORIES	61



WE-LINE RANGE



With its contemporary finishes, the We-line range enhances any pool with its modern design. Explore all the products: skimmers, nozzles and main drains.



SKIMMER SPECIFICATIONS

- Made from UV-resistant ABS
- 1"1/2 internal thread, 2" external thread or Ø50 mm to be glued
- Overflow side outlets
- White or colour flap
- Basket
- 100% stainless steel A4 screws

SKIMMER FLOWS

- Approx. 7 m³/h (at a speed of 1.5 m/s) if connected to the 1"1/2 outlet with a Ø50 pipe
- Approx. 10 m³/h (at a speed of 1.5 m/s) if connected to the 2" outlet with a Ø63 pipe

A400 SKIMMER




WE-LINE RANGE



OPTIONS (P.58)

- 37 mm raiser ref. 60851 and 132 mm extension ref. 62093
- Lid colour options available



CODE	A400 WE-LINE SKIMMER	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 16	RETAIL PRICE € EX. VAT PER UNIT
94086	Concrete		136.50	142.40
94286	Shell / Concrete-liner		143.10	150.30
94386	Panel-liner		150.30	157.60
94286A	Shell / Concrete-liner		158.90	165.50
94386A	Panel-liner		164.10	170.80
94286G	Shell / Concrete-liner		158.90	165.50
94386G	Panel-liner		164.10	170.80
94286S	Shell / Concrete-liner		158.90	165.50
94386S	Panel-liner		164.10	170.80



charcoal



grey



sand

CHARACTERISTICS



- Levelling as close as possible to the coping (up to 8 cm from the pool edge)
- Made from UV-resistant ABS with a wide mouth




OPTIONS (P.58)

- 37 mm raiser ref. 60851 and 132 mm extension ref. 62093
- Lid colour options available





- ✓ 1 single box for better product identification, storage and protection
- ✓ Fixing clips and glue or screws included depending on the model
- ✓ Can be connected to an overflow

WITH
welticolle
see p.58



Concrete-liner version dimensions



CODE	A800 WE-LINE SKIMMER	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 16	RETAIL PRICE € EX. VAT PER UNIT
97286	Concrete / Shell / Concrete-liner	○	370.40	385.60
97386	Panel-liner	○	385.60	400.80
97286A	Concrete / Shell / Concrete-liner	●	412.70	428.40
97386A	Panel-liner	●	427.10	441.70
97286G	Concrete / Shell / Concrete-liner	●	412.70	428.40
97386G	Panel-liner	●	427.10	441.70
97286S	Concrete / Shell / Concrete-liner	●	412.70	428.40
97386S	Panel-liner	●	427.10	441.70



RETURN NOZZLES

WE-LINE RANGE

2-YEAR
WARRANTY*


- Ball-joint direction-adjustable nozzle
- Made from ABS
- 2 assembly options: screw-in or glue-in
- Approx. flow of 10 m³/h at 0.6 bar



Concrete-liner / Panel-liner



Shell



Concrete

SCREW-IN NOZZLES



Concrete



Concrete-liner / Panel-liner




Shell

CODE	SCREW-IN RETURN NOZZLE	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 36	RETAIL PRICE € EX. VAT PER UNIT
64286	Concrete		11.00	11.60
64287	Concrete-liner / Panel-liner		19.30	20.20
64288	Shell		16.10	16.70
64287A	Concrete-liner / Panel-liner		39.60	41.30
64287G	Concrete-liner / Panel-liner		39.60	41.30
64287S	Concrete-liner / Panel-liner		39.60	41.30



GLUE-IN NOZZLES



Concrete



Concrete-liner / Panel-liner



Shell

CODE	GLUE-IN RETURN NOZZLE	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 36	RETAIL PRICE € EX. VAT PER UNIT
64296	Concrete		11.00	11.60
64297	Concrete-liner / Panel-liner		19.30	20.20
64298	Shell		16.10	16.70
64297A	Concrete-liner / Panel-liner		39.60	41.30
64297G	Concrete-liner / Panel-liner		39.60	41.30
64297S	Concrete-liner / Panel-liner		39.60	41.30



VACUUM PORTS

WE-LINE RANGE

2-YEAR
WARRANTY*



- Available for all wall types
- Made from ABS
- 2 assembly options: screw-in or glue-in



Concrete




Concrete-liner /
panel-liner




Shell

SCREW-IN VACUUM PORTS



CODE	WE-LINE SCREW-IN VACUUM PORT	RETAIL PRICE € EX. VAT PER PACK OF 36	RETAIL PRICE € EX. VAT PER UNIT
80473	Concrete	8.20	8.70
80474	Concrete-liner and panel-liner	15.10	15.80
80475	Shell	13.80	14.60

GLUE-IN VACUUM PORTS



CODE	WE-LINE GLUE-IN VACUUM PORT	RETAIL PRICE € EX. VAT PER PACK OF 36	RETAIL PRICE € EX. VAT PER UNIT
80476	Concrete	8.20	8.70
80477	Concrete-liner and panel-liner	15.10	15.80
80478	Shell	13.80	14.60

ACCESSORIES

- Suitable for the majority of available 1 1/2 sealing parts
- Mass dyed



DIRECTION-ADJUSTABLE NOZZLE

- colour screw cover included

CODE	COLOUR	RETAIL PRICE € EX. VAT
80483	White	17.30
80483A	Black	21.70
80483G	Grey	21.70
80483S	Yellow	21.70



GRATE

- max. flow 1.4 m³/h at 0.5 m/s

CODE	COLOUR	RETAIL PRICE € EX. VAT
80485	White	8.10
80485A	Black	8.80
80485G	Grey	8.80
80485S	Yellow	8.80



PLUG

CODE	COLOUR	RETAIL PRICE € EX. VAT
80484	White	10.10
80484A	Black	12.40
80484G	Grey	12.40
80484S	Yellow	12.40

SCREW COVER

- for concrete and shell walls
- for concrete-liner and panel-liner walls

CODE	COLOUR	RETAIL PRICE € EX. VAT
80480	White	5.50
80480A	Black	6.20
80480G	Grey	6.20
80480S	Yellow	6.20

CODE	COLOUR	RETAIL PRICE € EX. VAT
80481	White	5.90
80481A	Black	6.60
80481G	Grey	6.60
80481S	Yellow	6.60



MAIN DRAINS

WE-LINE RANGE

2-YEAR
WARRANTY*





Fully direction-adjustable and rotating

CHARACTERISTICS



- An ingenious main drain system, which can be used to align the WE-LINE main drain grate with the pool walls.
- Colour grate available
- Maximum main drain flow 13.2 m³/h at 0.5m/s



✓ Easy assembly:

1. Seal the bowl.
2. Adjust the flange and grate to ensure the kit is fully aligned with the pool.

CODE	DESIGNATION	RETAIL PRICE € EX. VAT PER PACK OF 12	RETAIL PRICE € EX. VAT PER UNIT
80455	Universal main drain	37.70	39.60

COLOUR OPTIONS

- Available in 3 colours, mass dyed.

CODE	COLOURS	RETAIL PRICE € EX. VAT
80455A		30.40
80455G		30.40
80455S		30.40



DESIGN RANGE



A distinct, modern style with its sharp edges and straight lines.



SKIMMER SPECIFICATIONS

- Side outlets for a constant level
- 1"1/2 internal thread, 2" external thread or Ø 50 mm to be glued
- Basket
- 100% stainless steel A4 screws
- White or colour flap

SKIMMER FLOWS

- Approx. 7 m³/h (at a speed of 1.5 m/s) if connected to the 1"1/2 outlet with a Ø50 pipe
- Approx. 10 m³/h (at a speed of 1.5 m/s) if connected to the 2" outlet with a Ø63 pipe

THE DESIGN ESSENTIALS

NEW!

Discover the new A400 design mouth faceplate,



for changing colour without replacing the skimmer!

see p.38 and 39



More storage space and flexibility in terms of colour options

BEST-SELLER



**A500 NHL
SKIMMER**

see p.40



A400 SKIMMER

DESIGN RANGE

new model

2-YEAR
WARRANTY*



NEW!

New! For greater flexibility, this best-seller is available in several versions to suit your needs and those of your customers.

HOW TO CHOOSE AN A400 DESIGN SKIMMER?

3 SKIMMER VERSIONS DEPENDING ON THE STRUCTURE



- Concrete (white only)
- Concrete/shell/concrete-liner
- Panel-liner

All our skimmers are made from UV-resistant ABS.

2 MODELS WITH COLOUR OPTIONS:

WITH A COLOUR MOUTH FACEPLATE **NEW!**

Quickly turn your white skimmer into a colour skimmer with a single click.



- ✓ Increase the storage space and flexibility in terms of colour options.
- ✓ Perfect for renovations where the cover colour has changed, without destroying the existing installation.

COLOUR SKIMMERS

- ✓ The colour is directly mass dyed
- ✓ Available for concrete/shell/concrete-liner and panel liner versions



AVAILABLE OPTIONS (p.58)

37 mm high raiser
ref. 60851



Extension (L132 mm)
ref. 62093




Lid colour options
available





Stainless steel mouth
faceplate



p.60



Concrete-liner version dimensions



A400 WHITE DESIGN SKIMMER

Choose your white skimmer to suit your structure.

CODE	A400 WHITE DESIGN SKIMMER	RETAIL PRICE € EX. VAT PER PACK OF 16	RETAIL PRICE € EX. VAT
92086	Concrete	136.50	142.40
92286	Concrete / shell / concrete-liner	143.10	150.30
92386	Panel-liner	150.30	157.60




COLOUR OPTIONS



WITH A MOUTH FACEPLATE

Add a colour mouth faceplate to your A400 Design skimmer order. This mouth faceplate easily clips on to the existing skimmer, or any structure, to change the colour without dismantling the installation

CODE	A400 DESIGN MOUTH FACEPLATE	COLOUR	RETAIL PRICE € EX. VAT
63168	A400 design mouth faceplate	White	58.90
63168A	A400 design mouth faceplate	Black	61.40
63168G	A400 design mouth faceplate	Grey	61.40
63168S	A400 design mouth faceplate	Yellow	61.40



Available as a renovation kit (p.44)

OR

COLOUR SKIMMER

Choose your skimmer to suit the type of structure and the desired direct dyed colour.

CODE	COLOUR SKIMMER A400 DESIGN	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 16	RETAIL PRICE € EX. VAT
92286A	Concrete / shell / concrete-liner	Black	158.90	165.50
92386A	Panel-liner	Black	164.10	170.80
92286G	Concrete / shell / concrete-liner	Grey	158.90	165.50
92386G	Panel-liner	Grey	164.10	170.80
92286S	Concrete / shell / concrete-liner	Yellow	158.90	165.50
92386S	Panel-liner	Yellow	164.10	170.80
92286B	Concrete / shell / concrete-liner	Blue	158.90	165.50
92386B	Panel-liner	Blue	164.10	170.80



A500 NHL SKIMMER

DESIGN RANGE

Specially designed for discreet integration, the A500 NHL skimmer raises the water level to just 45mm beneath the pool edge (in the liner-less version).


The gap between the water level and the coping is practically invisible, almost making it a mirror swimming pool.



rebar not supplied (12 mm max.)

best-seller

2-YEAR
WARRANTY*




✓ No liner interruption




WITH
welticolle
see p.58

- Made from UV-resistant ABS
- Suction fitting: 1 1/2" internal thread, 2" external thread or Ø 50 mm outlet to be glued
- Only compatible with the Modul'eau level regulator (p.58)


A500 NHL



Standard A600 or A800



Concrete-liner version dimensions



CODE	A500 NHL DESIGN SKIMMER	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 16	RETAIL PRICE € EX. VAT PER UNIT
95286	Concrete-liner	○	262.40	275.50
95386	Panel-liner	○	275.50	288.80
95286A	Concrete-liner	●	315.10	329.60
95386A	Panel-liner	●	328.30	344.10
95286G	Concrete-liner	●	315.10	329.60
95386G	Panel-liner	●	328.30	344.10
95286S	Concrete-liner	●	315.10	329.60
95386S	Panel-liner	●	328.30	344.10



A600 SKIMMER

2-YEAR
WARRANTY*



DESIGN RANGE





- Levelling as close as possible to the coping (up to 8 cm from the pool edge)
- Made from UV-resistant ABS with a wide mouth
- Available in stainless steel (p.60)




- ✓ 1 single box for better product identification, storage and protection
- ✓ Fixing clips and glue or screws included depending on the model
- ✓ Can be connected to an overflow

WITH
welticolle
see p.58



Concrete-liner version dimensions



CODE	A600 DESIGN SKIMMER	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 16	RETAIL PRICE € EX. VAT
91286	Concrete-liner	○	303.20	315.10
91386	Panel-liner	○	316.40	328.30
91286A	Concrete-liner	●	344.10	357.30
91386A	Panel-liner	●	357.30	371.80
91286G	Concrete-liner	●	344.10	357.30
91386G	Panel-liner	●	357.30	371.80
91286S	Concrete-liner	●	344.10	357.30
91386S	Panel-liner	●	357.30	371.80
91286B	Concrete-liner	●	344.10	357.30
91386B	Panel-liner	●	357.30	371.80



A800 SKIMMER

DESIGN RANGE

2-YEAR
WARRANTY*



- Levelling as close as possible to the coping (up to 8 cm from the pool edge)
- Made from UV-resistant ABS with a wide mouth
- Available in stainless steel (p.60)





- ✓ 1 single box for better product identification, storage and protection
- ✓ Fixing clips and glue or screws included depending on the model
- ✓ Can be connected to an overflow

WITH
welticolle
see p.58




OPTIONS (P.58)

- 37 mm raiser ref. 60851 and 132 mm extension ref. 62093
- Lid colour options available



Concrete-liner version dimensions



CODE	A800 DESIGN SKIMMER	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 16	RETAIL PRICE € EX. VAT
96286	Concrete-liner	○	370.40	385.60
96386	Panel-liner	○	385.60	400.80
96286A	Concrete-liner	●	412.70	428.40
96386A	Panel-liner	●	427.10	441.70
96286G	Concrete-liner	●	412.70	428.40
96386G	Panel-liner	●	427.10	441.70
96286S	Concrete-liner	●	412.70	428.40
96386S	Panel-liner	●	427.10	441.70
96286B	Concrete-liner	●	412.70	428.40
96386B	Panel-liner	●	427.10	441.70



A200 SKIMMER

DESIGN RANGE

2-YEAR
WARRANTY*



- Made from UV-resistant ABS
- Only available in white




OPTIONS (P.58)

- 37 mm raiser ref. 60851 and 132 mm extension ref. 62093
- Lid colour options available



- ✓ 1 single box for better product identification, storage and protection
- ✓ Can be connected to an overflow



Concrete-liner version dimensions

CODE	A200 DESIGN SKIMMER	RETAIL PRICE € EX. VAT PER PACK OF 20	RETAIL PRICE € EX. VAT PER UNIT
92085	Concrete	96.50	100.80
92285	Concrete-liner /shell	131.20	136.50
92385	Panel-liner	158.70	165.50

RENOVATION KIT

DESIGN RANGE

New

2-YEAR
WARRANTY*



NEW!

A complete renovation kit for A200 to A800 DESIGN skimmers.
NEW: Customise the A400 renovation kit with a mouth faceplate!

- Also available for skimfilters and twinfilters
- Available in 4 colours from A400 to A800.
- 1 single complete ready-to-use solution




✓ Customisation of the design renovation kit



RENOVATION KIT WITH A MOUTH FACEPLATE

NEW!

AVAILABLE IN A400 ONLY




KIT COMPONENTS

- ✓ 2 seals
- ✓ screws
- ✓ Counter-flange
- ✓ Mouth faceplate
- ✓ Flap


RENOVATION KIT WITH COVER

AVAILABLE FROM A200 TO A800




KIT COMPONENTS


- ✓ 2 seals
- ✓ screws
- ✓ Counter-flange
- ✓ Cover




A200




A300



A400



A600



A800

A400 RENOVATION KIT WITH A MOUTH FACEPLATE

NEW!

Only available for A400 design.

This mouth faceplate easily clips on to the existing skimmer, or any structure, to change the colour without dismantling the installation.

✓ 2 seals

✓ screws

✓ Counter-flange

✓ Mouth faceplate

✓ flap

CODE	A400 DESIGN RENOVATION KIT WITH A MOUTH FACEPLATE	COLOUR	RETAIL PRICE € EX. VAT
60662	Design A400 Skimmer renovation kit		77.40
60662A	Design A400 Skimmer renovation kit		83.80
60662G	Design A400 Skimmer renovation kit		83.80
60662S	Design A400 Skimmer renovation kit		83.80





RENOVATION KIT WITH COVER


✓ 2 seals

✓ screws






✓ Counter-flange

✓ Cover

CODE	DESIGN RENOVATION KIT WITH COVER	COLOUR	RETAIL PRICE € EX. VAT
60664	Design A200 Skimmer renovation kit		46.90
62547	Design A300 Skimmer renovation kit		46.90








DESIGN A400 SKIMMER RENOVATION KIT

60660	Design A400 Skimmer renovation kit		63.00
60660A	Design A400 Skimmer renovation kit		65.70
60660G	Design A400 Skimmer renovation kit		65.70
60660S	Design A400 Skimmer renovation kit		65.70
60660B	Design A400 Skimmer renovation kit		65.70








DESIGN A600 SKIMMER RENOVATION KIT

64321D	Design A600 Skimmer renovation kit		100.50
64321DA	Design A600 Skimmer renovation kit		104.40
64321DG	Design A600 Skimmer renovation kit		104.40
64321DS	Design A600 Skimmer renovation kit		104.40
64321DB	Design A600 Skimmer renovation kit		104.40



DESIGN A800 SKIMMER RENOVATION KIT

64232	Design A800 Skimmer renovation kit		116.40
64232A	Design A800 Skimmer renovation kit		123.20
64232G	Design A800 Skimmer renovation kit		123.20
64232S	Design A800 Skimmer renovation kit		123.20
64232B	Design A800 Skimmer renovation kit		123.20



RETURN NOZZLES

DESIGN RANGE

**2-YEAR
WARRANTY***



- Made from ABS
- 2 assembly options: screw-in or glue-in
- Approx. flow of 10 m³/h at 0.6 bar




SCREW-IN NOZZLES



CODE	SCREW-IN RETURN NOZZLE	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 36	RETAIL PRICE € EX. VAT PER UNIT
64179	Concrete		11.00	11.60
64183	Concrete-liner / Panel-liner		19.30	20.20
64187	Shell		16.10	16.70
64183A	Concrete-liner / Panel-liner		39.60	41.30
64183G	Concrete-liner / Panel-liner		39.60	41.30
64183S	Concrete-liner / Panel-liner		39.60	41.30
64183B	Concrete-liner / Panel-liner		39.60	41.30



GLUE-IN NOZZLES



CODE	GLUE-IN RETURN NOZZLE	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 36	RETAIL PRICE € EX. VAT PER UNIT
64180	Concrete		11.00	11.60
64184	Concrete-liner / Panel-liner		19.30	20.20
64188	Shell		16.10	16.70
64184A	Concrete-liner / Panel-liner		39.60	41.30
64184G	Concrete-liner / Panel-liner		39.60	41.30
64184S	Concrete-liner / Panel-liner		39.60	41.30
64184B	Concrete-liner / Panel-liner		39.60	41.30



VACUUM PORTS

DESIGN RANGE


2-YEAR
WARRANTY*



- Made from ABS
- 2 assembly options: screw-in or glue-in




SCREW-IN VACUUM PORTS



CODE	1 1/2" SCREW-IN DESIGN VACUUM PORT	RETAIL PRICE € EX. VAT PER PACK OF 36	RETAIL PRICE € EX. VAT PER UNIT
64181	Concrete	8.20	8.70
64185	Concrete-liner and panel-liner	15.10	15.80
64189	Shell	13.80	14.60


GLUE-IN VACUUM PORTS



CODE	Ø 50 MM GLUE-IN DESIGN VACUUM PORT	RETAIL PRICE € EX. VAT PER PACK OF 36	RETAIL PRICE € EX. VAT PER UNIT
64182	Concrete	8.20	8.70
64186	Concrete-liner and panel-liner	15.10	15.80
64190	Shell	13.80	14.60

WALL BUSHINGS

- 300 mm long to be cut to suit the wall thickness (outlet Ø50 socket / 3 threads 2" male)
- Made from ABS



CODE	WALL BUSHINGS	RETAIL PRICE € EX. VAT PER PACK OF 25	RETAIL PRICE € EX. VAT PER UNIT
62370	Concrete	15.90	16.60
62983	Concrete-liner	17.20	18.00

ACCESSORIES

DESIGN RANGE

2-YEAR
WARRANTY*


- Suitable for the majority of available 1"1/2 sealing parts
- Mass dyed



DIRECTION-ADJUSTABLE NOZZLE + SCREW COVER



CODE	COLOUR	RETAIL PRICE € EX. VAT
64170		17.30
64170A		21.70
64170G		21.70
64170S		21.70
64170B		21.70



GRATE

- max. flow 1.14 m³/h at 0.5 m/s



CODE	COLOUR	RETAIL PRICE € EX. VAT
64163		8.10
64163A		8.80
64163G		8.80
64163S		8.80
64163B		8.80



PLUG



CODE	COLOUR	RETAIL PRICE € EX. VAT
64178		10.10
64178A		12.40
64178G		12.40
64178S		12.40
64178B		12.40



SCREW COVER

FOR CONCRETE AND SHELL WALLS

CODE	COLOUR	RETAIL PRICE € EX. VAT
64165		5.50
64165A		6.20
64165G		6.20
64165S		6.20
64165B		6.20

FOR CONCRETE-LINER / PANEL-LINER WALLS

CODE	COLOUR	RETAIL PRICE € EX. VAT
64166		5.90
64166A		6.60
64166G		6.60
64166S		6.60
64166B		6.60

MAIN DRAINS

DESIGN RANGE

2-YEAR
WARRANTY*



Fully direction-adjustable and rotating





An ingenious main drain system, which can be used to align the grate with the pool walls.

- Grate and flange available in colour and stainless steel
- Maximum flow 11.75 m³/h at 0.5m/s



✓ Easy assembly:

1. Seal the bowl.
2. Adjust the flange and grate to ensure the kit is fully aligned with the pool.



CODE	DESIGNATION	RETAIL PRICE € EX. VAT PER PACK OF 12	RETAIL PRICE € EX. VAT PER UNIT
64171	Universal main drain	37.70	39.60

COLOURS

- Mass dyed.
- Can be used in any other Weltico main drain




CODE	COLOUR	RETAIL PRICE € EX. VAT
63690		24.00
63690A		30.40
63690G		30.40
63690S		30.40
63690B		30.40



ELEGANCE RANGE



The Weltico must-haves with rounded lines and a large volume



SKIMMER SPECIFICATIONS

- 100% stainless steel A4 screws
- Overflow side outlets
- 1"1/2 internal thread, 2" external thread or Ø50 mm to be glued
- White or colour flap
- Basket
- Mouth faceplate available in white, charcoal, grey, sand and blue

SKIMMER FLOWS

- Approx. 7 m³/h (at a speed of 1.5 m/s) if connected to the 1"1/2 outlet with a Ø50 pipe
- Approx. 10 m³/h (at a speed of 1.5 m/s) if connected to the 2" outlet with a Ø63 pipe

A400 SKIMMER


ELEGANCE RANGE



OPTIONS (P.58)

- 37 mm raiser ref. 60851 and 132 mm extension ref. 62093
- Lid colour options available

- Simple and functional
- Made from UV-resistant ABS



Concrete-liner / shell model dimensions

CODE	A400 ELEGANCE SKIMMER	RETAIL PRICE € EX. VAT PER PACK OF 16	RETAIL PRICE € EX. VAT PER UNIT
93086	Concrete	136.50	142.40
93286	Concrete-Liner / Shell	143.10	150.30
93386	Panel-liner	150.30	157.60

COLOUR MOUTH FACEPLATE

- Covers the skimmer mouth completely
- A perfect finish without a screw cover
- No need to dismantle the existing standard skimmer



63176A



63176G



63176S



63176B

CODE	COLOUR	RETAIL PRICE € EX. VAT
63176	White	82.80
63176A	Black	89.70
63176G	Grey	89.70
63176S	Yellow	89.70
63176B	Blue	89.70

A600 SKIMMER

● ELEGANCE RANGE

2-YEAR
WARRANTY*



- Levelling as close as possible to the coping (up to 8 cm from the pool edge)
- Made from UV-resistant ABS with a wide mouth



+ OPTIONS


(P.58)

- 37 mm raiser ref. 60851 and 132 mm extension ref. 62093
- Lid colour options available



- ✓ 1 single box for better product identification, storage and protection
- ✓ Fixing clips and glue or screws included depending on the model
- ✓ Can be connected to an overflow

WITH
welticolle
see p.58




Concrete-liner version dimensions

CODE	A600 ELEGANCE SKIMMER	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 16	RETAIL PRICE € EX. VAT
90286	Concrete-liner	○	303.20	315.10
90386	Panel-liner	○	316.40	328.30
90286A	Concrete-liner	●	344.10	357.30
90386A	Panel-liner	●	357.30	371.80
90286G	Concrete-liner	●	344.10	357.30
90386G	Panel-liner	●	357.30	371.80
90286S	Concrete-liner	●	344.10	357.30
90386S	Panel-liner	●	357.30	371.80
90286B	Concrete-liner	●	344.10	357.30
90386B	Panel-liner	●	357.30	371.80



An A400 skimmer equipped with a pre-filter and a high capacity tank



- Made from UV-resistant ABS






✓ everbag pre-filter included
(see p78)



HIGH-CAPACITY FILTER BAG (REPLACES THE BASKET):

- Features a rigid ABS ring
- A filter bag made of a 500 micron rigid woven fabric
- This filters all large impurities (leaves, grass, insects, etc.) to reduce clogging of the pump pre-filter basket
- Easily cleaned by turning it inside out and gently brushing it
- Max. flow approx. 7 m³/h (at a speed of 1.5 m/s) if connected to the 1 1/2" outlet with a Ø50 pipe.



CODE	DESIGNATION	RETAIL PRICE € EX. VAT
99086J	JUMBOSKIM concrete	200.20
99286J	JUMBOSKIM Concrete-liner / Shell	241.70
99386J	JUMBOSKIM Panel-liner	255.80
90095J	Regulator for JUMBOSKIM	186.20

RENOVATION KIT

● ELEGANCE RANGE

2-YEAR
WARRANTY*



A complete renovation kit for A400 to A600 ELEGANCE skimmers.



- Also available for skimfilters and twinfilters
- Available in 4 colours
- 1 single complete ready-to-use solution



elegance A400 kit



KIT COMPONENTS

- ✓ 2 seals
- ✓ Screws
- ✓ Counter-flange
- ✓ Screw cover

CODE	SPECIFIC RENOVATION KIT	COLOUR	RETAIL PRICE € EX. VAT
ELEGANCE A400 SKIMMER RENOVATION KIT			
62743	Elegance A400 Skimmer renovation kit	○	63.00
62743A	Elegance A400 Skimmer renovation kit	●	65.70
62743G	Elegance A400 Skimmer renovation kit	●	65.70
62743S	Elegance A400 Skimmer renovation kit	●	65.70
62743B	Elegance A400 Skimmer renovation kit	●	65.70
ELEGANCE A600 SKIMMER RENOVATION KIT			
64321E	Elegance A600 Skimmer renovation kit	○	100.50
64321EA	Elegance A600 Skimmer renovation kit	●	104.40
64321EG	Elegance A600 Skimmer renovation kit	●	104.40
64321ES	Elegance A600 Skimmer renovation kit	●	104.40
64321EB	Elegance A600 Skimmer renovation kit	●	104.40

RETURN NOZZLES

ELEGANCE RANGE

2-YEAR
WARRANTY*


- Made from ABS
- Assembly options: screw-in or glue-in
- Flow can be adjusted by extending the ball-joint




SCREW-IN NOZZLES



CODE	SCREW-IN RETURN NOZZLE	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 36	RETAIL PRICE € EX. VAT PER UNIT
62994	Concrete	○	11.00	11.60
62995	Concrete-liner	○	17.90	18.70
62997	Panel-liner	○	19.30	20.20
62996	Shell	○	16.10	16.70
62995A	Concrete-liner	●	53.20	56.10
62995G	Concrete-liner	●	53.20	56.10
62995S	Concrete-liner	●	53.20	56.10
62995B	Concrete-liner	●	53.20	56.10
62997A	Panel-liner	●	53.20	56.10
62997G	Panel-liner	●	53.20	56.10
62997S	Panel-liner	●	53.20	56.10
62997B	Panel-liner	●	53.20	56.10



GLUE-IN NOZZLES



CODE	GLUE-IN RETURN NOZZLE	COLOUR	RETAIL PRICE € EX. VAT PER PACK OF 36	RETAIL PRICE € EX. VAT PER UNIT
62994	Concrete	○	11.00	11.60
62995	Concrete-liner	○	17.90	18.70
62997	Panel-liner	○	19.30	20.20
62996	Shell	○	16.10	16.70
62998A	Concrete-liner	●	53.20	56.10
62998G	Concrete-liner	●	53.20	56.10
62998S	Concrete-liner	●	53.20	56.10
62998B	Concrete-liner	●	53.20	56.10
62986A	Panel-liner	●	53.20	56.10
62986G	Panel-liner	●	53.20	56.10
62986S	Panel-liner	●	53.20	56.10
62986B	Panel-liner	●	53.20	56.10



VACUUM PORTS

● ELEGANCE RANGE

2-YEAR
WARRANTY*



- Made from ABS
- 4 colour options for covers, grates and plugs
- 2 assembly options: screw-in 1" 1/2 internal thread, 2" external thread or ø 50 mm to be glued



62984



62991

SCREW-IN VACUUM PORTS



62984



62991



62990



CODE	ELEGANCE SCREW-IN VACUUM PORT	RETAIL PRICE € EX. VAT PER PACK OF 36	RETAIL PRICE € EX. VAT PER UNIT
62984	Concrete	5.90	6.10
62991	Concrete-liner	15.30	16.10
62990	Panel-liner	16.70	17.30
62993	Shell	13.80	14.60


GLUE-IN VACUUM PORTS



CODE	ELEGANCE GLUE-IN VACUUM PORT	RETAIL PRICE € EX. VAT PER PACK OF 36	RETAIL PRICE € EX. VAT PER UNIT
62985	Concrete	5.90	6.10
62992	Concrete-liner	15.30	16.10
62987	Panel-liner	16.70	17.30
62989	Shell	13.80	14.60

WALL BUSHINGS

- 300 mm long to be cut to suit the wall thickness (outlet Ø50 socket / 3 threads 2" male)
- Made from ABS



62370



62983

CODE	WALL BUSHINGS	RETAIL PRICE € EX. VAT PER PACK OF 25	RETAIL PRICE € EX. VAT PER UNIT
62370	Concrete	15.90	16.60
62983	Concrete-liner	17.20	18.00

MAIN DRAINS

ELEGANCE RANGE

**2-YEAR
WARRANTY***


- Made from ABS and available in 4 colours
- 2" side and 1" 1/2 underside outlets
- 2 models available: standard and anti-vortex grates
- Max. flow 14.9 m³/h at 0.5m/s
- Fully direction-adjustable and rotating

MAIN DRAIN WITH STANDARD GRATE

- Universal

CODE	DESIGNATION	RETAIL PRICE € EX. VAT
64172	Main drain with standard grates	34.60



64172

COLOUR GRATE AND FLANGE KIT

- Mass dyed.
- Can be used in any Weltico main drain
- In ABS

CODE	COLOUR	RETAIL PRICE € EX. VAT
63158		41.00
63158A		47.70
63158G		47.70
63158S		47.70
63158B		47.70



ANTI-VORTEX AND PLATED MAIN DRAIN

- Designed to prevent the suction risk to swimmers posed by the main drain
- Universal clip-on kit version available
- Max. flow 5.8 m³/h at 0.5m/s

CODE	DESIGNATION	RETAIL PRICE € EX. VAT
62999	Anti-vortex main drain	53.80
64173	Anti-vortex kit to be attached to the drain	26.30



62999



64173

COLOUR ANTI-VORTEX KIT:

- Mass dyed.

CODE	COLOUR	RETAIL PRICE € EX. VAT
64173A		47.70
64173G		47.70
64173S		47.70



- Suitable for the majority of available 1"1/2 sealing parts
- Mass dyed
- Designed to match the colour with the liner.

DIRECTION-ADJUSTABLE NOZZLE + SCREW COVER



CODE	COLOUR	RETAIL PRICE € EX. VAT
63182		17.40
63182A		41.40
63182G		41.40
63182S		41.40
63182B		41.40

GRATE

max. flow 1 m³/h at 0.5m/s



CODE	COLOUR	RETAIL PRICE € EX. VAT
63184		7.30
63184A		9.80
63184G		9.80
63184S		9.80
63184B		9.80

PLUG



CODE	COLOUR	RETAIL PRICE € EX. VAT
63183		7.30
63183A		9.80
63183G		9.80
63183S		9.80
63183B		9.80

SCREW COVER



CODE	COLOUR	RETAIL PRICE € EX. VAT
62971		7.00
62971A		10.30
62971G		10.30
62971S		10.30
62971B		10.30

OPTIONS

WE-LINE RANGE

DESIGN RANGE

ELEGANCE RANGE

2-YEAR
WARRANTY*

SKIMMER LID

- Made from UV-resistant ABS
- 3 colour options to match the skimmer with your patio
- Compatible with all our skimmers




CODE	SKIMMER LID + FRAME	RETAIL PRICE € EX. VAT
8080		46.85
8080A		49.40
8080G		49.40
8080S		49.40



RAISER AND EXTENSION

CODE	OPTION	RETAIL PRICE € EX. VAT
62093	Extension	49.60
60851	Raiser	13.30

extension (L 132 mm)
62093raiser (H 37 mm)
60851

SKIMMER BARRIER

CODE	COLOUR	RETAIL PRICE € EX. VAT
62341		29.10
62341A		31.80
62341G		31.80
62341S		31.80
62341B		31.80



LEVEL REGULATOR

- 2 mechanical regulators (not compatible with the A500 NLH)
- 1 electronic regulator with Modul'eau and its automatic swimming pool control and refilling system



63118



64237



modul'eau



KIT COMPONENTS

- ✓ 2 m cable (can be extended up to 20 m)
- ✓ Fasteners and spare fuses

CODE	REGULATOR	RETAIL PRICE € EX. VAT
63118	A200 and A400 level regulator with a vertical float ball switch	186.60
64237	A600 et A800 high level regulator with a lever float ball switch	186.60
MODUL'EAU	Electronic regulator	636.70

WELTICOLLE

- Bottle supplied with each A500, A600 and A800 skimmer
- Special ABS plastic adhesive
- Optimum bonding of your ABS sealing parts

NEW!

welticolle



CODE	WELTICOLLE	RETAIL PRICE € EX. VAT PER PACK OF 12	RETAIL PRICE € EX. VAT
62751	50 ml bottle of Welticolle	21.20	22.40

SEALING PARTS WITH INSERTS

2-YEAR
WARRANTY*



- Brass inserts
- Insert overmoulding
- Supplied in a single package

Colours on
request



A400 SKIMMER WITH INSERTS

CODE	A400 SKIMMER WITH INSERTS	RETAIL PRICE € EX. VAT PER PACK OF 16	RETAIL PRICE € EX. VAT
92286IN	Concrete-liner /shell	159.30	165.70
92386IN	Panel / liner	170.00	176.40



A600 SKIMMER WITH INSERTS

- Levelling as close as possible to the pool edge.

CODE	A600 SKIMMER WITH INSERTS	RETAIL PRICE € EX. VAT PER PACK OF 16	RETAIL PRICE € EX. VAT
91286IN	Concrete-liner /shell	369.50	381.70
91386IN	Panel / liner	380.90	392.70



ELEGANCE NOZZLE WITH 1"½ INSERTS

CODE	DESIGNATION	RETAIL PRICE € EX. VAT
63005	Concrete-liner	22.10
63135	Panel / liner	24.10



ELEGANCE VACUUM PORT WITH 1"½ INSERTS

CODE	DESIGNATION	RETAIL PRICE € EX. VAT
63006	Concrete-liner	25.40
63136	Panel / liner	27.30



The nozzle, vacuum port and main drain are also available in a Design version, on request.

ELEGANCE MAIN DRAIN WITH ANTI-VORTEX INSERTS

CODE	DESIGNATION	RETAIL PRICE € EX. VAT
63007	Anti-vortex main drain	67.70



STAINLESS STEEL SEALING PARTS

**2-YEAR
WARRANTY***


Stainless steel is unquestionably a material of choice for enhancing your pool and giving it a high-end look.

For partial or complete equipment for your pool, take a look at our range of skimmers, nozzle accessories and stainless steel spotlights.

ACIS offers 316L STAINLESS STEEL parts with passivated joints (drilling, grinding, welding, etc.) and A4 stainless steel screws. In other words, grades with enhanced corrosive properties have been selected to withstand "standard" pool water properties (chlorine, pH, etc.).

As a result, ACIS STAINLESS STEEL parts will not be covered by a warranty for any corrosion. Indeed, the physical and chemical properties of water, the treatment of stray currents, the conditions of use and the maintenance of parts can all cause external and independent corrosion of our STAINLESS STEEL parts.

STAINLESS STEEL SKIMMER

A high-end design



- ✓ 1 single box for better product identification, storage and protection
- ✓ Screws supplied for A600 and A800 assembly



63156i



91386i



96386i

CODE	DESIGNATION	RETAIL PRICE € EX. VAT
63156I	A400 stainless steel skimmer mouth faceplate	1040.60
91386I	A600 stainless steel skimmer, Concrete-liner and Panel-liner	1433.40
96386I	A800 stainless steel skimmer, Concrete-liner and Panel-liner	1660.70

WELINOX

A product for cleaning and maintaining stainless steel parts.

CODE	WELINOX	RETAIL PRICE € EX. VAT
62730	300 g tub of Welinox passivating anti-rust gel	46.00

NEW!

welinox

distributed by weltico

STAINLESS STEEL ACCESSORIES

Customise your DESIGN or ELEGANCE accessories with a stainless steel finish

STAINLESS STEEL SCREW
COVER + NOZZLE

CODE	STAINLESS STEEL SCREW COVER AND NOZZLE	RETAIL PRICE € EX. VAT
64201DBC	DESIGN stainless steel ball-joint direction-adjustable nozzle + DESIGN stainless steel square screw cover for concrete and shell nozzle	523.90
64201DLI	DESIGN stainless steel ball-joint direction-adjustable nozzle + DESIGN stainless steel square screw cover for concrete-liner and panel-liner nozzle	523.90
64201ELI	DESIGN stainless steel ball-joint direction-adjustable nozzle + Elegance stainless steel round screw cover for concrete-liner and panel-liner nozzle	485.20
64201	DESIGN stainless steel ball-joint direction-adjustable nozzle	341.90

SCREW COVER



CODE	STAINLESS STEEL SCREW COVER AND NOZZLE	RETAIL PRICE € EX. VAT
64199	DESIGN stainless steel square screw cover for concrete and shell nozzle	182.00
64200	DESIGN stainless steel square screw cover for concrete-liner and panel-liner nozzle	182.00
64207	Elegance stainless steel square screw cover for concrete-liner and panel-liner nozzle	143.40

STAINLESS STEEL GRATE

TO BE positioned on the DESIGN main drain grate

CODE	MAIN DRAIN ACCESSORIES	RETAIL PRICE € EX. VAT
64198	Stainless steel DESIGN square grate	238.50



+ STAINLESS STEEL SPOTLIGHT COVERS (SEE P.28)



PROFESSIONAL ADVICE

CARTRIDGE FILTRATION

"Weltico cartridges offer the advantage of having an anti-clogging system to ensure that the fold spacing and, therefore, the filter surface is always maintained. Their patented system with a handle makes it easy to handle the filter in order to isolate the cartridge."


ALL-IN-ONE SOLUTIONS

"With the saddle unit or filter wall, installation is simple and there is no need for extensive work. The technical unit is easily accessible and maintenance is facilitated, while preserving the look of the pool."




Pool equipment

• THE ADVANTAGES OF CARTRIDGES	64
• CARTRIDGES	66
• WELFILTRE	67
• SKIMFILTER RANGE	68
• A200 · A300 SKIMFILTERS	69
• A400 · A500 SKIMFILTERS	70
• A600 · A800 SKIMFILTERS	71
• A400 A600 SKIMFILTERS	72
• TWINFILTER	73
• SADDLE UNIT	74
• FILTER WALL	75
• SADDLE UNIT AND FILTER WALL OPTIONS	76
• EVERBAG	78
• CLEANING TANKS	79



THE ADVANTAGES OF CARTRIDGES

weltico



a user-friendly and sealed handle
for ease of use

fold spacing maintained

MORE EFFICIENT

The filter medium performs effectively,
thanks to a combination of patented processes



A high degree of filtration

(15 microns compared to 50 microns for
a sand filter).



UNIVERSAL

Compatible with sea water



For all pool sizes and
types

MORE ECO-FRIENDLY

uses less water

for cleaning operations. This operation
only needs 20 litres of water to clean
a cartridge

300 L

for cleaning
a sand filter



20 L

for cleaning
a cartridge

DISCOVER OUR
6-CLONE
CARTRIDGE FILTER

(p. 116)



vipool					Cartridges weltico	Height
Renovo®	PHT	MJB MKB+	MNB+	MCB+		
14/17 10/13	20	9/15	10/15	13/15		761 mm
10/13	10	6/9	8/12	10/12	C6 19 m³/h	636 mm
6/10	10	6/9	5/10	8/10	C5 15 m³/h	511 mm
	10			6/8	C3 11 m³/h	386 mm
	10			4/6	C2 7 m³/h	261 mm

30 m³ 50 m³ 65 m³ 80 m³ 95 m³

A SOLUTION FOR EVERY POOL:

NEW-BUILD:



RENOVATION AND ABOVE-GROUND POOLS:




EASY TO ASSEMBLE AND USE:





CHARACTERISTICS

- 5 cartridge sizes for filter surface areas from 2.5 m² to 7.6 m² Ø 186 mm
- The polyester filter medium ensures a high degree of filtration (15 microns)
- Weltico equips its cartridges with a patented system that prevents the folds from sticking to each other
- For optimum performance, change the filter every 1-3 seasons (depending on pool usage, the pool's environment and cartridge maintenance)



- ✓ A compact modular design
- ✓ A closed circuit with no need for a drain connection
- ✓ A patented handle with a sealing cap
- ✓ Simple and water-saving cleaning mode
- ✓ A significant reduction in electricity consumption: an energy efficient pump is sufficient to ensure the right flow level within the system, as the filter does not need backwashing.

CODE	C2 TO C7 FILTRATION CARTRIDGES	RETAIL PRICE € EX. VAT PER PACK OF 48	RETAIL PRICE € EX. VAT PER UNIT
62612	C2 cartridge (250 mm, max. flow 7 m ³ /h)	121.00	125.90
62613	C3 cartridge (375 mm, max. flow 11 m ³ /h)	130.80	136.00
62615	C5 cartridge (500 mm, max. flow 15 m ³ /h)	141.80	147.30
62616	C6 cartridge (625 mm, max. flow 19 m ³ /h)	155.40	161.40
62617	C7 cartridge (750 mm, max. flow 22 m ³ /h)	181.00	188.20

THE IDEAL CARTRIDGE FILTRATION SOLUTION FOR ABOVE-GROUND POOLS



CHARACTERISTICS

- Compact
- From C2 to C7, the Welfiltre range is suitable for all pool types and sizes
- Compatible with standard and anti-bacterial cartridges
- Ø50 mm glue-in inlet/outlet
- Supplied with a Ø38 mm glue-in grooved reducer
- Vacuum operation



- ✓ 15 micron filtration
- ✓ Connects to the suction system ahead of the pump
- ✓ Simple and water-saving cleaning mode



CODE	WELFILTRE CARTRIDGE FILTER	RETAIL PRICE € EX. VAT
97405	C2 WELFILTRE (max. flow 7 m³/h)	318.90
97406	C3 WELFILTRE (max. flow 11 m³/h)	346.90
97407	C5 WELFILTRE (max. flow 15 m³/h)	410.30
97408	C6 WELFILTRE (max. flow 19 m³/h)	492.90
97409	C7 WELFILTRE (max. flow 22 m³/h)	574.30

SKIMFILTER RANGE

THE PERFECT CUSTOMISED COMBINATION
OF A SKIMMER AND CARTRIDGE FILTER



A COMPACT SOLUTION:

- ✓ This solution greatly simplifies installation by eliminating all pipes between the skimmer and the filter

A MODULAR SOLUTION:

- ✓ No filters in the plant room
- ✓ Available in the DESIGN, ELEGANCE and WE-LINE ranges to match your other pool equipment
- ✓ 6 skimmerfilters to choose from:
 - A200
 - A300
 - A400
 - A500 NHL
 - A600
 - A800



NUMEROUS CUSTOMISATION OPTIONS

- choice of mouth, direction and outlet, raiser and extension (codes 60851 and 62093)



COLOUR COVER

p. 58



sand



grey



charcoal

A200 · A300 SKIMFILTERS

DESIGN RANGE

2-YEAR
WARRANTY*



COMPACT



CHARACTERISTICS

- Modern and compact skimfilters
- 4 cartridge sizes to choose from
- Flow from 7 to 19 m³/h
- Only available in white

A200

THE MOST COMPACT MODEL WITHOUT A MOUTH

Opening: 205x150 mm

CODE	MODEL	SEAL	RETAIL PRICE EX. VAT PER PACK OF 10	RETAIL PRICE EX. VAT PER UNIT
SF92085C2	A200 C2 (max. flow 7 m ³ /h)	Concrete	507.60	527.30
SF92285C2		Concrete-liner	530.00	551.10
SF92385C2		Panel-liner	544.50	566.90
SF92085C3	A200 C3 (max. flow 11 m ³ /h)	Concrete	535.20	556.40
SF92285C3		Concrete-liner	590.60	614.40
SF92385C3		Panel-liner	605.10	630.10
SF92085C5	A200 C5 (max. flow 15 m ³ /h)	Concrete	603.80	627.60
SF92285C5		Concrete-liner	657.80	682.90
SF92385C5		Panel-liner	672.40	698.70
SF92085C6	A200 C6 (max. flow 19 m ³ /h)	Concrete	656.60	681.60
SF92285C6		Concrete-liner	713.30	742.30
SF92385C6		Panel-liner	726.40	755.40



A300

FOR ABOVE-GROUND POOLS

Opening: 300x150 mm

CODE	MODEL	SEAL	RETAIL PRICE EX. VAT PER PACK OF 10	RETAIL PRICE EX. VAT PER UNIT
SF98486C2	A300 C2 (max. flow 7 m ³ /h)	Concrete-liner	408.70	425.90
SF98486C3	A300 C3 (max. flow 11 m ³ /h)	Concrete-liner	470.70	489.10
SF98486C5	A300 C5 (max. flow 15 m ³ /h)	Concrete-liner	541.80	564.20
SF98486C6	A300 C6 (max. flow 19 m ³ /h)	Concrete-liner	611.70	636.80
SF98286C2	A300 above-ground C2	Above-ground	398.10	414.00
SF98286C3	A300 above-ground C3	Above-ground	460.10	478.60
SF98286C5	A300 above-ground C5	Above-ground	531.30	551.10



A400 · A500 SKIMFILTERS

2-YEAR
WARRANTY*



DESIGN RANGE

COMPACT

ALL
STRUCTURES



CHARACTERISTICS

- Modern and compact skimfilters
- 3 cartridge sizes to choose from
- Flow from 15 to 22 m³/h
- Available with colour mouth (sand, grey, charcoal) and in stainless steel
- Equipped with 2 non-perforated overflows and a barrier with a noise-reduction stop

A400

Opening: 370x156 mm

CODE	MODEL	SEAL	RETAIL PRICE EX. VAT PER PACK OF 10	RETAIL PRICE EX. VAT PER UNIT
SF92086C5	A400 DESIGN C5 (max. flow 15 m ³ /h)	Concrete	704.00	730.40
SF92286C5		Concrete-liner	739.60	767.30
SF92386C5		Panel-liner	772.50	802.80
SF92086C6	A400 DESIGN C6 (max. flow 19 m ³ /h)	Concrete	734.30	764.60
SF92286C6		Concrete-liner	798.90	831.80
SF92386C6		Panel-liner	849.00	883.30
SF92086C7	A400 DESIGN C7 (max. flow 22 m ³ /h)	Concrete	792.30	823.90
SF92286C7		Concrete-liner	855.60	889.80
SF92386C7		Panel-liner	905.60	941.30

AVAILABLE IN THE
WE-LINE RANGE



AVAILABLE WITH A COLOUR
MOUTH FACEPLATE

A500

Opening: 495x119 mm

CODE	MODEL	SEAL	RETAIL PRICE EX. VAT PER PACK OF 10	RETAIL PRICE EX. VAT PER UNIT
SF95286C5	A500 C5 (max. flow 15 m ³ /h)	Concrete-liner	777.90	812.00
SF95386C5		Panel-liner	819.90	856.90
SF95286C6	A500 C6 (max. flow 19 m ³ /h)	Concrete-liner	826.60	863.50
SF95386C6		Panel-liner	870.10	907.00
SF95286C7	A500 C7 (max. flow 22 m ³ /h)	Concrete-liner	835.90	872.70
SF95386C7		Panel-liner	920.20	961.10



A600 · A800 SKIMFILTERS

DESIGN RANGE

2-YEAR
WARRANTY*



COMPACT



CHARACTERISTICS

- Modern and compact skimfilters
- 3 cartridge sizes to choose from
- Flow from 15 to 22 m³/h
- Available with colour mouth (sand, grey, charcoal) and in stainless steel
- Equipped with 2 non-perforated overflows and a barrier with a noise-reduction stop

A600

Opening: 595x114 mm

CODE	MODEL	SEAL	RETAIL PRICE EX. VAT PER PACK OF 10	RETAIL PRICE EX. VAT PER UNIT
SF91286C5	A600 C5 (max. flow 15 m ³ /h)	Concrete-liner	818.70	851.60
SF91386C5		Panel-liner	860.80	896.40
SF91286C6	A600 C6 (max. flow 19 m ³ /h)	Concrete-liner	867.40	903.10
SF91386C6		Panel-liner	911.00	946.50
SF91286C7	A600 C7 (max. flow 22 m ³ /h)	Concrete-liner	876.70	912.30
SF91386C7		Panel-liner	961.10	1000.60



A800

Opening: 753x73 mm

CODE	MODEL	SEAL	RETAIL PRICE EX. VAT PER PACK OF 10	RETAIL PRICE EX. VAT PER UNIT
SF96286C5	A800 C5 (max. flow 15 m ³ /h)	Concrete-liner	887.20	924.20
SF96386C5		Panel-liner	930.70	967.60
SF96286C6	A800 C6 (max. flow 19 m ³ /h)	Concrete-liner	937.30	974.20
SF96386C6		Panel-liner	979.50	1019.10
SF96286C7	A800 C7 (max. flow 22 m ³ /h)	Concrete-liner	946.50	983.40
SF96386C7		Panel-liner	1030.90	1073.10



AVAILABLE IN THE
WE-LINE RANGE

A400 · A600 SKIMFILTERS

2-YEAR
WARRANTY*



COMPACT

TOUTES
STRUCTURES



CHARACTERISTICS

- 3 cartridge sizes to choose from
- Flow from 15 to 22 m³/h
- 2 mouth sizes
- Available with a colour mouth faceplate
- Equipped with 2 non-perforated overflows and a barrier with a noise-reduction stop

A400

Opening: 383x171 mm

CODE	MODEL	SEAL	RETAIL PRICE EX. VAT PER PACK OF 10	RETAIL PRICE EX. VAT PER UNIT
SF93086C5		Concrete	704.00	730.40
SF93286C5	A400 C5 (max. flow 15 m ³ /h)	Concrete-liner	739.60	767.30
SF93386C5		Panel-liner	772.50	802.80
SF93086C6		Concrete	734.30	764.60
SF93286C6	A400 C6 (max. flow 19 m ³ /h)	Concrete-liner	798.90	831.80
SF93386C6		Panel-liner	849.00	883.30
SF93086C7		Concrete	792.30	823.90
SF93286C7	A400 C7 (max. flow 22 m ³ /h)	Concrete-liner	855.60	889.80
SF93386C7		Panel-liner	905.60	941.30



AVAILABLE WITH A COLOUR
MOUTH FACEPLATE



A600

Opening: 595x114 mm

CODE	MODEL	SEAL	RETAIL PRICE EX. VAT PER PACK OF 10	RETAIL PRICE EX. VAT PER UNIT
SF90286C5		Concrete-liner	818.70	851.60
SF90386C5	A600 C5 (max. flow 15 m ³ /h)	Panel-liner	860.80	896.40
SF90286C6		Concrete-liner	867.40	903.10
SF90386C6	A600 C6 (max. flow 19 m ³ /h)	Panel-liner	911.00	946.50
SF90286C7		Concrete-liner	876.70	912.30
SF90386C7	A600 C7 (max. flow 22 m ³ /h)	Panel-liner	961.10	1000.60



COMPACT

ALL
STRUCTURES



CUSTOMISABLE

The benefits of cartridge filtration combined with ease of installation

CHARACTERISTICS

This high-end, compact model comprises 2 tanks. The first with a high capacity pre-filter bag (500 microns) to collect leaves and small debris. The second with a 15-micron filter cartridge

- Filtration for pools from 25 to 95 m³
- 2 cartridge sizes to choose from
- Integrated clogging indicator
- Product customisation on request: other skimmer models, from the DESIGN, WE-LINE or other ranges.



- ✓ Vacuum operation
- ✓ No pipes for connection to the filter
- ✓ No filters in the plant room



KIT COMPONENTS

1. Pre-filter
2. Filter
3. Cover
4. Water flow
5. Pump connection

CODE	MODEL	SEAL	RETAIL PRICE EX. VAT PER PACK OF 10	RETAIL PRICE EX. VAT PER UNIT
TF99286P5C6	A400 P5/C6 Twinfilter (max. flow 19 m ³ /h)	Concrete/Concrete-liner/Shell	1230.00	1280.00
TF99286P6C7	A400 P6/C7 Twinfilter (max. flow 22 m ³ /h)	Concrete/Concrete-liner/Shell	1315.70	1368.40
TF99386P5C6	A400 P5/C6 Twinfilter (max. flow 19 m ³ /h)	Panel-liner	1282.70	1334.10
TF99386P6C7	A400 P6/C7 Twinfilter (max. flow 22 m ³ /h)	Panel-liner	1368.40	1423.70

SADDLE UNIT

**5-YEAR
MOTOR
warranty**
excluding bearings
& capacitor

**2-YEAR
WARRANTY***



NO CUTTING NEEDED



CUSTOMISABLE



EASY
TO USE



NEW-BUILD

RENOVATION



PRODUCT TESTED
UNDER
PRESSURE
IN OUR FACTORY

NEW!

**COVER AND TANK
MADE FROM 70%
RECYCLED PLASTIC**

A product that combines technology and style for easy installation and optimum filtration.

CHARACTERISTICS

FRONT:

- 1 tank measuring 800x600x550 mm
- 2 DESIGN range return nozzles
- 2 x C3 cartridges, max. filtration 22 m³/h
- 1 decorative cover as standard to perfectly match your patio or pool deck.
- Lighting with 6 white LEDs



+ decorative cover as standard



SERVICE UNIT:

- 1 high-temperature PHT pump
- 1 HP by-pass included
- 2 x C3 Weltico cartridges (up to 50 m³)

- **1 electrical box with On.e module** (connected timer) and a transformer to power spotlight and pump management.


NEW



The On.e **Bluetooth® connected module** replaces the contactor, switches and mechanical timer in a standard box. It provides **close-range control** of the pool, pump and lighting from your smartphone.



Find out more about this module in the ACWA connect brochure



OPTIONS AND CUSTOMISATION P.76

- Cover finish and colour options: SKIN, TIMBERTECK (p. 76)



- Colour lighting (p. 14)



- Colour sealing parts (p. 46)



- Nautilyse salt water chlorinator (p. 77)



- PVC frame available on request

NEW!

CODE	COMPLETE STANDARD SADDLE UNIT	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
BC5001	Complete standard saddle unit	4321.90	4493.60
BFP001	Customised unit	Contact us, your price will depend on the desired configuration	

FILTER WALL

**5-YEAR
MOTOR
warranty**
excluding bearings
& capacitor

**2-YEAR
WARRANTY***



FILTRATION AND LIGHTING



CUSTOMISABLE



EASY
TO USE



NEW-BUILD

RENOVATION



A simple, economical and streamlined all-in-one unit that sits against the side and makes it easier for your pool's vital systems to function

CHARACTERISTICS

A complete unit, comprising a rear service unit and other customisable features.

FRONT (900x750x250 mm):

- 1 x A400 Design skimfilter
- 2 DESIGN range adjustable return nozzles
- 1 Evo Easyled spotlight with 6 white LEDs
- 1 decorative tank cover

SERVICE UNIT (1120x1020x620 mm):

- 1 PHT pump with a resin-coated high-temperature motor (65°C) designed specially for underground service units
- 1 HP by-pass or other integrated heating system
- 1 built-in C5 cartridge (max. flow 15 m³/h)
- **1 electrical box with On.e module** (connected timer) and a transformer to power spotlight and pump management.

The On.e Bluetooth® connected module replaces the contactor, switches and mechanical timer in a standard box. It provides **close-range control** of the pool, pump and lighting from your smartphone.





Find out more about this module in the ACWA connect brochure



- ✓ Quick installation
- ✓ Sealed and ventilated
- ✓ Optimum integration

NEW



ccs version

WELTICO
FILTRATION



OPTIONS AND CUSTOMISATION P.76

- Cover finish and colour options: SKIN, TIMBERTECK (p. 76)



- Colour lighting (p. 14)



- Colour sealing parts (p. 46)



- Nautilyse salt water chlorinator and CCS (p. 77)



CODE	FILTER WALL FOR A 65 M ³ MAX. POOL	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
MF96C5	Standard filter wall	4321.90	4493.60

SADDLE UNIT AND FILTER WALL OPTIONS

SKIN COVER



OPTIMUM PROTECTION

HIGH STRENGTH

- Designed with a double skin, this covers provides optimum protection for the saddle unit or filter wall.
- 3 colour options (white, charcoal, sand) to match your pool's surroundings.
- Anti-UV surface treatment

3 COLOUR OPTIONS



white • charcoal • sand



double skin



GREY TIMBERTECK COMPOSITE SLAT TRIM

- Grey TIMBERTECK slat trim
- A protective polymer layer ensures high scratch, stain and discolouration resistance



NON-SLIP

DUST-PROOF AND DIRT-PROOF



CODE	WALL FILTER OR SADDLE UNIT OPTIONS	RETAIL PRICE € EX. VAT
80548DP	Filtration unit SKIN cover ○ White	587.30
80548DPA	Filtration unit SKIN cover ● Charcoal	587.30
80548DPS	Filtration unit SKIN cover ● Sand	587.30
CFCT	TIMBERTECK composite slat trim	519.90
80548	Decorative cover	359.80

NAUTILYSE

Nautilyse is a powerful and complete salt water chlorinator providing protection against salt overdosing.



NEW!



SOTREM 2 in-line cell



- Box dimensions: h.270 x w.200 x d.100 mm
- IP55
- Salt level: 4.5 g/l depending on the pool size
- Outlet diameter 50 mm
- Output displayed via anLED keypad

- Protection against possible overheating
- Easy production adjustment
- Automatic and adjustable reverse polarity
- Cover and canopy function
- Boost mode

COUNTER-CURRENT SWIMMING

FOR FILTER
WALLS ONLY



- P1 pump: 2.2 kW separate suction and return
- Return with built-in (air and water) direction-adjustable nozzle
- Electrical box
- On/off pneumatic pushbutton and remote control
- Only available in white

CODE	WALL FILTER OR SADDLE UNIT OPTIONS	RETAIL PRICE € EX. VAT
200046	CCS for filter walls	1317.00
200047MF/BC	Nautilyse salt water chlorinator 50 m ³ max. for filter walls or saddle unit	791.80

AN ALTERNATIVE TO CARTRIDGES

This pre-filter captures all the large impurities drawn in by the skimmer to ensure the pump performs effectively

CHARACTERISTICS

- Everbag features a rigid ABS ring, with a fastener and a filter bag made of a rigid woven fabric
- Prevents the pump clogging and protects it
- Easily cleaned by turning it inside out and gently brushing it
- These pre-filters are interchangeable with equivalent size Weltico cartridges (C2 to C7)



For Skimfilters, we recommend that you replace the cartridge and basket with a bag for cleaning at the start of the season or after strong wind to easily collect all the large debris suspended in the water.

CODE	PRE-FILTER BAG	RETAIL PRICE € EX. VAT
62842	EVERBAG JUMBOSKIM	43.40
62843	EVERBAG P3	46.20
62845	EVERBAG P5	51.80
62846	EVERBAG P6	54.20
62847	EVERBAG P7	56.60

MAKES CLEANING CARTRIDGES EASIER

CHARACTERISTICS

- These cleaning tanks match the dimensions of standard WELTICO cartridges (C2 to C7 range)
- Available in 3 sizes
- Made from ABS



- ✓ These tanks allow cartridges to be cleaned by soaking them in a cleaning solution without wasting any product.
- ✓ These tanks safely store the solution between cleaning operations and are easy to empty using the button at the bottom.



CODE	CARTRIDGE CLEANING TANK	RETAIL PRICE € EX. VAT PER PACK OF 10	RETAIL PRICE € EX. VAT PER UNIT
62885	C2/C3/C5 cartridge cleaning tank	115.90	120.80
62886	C6 cartridge cleaning tank	126.30	131.70
62887	C7 cartridge cleaning tank	137.20	142.40




PROFESSIONAL ADVICE

THE IMMERSTAR ALARM

"Thanks to its pressure sensor, the Immerstar can tell the difference between a falling body and an interference wave (wind, rain, etc.). It analyses, detects and reports falls or unauthorised swimming in your pool."

THE VISIPOOL ALARM

"One of the best-sellers in its category, Visiopool is very popular as it is less sensitive to wind and rain, unlike the majority of pool alarms."





Pool equipment

• DISCRÈTE	83
• IMMERSTAR	84
• VISIPOOL	85

ALARM RANGE

2-YEAR
WARRANTY*



ACIS has been making swimming pool immersion alarms in France, which comply with current standards, for many years. From the outset, our products have always been covered by a French certificate of compliance in accordance with French standard NF P90-307-1:2009 issued by LNE France (National Test and Metrology Laboratory), and Decree 2009-873 of 16 July 2009.

Our products have evolved over time. Successive improvements have been made and new products launched to meet our customers' expectations.



IMMERSTAR



VISIPOOL

ACIS alarms are designed for easy installation on the majority of pool types that need to be secured (installation kits with screws are supplied).

Detection in the pool is optimum within a radius of 7 metres around the sensor; beyond this, the pool should be equipped with one or more additional immersion detectors.




DISCRÈTE



ALARM RELAY
(only compatible with discrète)

The following diagrams show typical configurations:




For more details, see the corresponding installation instructions


PRESSURE SENSOR SYSTEM

CHARACTERISTICS

- Monitoring: pressure sensor
- Automatic return to monitoring mode after swimming.
- Audible signals and lights indicate the monitoring status.
- 100 dB integrated siren
- Powered by four LR20 batteries (included)



- ✓ A discreet unit positioned beneath the coping on a new or existing pool
- ✓ Compatible with roller shutters
- ✓ Operated by remote control and/or a magnet.



OPTION

RPT 1.0 alarm relay


- For installation up to 30 m from the alarm
- 100 dB integrated siren
- Information and control lights
- Magnet-controlled
- Mains power supply (adapter supplied)
- Compatible with the Discreète alarm

CODE	DESIGNATION	WEIGHT (KG)	RETAIL PRICE € EX. VAT
100930	RPT 1.0 relay	0.5	415.90



COMPLIANCE

Product certified compliant with French standard NF P90-307-1:2009 by LNE France (*National Test and Metrology Laboratory*) and Decree 2009-873 of 16 July 2009.



packaging:
L. 385 x H. 345 x D. 135 mm

CODE	DESIGNATION	SEAL	MAX. CURRENT (A)	WEIGHT (KG)	RETAIL PRICE € EX. VAT
100920	Discreète DSM 1.0	IPx7	0.5	2.6	794.50


THE STAR MONITOR

CHARACTERISTICS

- A stylish product
- Attached to the coping
- Maximum monitoring thanks to the control panel
- Automatic return to monitoring mode
- Continuous monitoring status information



- ✓ Powered by four LR20 batteries (supplied)
- ✓ Robust oval tube
- ✓ The mode* can be changed by switching from "Swimming/Monitoring" to "Monitoring/Swimming"
- ✓ 100 dB integrated siren
- ✓ Works with a magnet and contact key:



COMPLIANCE

Product certified compliant with French standard NF P90-307-1:2009 by LNE France (National Test and Metrology Laboratory) and Decree 2009-873 of 16 July 2009.



NEW PACKAGING

Packaging:
L. 400 x H. 600 x D. 270 mm



beige



grey



charcoal

CODE	DESIGNATION	RETAIL PRICE € EX. VAT
100904	Immerstar sand	404.20
100904G	Immerstar grey	438.20
100904A	Immerstar charcoal	438.20

SEAMLESS INTEGRATION AND PERFORMANCE

CHARACTERISTICS

- Maximum monitoring
- Automatic return to monitoring mode
- Continuous monitoring status information



- ✓ Powered by four LR20 batteries (supplied)
- ✓ The mode* can be changed by switching from "Swimming/Monitoring" to "Monitoring/Swimming"
- ✓ 100 dB integrated siren
- ✓ Signals relaying the monitoring status
- ✓ Works with a magnet and contact key:


magnet



key




*Control panel




COMPLIANCE

Product certified compliant with French standard NF P90-307-1:2009 by LNE France (National Test and Metrology Laboratory) and Decree 2009-873 of 16 July 2009.



Packaging:
L.480 x H. 340 x D.135 mm



CODE	DESIGNATION	SEAL	WEIGHT (KG)	RETAIL PRICE € EX. VAT
100905	Visiopol	IPx5	3	403.10

PROFESSIONAL ADVICE

RENOVO® PUMP

"A genuine revolution on the filter pump market. The manufacturer has devised an ingenious system for adapting it to the majority of existing installations."

MKB VS PUMP

"A variable speed energy-efficient pump: a safe bet for your pool."

NORYSTAR BOOSTER

"Norystar is a high quality piece of equipment, which is perfectly suited to robots and is designed to increase the water pressure and power the robot."



STANDARD PUMPS



• MCB+ PUMP	90
• MNB+ PUMP	91
• MKB+ PUMP	92
• MJB PUMP	93
• MPB PUMP	94
• NORYSTAR PUMP	95
• RENOVO® PUMP	96
• PHT PUMP	98




**5-YEAR
MOTOR
warranty**excluding bearings
& capacitor**2-YEAR
WARRANTY***

THE ADVANTAGES OF VIPOOL PUMPS

SINGLE-PHASE PUMP:

- supplied with a 2.5 m cable
- thermal protection included

- Expertise based on the engineering know-how of our design office
- 100 % of our components are inspected before entering production (quality of the raw materials, dimensions, appearance, etc.)
- After production, all our pumps are air-tested (to guarantee the perfect seal) and immersed in water for at least 10 minutes to check their hydraulic and electric performance
- The quality of our products is particularly important to us: they are all CE certified



FPF: FLEXIBLE POCKET FILTER[®]

At the centre of the pump, the flexible pocket filter[®] lets nothing through!

Designed with a very fine mesh, guaranteeing a double safety system (basket and pocket filter[®]), it more effectively captures even the smallest impurities (pine needles, gravel, hair, etc.) that could cause the pump to malfunction.

- A patented system from ACIS: all our pumps with pre-filters are equipped with an exclusive **Flexible Pocket Filter[®]** (French patent no. 11 59373)
- Can be removed and cleaned
- Supplied with the pump as standard

CODE	CODE FOR F.P.F ONLY	RETAIL PRICE € EX. VAT
601000S	MCB+	25.00
601002S	MNB+	25.00
601001S	MJB - MPB - MKB+ - MKB VS / 2S	27.00
601004S	RENOVO [®] - RENOVO VS	31.00



STAINLESS STEEL DRAIN PLUG

Pools are generally charged with residual current causing interference. This phenomenon is amplified when a salt water chlorinator is used.

- If the pool is not earthed, the difference in potential between the pool and the surrounding earth may cause damage to the pump (premature wear of bearings and the pump's mechanical seal due to the flow of current).
- Thanks to the stainless steel plug, certified by Dekra, these currents will be discharged towards the motor casing without passing through the rotor shaft and bearings.



Blueswim[®] EO

Close-range control of your pool equipment via Bluetooth[®] with Blueswim EO.

- A pump, lighting and a heat pump or chlorinator can all be controlled.
- A module or control unit, installed in your plant room, and your equipment are connected to your smartphone via Bluetooth[®]



FIND OUT MORE IN
THE ACWA CONNECT
BROCHURE



MCB+ PUMP

5-YEAR
MOTOR
warranty
excluding bearings
& capacitor



2-YEAR
WARRANTY*

vipool

IDEAL FOR SMALL POOLS (0.25 TO 1.5 HP)



- Self-priming pump
- Suction & return in line with the impeller in the diffuser
- Stainless steel drain plug
- Acceptable temperature of the fluid circulating in VIPOOL filter pumps: **from + 5°C to 50°C**
- Pre-filtered surface area: 375 cm²
- Remote control via Bluetooth® with **Blueswim E0**
- **Optimised pump protection** by the addition of expanded foam inside the box
- **Compatible with salt treatment and sea water**
- Ambient temperature up to 40°C



Packaging:
L. 525 x H. 290 x D. 220 mm



CODE	MCB + MODEL	RATING (HP)	MAX. CURRENT (A)	VOLTAGE (V)	MAX. POWER P1 (W)	WEIGHT (KG)	CONNECTOR TYPE (Ø MM)	HEIGHT (M)																RETAIL PRICE
								4	5	6	7	8	9	10	11	12	13	14	15	16				
600800S3	4 - 6 Single-phase	0.25	2	230	500	12	50	10	9	8	7	6	5	4	1							417.00		
600800R3	6 - 8 Single-phase	0.33	2.9	230	600	12	50	11	11	10	9	8	7	6	5	4						417.00		
600801R3	6 - 8 Three-phase	0.33	2/1.2	230/400	600	12	50															417.00		
600802R3	8 - 10 Single-phase	0.50	3.3	230	700	13	50	14	13	12	11	10	9	8	7	5	3					433.00		
600803R3	8 - 10 Three-phase	0.50	2.4/1.4	230/400	700	13	50															433.00		
600804R3	10 - 12 Single-phase	0.75	3.8	230	800	13	50	18	16	14	13	12	11	10	9	8	6	4	1			455.00		
600805R3	10 - 12 Three-phase	0.75	2.5/1.5	230/400	800	13	50															455.00		
600806R3	13 - 15 Single-phase	1	4.4	230	900	13	50	19	18	17	16	15	14	13	11	10	9	7	4	1		492.00		
600807R3	13 - 15 Three-phase	1	2.7/1.6	230/400	900	13	50															492.00		
600808R3	14 - 16 Single-phase	1.5	4.6	230	1000	14	50	20	19	18	17	16	15	14	13	11	10	9	7	5		535.00		
600809R3	14 - 16 Three-phase	1.5	3.5/2	230/400	1000	14	50															535.00		
The standard versions of our pumps operate at 50 Hz. 60 Hz version available on request.								Flow (m³/h)																

The standard versions of our pumps operate at 50 Hz. 60 Hz version available on request.

Flow (m³/h)

MNB+ PUMP

5-YEAR
MOTOR
warranty
excluding bearings & capacitor

2-YEAR
WARRANTY*

COMPACT HPS AND HPV COMPATIBLE PUMP

vipool





- Self-priming pump
- Standard stainless steel drain plug
- Pre-filtered surface area: 490 cm²
- Bolted **clear cover**
- Remote control via Bluetooth® with **Blueswim E0**
- Acceptable temperature of the fluid circulating in VIPOOL filter pumps: **from + 5°C to 50°C**
- Replaces a HPS or HPV pump (Hydrosxim)
- Ambient temperature up to 40°C
- **Optimised pump protection** by the addition of expanded foam inside the box
- Separate return



Total head

PERFORMANCE



Packaging:

L. 525 x H. 305 x D. 265 mm



CODE	MNB+ MODEL	RATING (HP)	MAX. CURRENT (A)	VOLTAGE (V)	MAX. POWER P1 (W)	WEIGHT (KG)	CONNECTOR TYPE (Ø MM)	HEIGHT (M)														RETAIL PRICE (€ EX. VAT)
								4	5	6	7	8	9	10	11	12	13	14	15	16		
600130+	5 - 10 Single-phase	0.33	2.9	230	550	13.4	50	18	16	14	13	10	7	5	2	1					449.00	
600131+	5 - 10 Three-phase	0.33	2/1.2	230/400	550		50															449.00
600132+	8 - 12 Single-phase	0.50	3.3	230	700	14.5	50	19	17.5	16	14	12	10	8	5	2					471.00	
600133+	8 - 12 Three-phase	0.50	2.4/1.4	230/400	700		50															471.00
600134+	10 - 15 Single-phase	0.75	3.8	230	850	15	50	22	20	18	17	15	13	10	8	6	3				487.00	
600135+	10 - 15 Three-phase	0.75	2.5/1.5	230/400	850		50															487.00
600136+	15 - 18 Single-phase	1	5	230	1100	15.5	50	25	23	22	20	18	17	15	13	11	8	6	3		524.00	
600137+	15 - 18 Three-phase	1	3.2/1.8	230/400	1100		50															524.00
600138+	19 - 21 Single-phase	1.5	5.8	230	1350	16	50	27	26	25	23	21	20	19	16	14	11	9	7	4	589.00	
600139+	19 - 21 Three-phase	1.5	3.5/2	230/400	1350		50															589.00
								Flow (m³/h)														

Flow (m³/h)

The standard versions of our pumps operate at 50 Hz. 60 Hz version available on request.

MKB+ PUMP

5-YEAR
MOTOR
warranty
excluding bearings
& capacitor




2-YEAR
WARRANTY*

vipool

DISCREET AND POWERFUL



- Self-priming pump
- Standard stainless steel drain plug
- **Clear cover** allowing the pre-filter to be monitored (940 cm²)
- **Flexible Pocket Filter®**
- Remote control via Bluetooth® with Blueswim EO
- Acceptable temperature of the fluid circulating in VIPOOL filter pumps: **from + 5°C to 50°C**
- Ambient temperature up to 40°C
- Replaces a HGS or HGV pump (Hydroswim)
- **Optimised pump protection** by the addition of expanded foam inside the box
- Available in VS and 2S versions



OPTION

- ✓ **White PVC opaque cover: withstands specific treatments (ref. C-B526-06-0)**



Packaging:

(0.50 to 1.50 HP) L. 605 x H. 340 x D. 275 mm
(2 to 3 HP) L. 650 x H. 340 x D. 275 mm



CODE	MODEL	RATING	MAX. CURRENT	VOLTAGE	MAX. POWER P1	WEIGHT	CONNECTOR TYPE	HEIGHT (M)																RETAIL PRICE (€ EX. VAT)
								4	5	6	7	8	9	10	11	12	13	14	15	16				
600140	6 - 9 Single-phase	0.50	2.9	230	650	15	50	14	13	12	11	9	8	6	3						562.00			
600141	6 - 9 Three-phase	0.50	2/1.2	230/400	650	14	50														562.00			
600142	9 - 15 Single-phase	0.75	4	230	850	15	50	23	21	19	17	15	12	9	5	1					578.00			
600143	9 - 15 Three-phase	0.75	2.6/1.5	230/400	850	14	50														578.00			
600144	14 - 18 Single-phase	1	4.7	230	1000	16	50		25	22	21	18	16	14	12	8	4				599.00			
600145	14 - 18 Three-phase	1	3.5/2	230/400	1000	15	50														599.00			
600146	18 - 22 Single-phase	1.5	5.5	230	1250	16	63			26	24	22	21	18	16	13	10				653.00			
600147	18 - 22 Three-phase	1.5	3.7/2.1	230/400	1250	15	63														653.00			
600148	24 - 28 Single-phase	2	6.6	230	1500	18	63				33	31	28	26	24	21	18	15	12	6	696.00			
600149	24 - 28 Three-phase	2	5.2/3	230/400	1500	17	63														696.00			
600150	28 - 32 Single-phase	2.5	9.8	230	2000	20	63				36	35	32	30	28	25	22	20	16	6	803.00			
600151	28 - 32 Three-phase	2.5	6.6/3.8	230/400	2000	19	63														803.00			
600152	35 - 40 Single-phase	3	11	230	2500	20	63					42	40	38	35	32	30	27	22	824.00				
600153	35 - 40 Three-phase	3	7.3/4.2	230/400	2500	19	63													824.00				

The standard versions of our pumps operate at 50 Hz. 60 Hz version available on request.

MJB PUMP

5-YEAR
MOTOR
warranty
excluding bearings
& capacitor



2-YEAR
WARRANTY*

HIGH PRE-FILTERING CAPACITY

vipool



- Clear cover High-capacity pre-filter Blueswim EO



Packaging:

(0.50 to 1.50 HP) L. 605 x H. 340 x D. 275 mm
(2 to 3 HP) L. 650 x H. 340 x D. 275 mm



CODE	MODEL MJB	RATING (HP)	MAX. CURRENT (A)	VOLTAGE (V)	MAX. POWER P1 (W)	WEIGHT (KG)	CONNECTOR TYPE Ø IN MM	HEIGHT (M)																RETAIL PRICE (€ EX. VAT) PER PACK OF 24	RETAIL PRICE (€ EX. VAT)
								4	5	6	7	8	9	10	11	12	13	14	15	16					
600112-3	6 - 9 Single-phase	0.50	2.9	230	650	15	50	14	13	12	11	9	8	6	3						535.00	551.00			
600113-3	6 - 9 Three-phase	0.50	2/1.2	230/400	650	14	50														535.00	551.00			
600114-3	9 - 15 Single-phase	0.75	4	230	850	15	50	23	21	19	17	15	12	9	5	1					556.00	572.00			
600115-3	9 - 15 Three-phase	0.75	2.6/1.5	230/400	850	14	50														556.00	572.00			
600116-3	14 - 18 Single-phase	1	4.7	230	1000	16	50		25	22	21	18	16	14	12	8	4				583.00	601.00			
600117-3	14 - 18 Three-phase	1	3.5/2	230/400	1000	15	50														583.00	601.00			
600118-3	18 - 22 Single-phase	1.5	5.5	230	1250	16	63			26	24	22	21	18	16	13	10				642.00	661.00			
600119-3	18 - 22 Three-phase	1.5	3.7/2.1	230/400	1250	15	63														642.00	661.00			
600120-3	24 - 28 Single-phase	2	6.6	230	1500	18	63				33	31	28	26	24	21	18	15	12	6	685.00	705.00			
600121-3	24 - 28 Three-phase	2	5.2/3	230/400	1500	17	63														685.00	705.00			
600124-3	28 - 32 Single-phase	2.5	9.8	230	2000	20	63				36	35	32	30	28	25	22	20	16	6	770.00	794.00			
600125-3	28 - 32 Three-phase	2.5	6.6/3.8	230/400	2000	19	63														770.00	794.00			
600122-3	35 - 40 Single-phase	3	11	230	2500	20	63					42	40	38	35	32	30	27	22		786.00	810.00			
600123-3	35 - 40 Three-phase	3	7.3/4.2	230/400	2500	19	63														786.00	810.00			
The standard versions of our pumps operate at 50 Hz. 60 Hz version available on request.								Flow (m³/h)																	

The standard versions of our pumps operate at 50 Hz. 60 Hz version available on request.

MPB PUMP

5-YEAR
MOTOR
warranty
excluding bearings
& capacitor

2 ANS
GARANTIE*

vipool

DIRECTION-ADJUSTABLE PRE-FILTER



- Self-priming pump
- Pre-filtered surface area: 940 cm²
- Adjustable to the nearest degree to adapt to the suction pipe angle
- Clear cover
- Remote control via Bluetooth® with Blueswim EO
- Acceptable temperature of the fluid circulating in VIPOOL filter pumps: from + 5°C to 50°C
- Ambient temperature up to 40°C
- Pump available to order



✓ Patented direction-adjustable (228°) pre-filter




OPTION


- ✓ White PVC opaque cover: withstands specific treatments (ref. C-B526-06-0)



PERFORMANCE



Packaging:
L. 605 x H. 340 x D. 275 mm (0.50 to 1.5 HP)
L. 650 x H. 340 x D. 275 mm (2 to 3 HP)



CODE	MODEL	RATING	MAX. CURRENT	VOLTAGE	MAX. POWER P1	WEIGHT	CONNECTOR TYPE	HEIGHT (M)																RETAIL PRICE
	MPB	(HP)	(A)	(V)	(W)	(KG)	(Ø MM)	4	5	6	7	8	9	10	11	12	13	14	15	16	(€ EX. VAT)			
600810R	6-9 Single-phase	0.50	2.9	230	650	15	50	14	13	12	11	9	8	6	3						551.00			
600811R	6-9 Three-phase	0.50	2/1.2	230/400	650	14	50														551.00			
600812R	9-15 Single-phase	0.75	4	230	850	15	50	23	21	19	17	15	12	9	5	1					572.00			
600813R	9-15 Three-phase	0.75	2.6/1.5	230/400	850	14	50														572.00			
600814R	14-18 Single-phase	1	4.7	230	1000	16	50		25	22	21	18	16	14	12	8	4				601.00			
600815R	14-18 Three-phase	1	3.5/2	230/400	1000	15	50														601.00			
600816R	18-22 Single-phase	1.5	5.5	230	1250	16	63			26	24	22	21	18	16	13	10				661.00			
600817R	18-22 Three-phase	1.5	3.7/2.1	230/400	1250	15	63														661.00			
600818R	24-28 Single-phase	2	6.6	230	1500	18	63				33	31	28	26	24	21	18	15	12	6	705.00			
600819R	24-28 Three-phase	2	5.2/3	230/400	1500	17	63														705.00			
600820R	28-32 Single-phase	2.5	9.8	230	2000	20	63				36	35	32	30	28	25	22	20	16	6	794.00			
600821R	28-32 Three-phase	2.5	6.6/3.8	230/400	2000	18.5	63														794.00			
600822R	35-40 Single-phase	3	11	230	2500	20	63						42	40	38	35	32	30	27	22	810.00			
600823R	35-40 Three-phase	3	7.3/4.2	230/400	2500	18.5	63														810.00			
The standard versions of our pumps operate at 50 Hz. 60 Hz version available on request.								Flow (m³/h)																

The standard versions of our pumps operate at 50 Hz. 60 Hz version available on request.

Flow (m³/h)

NORYSTAR PUMP

2-YEAR
WARRANTY*

BOOSTER SUITABLE FOR ROBOTS

vipool




- Boost mode **convertible to self-priming mode** at 7.50 m (using the kit supplied)
- IP55 motor – Class F
- **Polyamide body**
- 100% 304 stainless steel nuts and bolts
- 316 stainless steel friction/fusion shaft
- 2.5 m cable without plug
- S1 rated for continuous use
- 3, 4, 5 Noryl impellers




Hydraulic robots

PERFORMANCE



Packaging:

NORYSTAR 3: L. 460 x H. 275 x D. 185 mm
NORYSTAR 4/5: L. 520 x H. 275 x D. 185 mm



MODEL	L1	L2	L3	H	WEIGHT
	IN MM				KG
NORYSTAR 3	172.5	164.8	427	213	10
NORYSTAR 4	196.5	188.8	464	218	12
NORYSTAR 5	220.5	212.8	488	218	14

CODE	MODEL	RATING	MAX. CURRENT (A)	MAX. POWER P1	VOLTAGE	MAX. PRESSURE	FLOW AT 3 BAR	MAX. FLOW	FLOW (M³/H)												RETAIL PRICE € EX. VAT	RETAIL PRICE PER UNIT
	NORYSTAR	(HP)	(A)	(W)	(V)	BAR	M³/H	M³/H	0	1	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6	PER PACK OF 24	(€ EX. VAT)
600877-1	P3M	1	4.9	1000	230	4	3	5	37	35	33	32	30	28	26	23	20	17.5	14		428.00	455.00
600878-1	P3T	1	3.1/1.8	1000	230/400	4	3	5													-	455.00
600879-1	P4M	1.2	5.9	1400	230	5	4	5.5	44	41	40	38.5	37	34.5	32	29	26	22.5	18.5	15	-	492.00
600880-1	P4T	1.2	4.5/2.6	1400	230/400	5	4	5.5													-	492.00
600881-1	P5M	1.5	7.5	1750	230	6	5	6	55	52	50.5	49	47	44	40.5	36.5	32.5	28	23	17	-	535.00
600882-1	P5T	1.5	5.2/3	1750	230/400	6	5	6													-	535.00

The standard versions of our pumps operate at 50 Hz. 60 Hz version available on request.

Height (m)

RENOVO® PUMP

**5-YEAR
MOTOR
warranty**
excluding bearings
& capacitor

**2-YEAR
WARRANTY***

vipool

THE COMPATIBLE PUMP




A patented replacement pump for the majority of available systems

CHARACTERISTICS

- Specific high ambient temperature resistant motor = 65°C
- Silent

SIMPLE OPERATION

- Keep the existing connectors or nuts from your current system, as well as the electric cable.
- After removing the existing pump, install RENOVO® using its adapter kit and connect it to the power.



REPLACEMENTS


BRANDS	QUANTITY	MODELS
PENTAIR®	5	ULTRAFLOW, ULTRAFLOW+, SUPERFLO, WHISPERFLO, CHALLENGER
STA-RITE®	6	5P1R, 5P2R, S5P2R, 5P6R, S5P6R, ULTRA-GLAS
HAYWARD®	6	SUPERPUMP 1"½, SUPERPUMP 2", SUPERPOOL II, MAXFLO, SUPERPOOL, TRISTAR
ASTRAL®	6	DISCOVERY, EUROPA, NIAGARA, VICTORIA+, SENA, GLASS+
ESPA®	7	SILVER, TIFON, SILEN, SILEN2, BLAUMAR S1, BLAUMAR S2, IRIS
SPECK®	6	BADU TOP, BADU 90/13 - 90/15 - 90/20, EUROSTAR II, BELSTAR
DAB®	2	EUROPRO, EUROSWIM
KRIPSOL®	3	EP, KS, ONDINA
KSB®	1	FILTRA N
MARLOW®	1	ITT

These pumps can be replaced with RENOVO® by (in line) cutting and bonding to the existing pipes.



- ✓ Fits the majority of existing systems
- ✓ Good hydraulic output, energy-efficient, uses the existing cable

Important: Brands and product codes followed by the trademark symbol ® belong to third parties. They are only used to inform trade customers of the RENOVO® pump's compatibility with these brands and products. Their use is in no way intended to suggest that the products described are identical to products and systems marketed by these brands, or that there is a link between ACIS - the manufacturer of the RENOVO® pump - and the owners of these brands. As the manufacturer of the compatible RENOVO® pump, ACIS guarantees that a replacement performed in accordance with the assembly instructions provided does not affect previous performance in any way.


CONNECTORS SUPPLIED	
	
10	1 x 2" connector – fitted on the pump
11	1 x 1"1/2 connector – fitted on the pump
12	1 x 1"1/2 x 105 connector
13	2 x 2" x 105 connectors
14	1 flange – fitted on the pump
15	1 flange
16	2 cones
17	2 nuts
18	1 support
19	2 x 2"3/4 x 105 connectors
20	1 x 2"1/4 x 100 connector
22	1 x 2"3/4 connector
23	1 x 2"1/4 connector
d3	1 x D60x3 O-ring
d5	2 x D60x5.3 O-rings – fitted on the pump (x6)
e6	2 connector assemblies
707	2 x 78x60x3 flat seals
708	2 x 62x45x3 flat seals
+	1 base – fitted on the pump



KIT COMPONENTS

- ✓ Pump with FPF© pre-filter basket
- ✓ 2 suction-side attachment plates (one fitted on the pump)
- ✓ Base (removable if necessary)
- ✓ Connectors included for adapting to the majority of existing models
- ✓ Full installation manual

PERFORMANCE



Packaging:

- L. 615 x W. 270 x H. 420 mm (0.5 to 1 HP)
- L. 640 x W. 270 x H. 420 mm (1.5 to 2.5 HP)
- L. 675 x W. 270 x H. 420 mm (3 HP)



CODE	MODEL	RATING (HP)	MAX. CURRENT (A)	VOLTAGE HZ (V)	MAX. POWER P1 (W)	WEIGHT (KG)	HEIGHT (M)										RETAIL PRICE € EX. VAT
							3	6	8	10	11	12	14	16	17	20	
600700	6 - 10 Single-phase	0.50	2.9	230	600	18	14	11	9	6	4	2					728.00
600701	6 - 10 Three-phase	0.50	2/1.2	230/400	600	18											728.00
600702	10 - 13 Single-phase	0.75	3.6	230	750	19	18	15	12	10	8	4	2				744.00
600703	10 - 13 Three-phase	0.75	2.6/1.5	230/400	750	18											744.00
600704	14 - 17 Single-phase	1	4.8	230	1000	19	21	19	17	14	13	12	8	2			792.00
600705	14 - 17 Three-phase	1	3.5/2	230/400	1000	19											792.00
600706	18 - 21 Single-phase	1.5	5.5	230	1250	23	23	21	19	18	17	14	10	5			856.00
600707	18 - 21 Three-phase	1.5	3.7/2.1	230/400	1250	20											856.00
600708	22 - 24 Single-phase	2	6.7	230	1500	23	26	26	21	20	19	16	12	10			888.00
600709	22 - 24 Three-phase	2	5.2/3	230/400	1500	20											888.00
600710	24 - 27 Single-phase	2.5	8.8	230	1750	24	28	28	24	23	22	19	16	14	1		963.00
600711	24 - 27 Three-phase	2.5	6.6/3.8	230/400	1750	24											963.00
600712	27 - 32 Single-phase	3	9.8	230	2000	29	32	30	27	26	25	22	20	18	12		1027.00
600713	27 - 32 Three-phase	3	7.3/4.2	230/400	2000	24											1027.00
							Flow m³/h										

PHT PUMP

5-YEAR
MOTOR
warranty
excluding bearings & capacitor



2-YEAR
WARRANTY*

vipool


COMPATIBLE WITH DESJOYAUX® UNITS



- Specific **high ambient temperature resistant** motor = 65°C. Designed and built to **withstand heat** (for underground units, filtration units exposed to the sun)
- Available as a **dual-speed version**: PHT 2V (low or high speed). **Changes speed** using a pneumatic system
- Remote control via Bluetooth® with **Blueswim EO** (except PHT 2V)



MODEL	L1 IN MM	L2 IN MM
PHT 10	332	233
PHT 15	332	233
PHT 20	346	233
PHT 2V	395	240



Packaging:
L. 360 x H. 265 x D. 240 mm (PHT 10/15/20)
L. 415 x H. 290 x D. 240 mm (PHT 2V)



CODE	MODEL	MAX. CURRENT	VOLTAGE	MAX. POWER P1	WEIGHT	CONNECTOR TYPE	HEIGHT (M)																	RETAIL PRICE * (€ EX. VAT)	RETAIL PRICE (€ EX. VAT)
	PHT	(A)	(V)	(W)	(KG)	(Ø MM)	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	PER PACK OF 36/ 24*			
600900	10	2	230/50	400	10	50	18	12	8	1												674.00	696.00		
600906	15	3.6	230/50	800		63				25	22	20	16	11	4								749.00	770.00	
600901	20	5	230/50	1100		13	63				30	28	26	22	20	16	12	2					829.00	856.00	
600904	2 V	3 (low speed)	230/50	350	18.5	63	15	3														*1348.00	1391.00		
		9 (high speed)		2000												43	40	35	30	25	17			5	
							Flow m³/h																		

Important: The DESJOYAUX® brand belongs to a third party. It is only used to inform trade customers of the PHT pump's compatibility with this brand and its "Desjoyaux® unit" product. Its use is in no way intended to suggest that the products described are identical to products and systems marketed by this brand, or that there is a link between ACIS - the manufacturer of the PHT pump - and the owner of this brand. As a pump manufacturer, ACIS guarantees that a replacement performed in accordance with the assembly instructions provided does not affect previous performance in any way.

EKO PUMPS



- VARIPOOL AND VARIPOOL E 101
- RENOVO® VS PUMP..... 102
- MKB 2S PUMP 104
- MKB VS PUMP 105

EKO RANGE



A VARIABLE SPEED PUMP OPERATES ON DIFFERENT LEVELS:

VARIPPOOL



MKB 2S

- **Electricity consumption:** optimises filtration power to meet the system's requirements. Reducing the power by just a few m³/h generally allows electricity consumption to be reduced to a 3rd of its original level
- **Consumption tailored** to the type of use or real time requirements
- **Noise reduction:** our pumps offer unrivalled acoustic comfort
- IP55
- **Better filtration:** water moves through the filtration system more slowly and particles are trapped more effectively
- **Low energy consumption** means that the filter can run 24/7 ensuring more consistent water treatment and heating
- **Service life of the pump:** less overheating, optimised service life of the pump and its components



RENOVO® VS



MKB VS

Important: Brands and product codes followed by the trademark symbol ® belong to third parties. They are only used to inform trade customers of the RENOVO® pump's compatibility with these brands and products. Their use is in no way intended to suggest that the products described are identical to products and systems marketed by these brands, or that there is a link between ACIS - the manufacturer of the RENOVO® pump - and the owners of these brands. As the manufacturer of the compatible RENOVO® pump, ACIS guarantees that a replacement performed in accordance with the assembly instructions provided does not affect previous performance in any way.

VARIPOOL AND VARIPOOL E

5-YEAR
MOTOR
warranty
excluding bearings
& capacitor

2-YEAR
WARRANTY*

CONVERTS YOUR SINGLE-SPEED PUMP INTO A VARIABLE SPEED PUMP

vipool



ACIS offers you an independent variable speed drive that can adapt to all "traditional" pumps by transforming them into energy-efficient variable speed pumps. Thus, any new or existing standard single-phase or three-phase filtration pump becomes a genuine variable flow pump with 3 programmable speeds.

CHARACTERISTICS

This variable speed drive enables the motor's rotational **speed to be modified** in order to **select the flow** that is best suited to the filtration requirements.

For example: adopting a sustained flow in the event of excessive heat or increased use of the pool, or a slow speed to ensure high quality filtration and reduce energy consumption.



- **Daily programmable timer**, which can be divided into 4 sectors
- Can be used to **stop** and **start at 3 selected speeds** (1200 to 2900 rpm)
- Also works in **manual mode**
- Supplied with a power supply plug and a socket for connecting to the pump



Energy savings of up to 60%



- ✓ 8 models to choose from
- ✓ 3 programmable speeds to **adjust the flow** to suit requirements and the level of use = energy savings of up to 60%
- ✓ **Easy installation**
- ✓ Extends **the pump's lifespan**
- ✓ **User-friendly**, touchscreen
- ✓ **Noise reduction**



CODE	VARIPOOL VARIABLE SPEED DRIVE	MAX. CURRENT (A)	POWER P1 (W)	RETAIL PRICE € EX. VAT
50963	VARIPOOL variable speed drive for single-phase pump - Max. power 1.1 Kw - 6 Amp.	6	1.1	677.00
50964	VARIPOOL variable speed drive for single-phase pump - Max. power 2.2 kW - 12 A	12	2.2	724.00
50965*	VARIPOOL variable speed drive for three-phase pump - Max. power 1.1 kW - 4.5 A	4.5	1.1	677.00
50966*	VARIPOOL variable speed drive for three-phase pump - Max. power 2.2 kW - 8 A	8	2.2	724.00

E series	VARIPOOL E VARIABLE SPEED DRIVE WITH CONTROL CABLE	MAX. CURRENT (A)	POWER P1 (W)	RETAIL PRICE € EX. VAT
50963E	VARIPOOL E variable speed drive for single-phase pump - Max. power 1.1 kW - 6 A	6	1.1	729.00
50964E	VARIPOOL E variable speed drive for single-phase pump - Max. power 2.2 kW - 12 A	12	2.2	776.00
50965E*	VARIPOOL E variable speed drive for three-phase pump - Max. power 1.1 kW - 4.5 A	4.5	1.1	729.00
50966E*	VARIPOOL E variable speed drive for three-phase pump - Max. power 2.2 kW - 8 A	8	2.2	776.00

* Warning: the appliance has a single-phase power supply (230 V) and a 3x230 three-phase pump output

RENOVO® VS PUMP

**5-YEAR
MOTOR
warranty**
excluding bearings
& capacitor

**2-YEAR
WARRANTY***

vipool

THE COMPATIBLE VARIABLE SPEED PUMP



RENOVO® VS enables a traditional pump to be replaced with variable speed technology. This technology is the perfect filtration solution: energy-efficient, silent, robust.

- Specific **high ambient temperature resistant** motor = 65°C
- **Silent**
- Digital **control** panel

SIMPLE OPERATION

- **Keep** the existing connectors or nuts **from your current system**, as well as the electric cable.
- After removing the existing pump, install RENOVO® using its adapter kit and connect it to the power.



REPLACEMENTS

BRANDS	QUANTITY	MODELS
PENTAIR®	5	ULTRAFLOW, ULTRAFLOW+, SUPERFLO, WHISPERFLO, CHALLENGER
STA-RITE®	6	5P1R, 5P2R, S5P2R, 5P6R, S5P6R, ULTRA-GLAS
HAYWARD®	6	SUPERPUMP 1"½, SUPERPUMP 2", SUPERPOOL II, MAXFLO, SUPERPOOL, TRISTAR
ASTRAL®	6	DISCOVERY, EUROPA, NIAGARA, VICTORIA+, SENA, GLASS+
ESPA®	7	SILVER, TIFON, SILEN, SILEN2, BLAUMAR S1, BLAUMAR S2, IRIS
SPECK®	6	Badu top, Badu 90/13 - 90/15 - 90/20, EUROSTAR II, Belstar
DAB®	2	EUROPRO, Euroswim
KRIPSOL®	3	EP, KS, ONDINA
KSB®	1	FILTRA N
Marlow®	1	ITT



- ✓ **Fits** the majority of existing systems
- ✓ Good hydraulic output, **energy-efficient**



OPTIONS

- ✓ **Separate control and programming unit**



CODE	MODEL	RETAIL PRICE € EX. VAT
BD156	Separate control and programming unit	342.00

These pumps can be replaced with RENOVO® by (in line) cutting and bonding to the existing pipes.



KIT COMPONENTS

- ✓ Pump with FPF® pre-filter basket
- ✓ 2 suction-side attachment plates (one fitted on the pump)
- ✓ Base (removable if necessary)
- ✓ Connectors included for adapting to the majority of existing models
- ✓ Full installation manual


CONNECTORS SUPPLIED



10	1 x 2" connector – fitted on the pump
11	1 x 1 1/2" connector – fitted on the pump
12	1 x 1 1/2" x 105 connector
13	2 x 2" x 105 connectors
14	1 flange – fitted on the pump
15	1 flange
16	2 cones
17	2 nuts
18	1 support
19	2 x 2 3/4" x 105 connectors
20	1 x 2 1/4" x 100 connector
22	1 x 2 3/4" connector
23	1 x 2 1/4" connector
d3	1 x D60x3 O-ring
d5	2 x D60x5.3 O-rings – fitted on the pump (x6)
e6	2 connector assemblies
707	2 x 78x60x3 flat seals
708	2 x 62x45x3 flat seals
+	1 base – fitted on the pump

PERFORMANCE

Total head



Important: Brands and product codes followed by the trademark symbol ® belong to third parties. They are only used to inform trade customers of the RENOVO® pump's compatibility with these brands and products. Their use is in no way intended to suggest that the products described are identical to products and systems marketed by these brands, or that there is a link between ACIS - the manufacturer of the RENOVO® pump - and the owners of these brands. As the manufacturer of the compatible RENOVO® pump, ACIS guarantees that a replacement performed in accordance with the assembly instructions provided does not affect previous performance in any way.

Packaging:

L. 640 x H. 270 x D. 420 mm



CODE	MODEL MAX. P1 (W)	MAX. CURRENT (A)	VOLTAGE (V)	MAX. POWER P1 (W)	WEIGHT (KG)	RETAIL PRICE € EX. VAT
600720	RENOVO VS 850	4	230	850	17	1703.00

MKB 2S PUMP

5-YEAR
MOTOR
warranty
excluding bearings
& capacitor


2-YEAR
WARRANTY*

vipool

THE IDEAL COMPROMISE




- Pump with **2 fixed speeds** and control unit included
- Consumes 350 W at low speed
- **Silent**
- **Separate control unit included** for daily or weekly filtration programming
- Optimised and adaptable operation with **2 timer-controlled speeds**:
 - **Low speed** and filtration from 7 to 10 m³/h: **energy-saving mode** for daily use. The pump filters **economically and ecologically**
 - **High speed** and filtration from 8 to 15 m³/h: a mode recommended for **cleaning the filter**, during heat waves or periods of high use. Recommended operation 1 hr/day for skimming



Total head

PERFORMANCE



Packaging:

L. 650 x H. 340 x D. 265 mm



CODE	MODEL	RPM	CURRENT (A)	VOLTAGE (V)	POWER P1 (W)	WEIGHT (KG)	CONNECTOR TYPE (Ø IN MM)	HEIGHT (M)								RETAIL PRICE (€ EX. VAT)
								2.5	3	3.5	8	9	10	11	12	
600154	MKB 2S	1450	2.3	230	350	17	63	14	7	1						1098.00
		2900	7							37	33	30	24	17	11	
									Flow (m³/h)							

MKB VS PUMP

5-YEAR
MOTOR
warranty
excluding bearings & capacitor


2-YEAR
WARRANTY*

ENERGY-EFFICIENT PUMP WITH THE OPTION OF 3 PROGRAMMING MODES


vipool



- Energy-efficient pump with a flow that adapts to filtration requirements
- Simple pump control and adjustment
- Multi-security brushless motor:
 - overcurrent
 - over or undervoltage
- Digital control panel



PERFORMANCE



EKO PUMPS



OPTIONS

- ✓ Separate control and programming unit



CODE	MODEL	RETAIL PRICE € EX. VAT
BD156	Separate control and programming unit	342.00

Packaging:

L. 605 x H. 340 x D. 265 mm



CODE	MODEL	MAX. CURRENT (A)	VOLTAGE (V)	POWER P1 (W)	WEIGHT (KG)	CONNECTOR TYPE (Ø MM)	HEIGHT (M)							RETAIL PRICE (€ EX. VAT)
							4	6	8	10	12	14	16	
600156	MKB VS 850	4	230	850	17	50	26	22	17	10	3			1525.00
							Flow (m³/h)							




PROFESSIONAL ADVICE

THE MGD+ PUMP

"Ideal for cartridge type filtration used in Skimfilters, balneotherapy systems and small counter-current swimming pools."

THE CCS PUMP

"A one-piece pump with a high output radial impeller, specially designed for CCS or a balneotherapy system."



CCS & BALNEO PUMPS



• MGD+ PUMP	108
• CCS & BALNEO PUMPS.....	109
• DUAL-SPEED PUMP	110
• CCS PRE-FILTER PUMP	111
• SPA PUMP	112
• DUAL-SPEED SPA PUMP	113
• HEATING BLOWER	114



MGD+ PUMP


5-YEAR
MOTOR
warranty
excluding bearings & capacitor

2-YEAR
WARRANTY*


vipool

HIGH FLOW PUMP

- High flow pump without a pre-filter for an outstanding output
- Acceptable temperature of the fluid circulating in VIPOOL filter pumps: **from + 5°C to 50°C**
- Ambient temperature up to 40°C
- **Packaging with protection** from expanded foam in the box
- 7 power level options



MODEL	L (IN MM)
MGD+ 050/075/100/150	400
MGD+ 200	416
MGD+ 300	441



Packaging:
L. 445 x H. 340 x D. 265 mm (0.50 to 1.50 HP)
L. 480 x H. 340 x D. 265 mm (2 to 3 HP)



CODE	MODEL	RATING	MAX. CURRENT	VOLTAGE	MAX. POWER P1	WEIGHT	CONNECTOR TYPE	HEIGHT (M)																RETAIL PRICE
								4	5	6	7	8	9	10	11	12	13	14	15	16	(€ EX. VAT)			
600838R3	6-9 Single-phase	0.50	2.9	230	650	15	50	14	13	12	11	9	8	6	3					572.00				
600839R3	6-9 Three-phase	0.50	2/1.2	230/400	650	14	50													572.00				
600840R3	9-15 Single-phase	0.75	4	230	850	15	50	23	21	19	17	15	12	9	5	1				599.00				
600841R3	9-15 Three-phase	0.75	2.6/1.5	230/400	850	14	50													599.00				
600842R3	14-18 Single-phase	1	4.7	230	1000	16	50		25	22	21	18	16	14	12	8	4			653.00				
600843R3	14-18 Three-phase	1	3.5/2	230/400	1000	15	50													653.00				
600844R3	18-22 Single-phase	1.5	5.5	230	1250	16	63			26	24	22	21	18	16	13	10			706.00				
600845R3	18-22 Three-phase	1.5	3.7/2.1	230/400	1250	15	63													706.00				
600846R3	24-28 Single-phase	2	6.6	230	1500	18	63				33	31	28	26	24	21	18	15	12	6	776.00			
600847R3	24-28 Three-phase	2	5.2/3	230/400	1500	17	63													776.00				
600848R3	28-32 Single-phase	2.5	9.8	230	2000	20	63				36	35	32	30	28	25	22	29	16	6	803.00			
600849R3	28-32 Three-phase	2.5	6.6/3.8	230/400	2000	19	63													803.00				
600853R3	35-40 Single-phase	3	11	230	2500	20	63						42	40	38	35	32	30	27	22	835.00			
600854R3	35-40 Three-phase	3	7.3/4.2	230/400	2500	19	63														835.00			
The standard versions of our pumps operate at 50 Hz. 60 Hz version available on request.								Flow (m³/h)																

The standard versions of our pumps operate at 50 Hz. 60 Hz version available on request.

Flow (m³/h)

CCS & BALNEO PUMPS

5-YEAR
MOTOR
warranty
excluding bearings
& capacitor

2-YEAR
WARRANTY*

vipool

POWERFUL AND DURABLE



- A **one-piece pump** specially designed for **CSS** and **Balneo** with a high output radial impeller
- Resin-coated motor, unaffected by humidity
- Pump made from **stable materials**
- Ambient temperature up to 40°C
- **Suction and return connectors with a Ø 2"¾ thread**, with the option to adapt a threaded reducer from Ø 2"¾ to 3"
- Pump supplied with connectors (Ø 63 mm)



Packaging:


L. 425 x H. 300 x D. 335 mm

L. 450 x H. 300 x D. 335 mm



Total head

PERFORMANCE



CODE	MODEL	RATING	MAX. CURRENT	VOLTAGE	MAX. POWER P1	WEIGHT	L	CONNECTOR TYPE	HEIGHT (M)							RETAIL PRICE (€ EX. VAT)
	CCS	(HP)	(A)	(V)	(W)	(KG)	(MM)	(Ø MM)	4	6	8	10	12	14	18	
50990-1	155T	2	5.5 / 3.2	230/400	2000	24	391	63								1484.00
50991-1	175M	2	8.8	230	2000	24	391	63	70	58	40	22				1532.00
50992-1	215M	3	11.5	230	2600	25	391	63		70	60	40	25			1724.00
50993-1	255T	3.5	8.3 / 4.8	230/400	2750	24	409	63		78	70	55	40	10		1780.00
50994-1	295T	4	10.9 / 6.3	230/400	3600	26	409	63		87	83	75	61	45	10	1828.00
50995-1	405T	5.5	11.4 / 6.6	230/400	3850	31	409	63			90	80	70	53	30	1920.00
										Flow (m³/h)						

DUAL-SPEED PUMP

5-YEAR
MOTOR
warranty
excluding bearings
& capacitor

2-YEAR
WARRANTY*



vipool

CHOOSE YOUR IDEAL SPEED!

- A **one-piece pump** specially designed for **CSS** with a **high output radial impeller**
- Made from **stable** materials, including a **stainless steel base**
- **Suction and return connectors** with a \varnothing 2"3/4 thread
- Integrated **pneumatic contactor**
- Pump supplied as standard with 2"3/4 x \varnothing 63 mm suction and return connectors



Total head **PERFORMANCE**



MODEL	(MM)							
	A	B	C	H1	H2	L	G	H
DUAL-SPEED	270	95	125	300	149	400	2"3/4"	2"3/4"



Packaging:
L. 460 x H. 280 x D. 370 mm

CODE	MODEL	MODE	MAX. CURRENT	VOLTAGE	MAX. POWER P1	WEIGHT	CONNECTOR TYPE	HEIGHT (M)												RETAIL PRICE
			(A)		(W)		(Ø MM)	2	3	4	4.5	6	8	10	12	14	16	18	(€ EX. VAT)	
51000B	Dual-speed	Low speed	3.1	230	500	27	63	24	20	15	8								2194.00	
		High speed	10		2600					50		47	45	43	39	34	27	12		
								Flow [m³/h]												

CCS PRE-FILTER PUMP

5-YEAR
MOTOR
warranty
excluding bearings & capacitor

2-YEAR
WARRANTY*

vipool



SELF-PRIMING CCS PUMP

- **Self-priming** unit (2 m)
- **Clear cover** for checking the pre-filter
- **Robust materials:**
 - Pump body and impeller: Noryl GFN3.
 - NBR seals
 - Shaft: 316 stainless steel
 - Mechanical seal: carbon / ceramic / NBR
- Ambient temperature up to 40°C
- **ABS pre-filter**
- 4" connector supplied
- **Opening key**



Total head

PERFORMANCE



Packaging:

- L. 412 x H. 285 x D. 470 mm (pre-filter)
- L. 460 x H. 280 x D. 370 mm (pump)

CODE	MODEL CCS PRE-FILTER	RATING (HP)	MAX. CURRENT (A)	VOLTAGE (V)	MAX. POWER P1 (W)	WEIGHT (KG)	HEIGHT (M)							RETAIL PRICE (€ EX. VAT)
							4	6	8	10	12	14	18	
P50990	Pump with pre-filter P155T	2	5.5/3.2	230/400	2000	29	70	58	40	22				1992.00
P50991	Pump with pre-filter P175M	2	8.8	230	2000	29								2041.00
P50992	Pump with pre-filter P215M	3	11.5	230	2600	30		70	60	40	25			2232.00
P50993	Pump with pre-filter P255T	3.5	8.3/4.8	230/400	2750	29		78	70	55	40	10		2288.00
P50994	Pump with pre-filter P295T	4	10.9/6.3	230/400	3600	31		87	83	75	61	45	10	2336.00
P50995	Pump with pre-filter P405T	5.5	11.4/6.6	230/400	3850	36			90	80	70	53	30	2429.00
							Flow (m³/h)							



SPA PUMP

2-YEAR
WARRANTY*

vipool

SPA OR BALNEO PUMP

- Spa or balneo pump
- Use: circulation pump for pool or similar
- Direction-adjustable body position
- Ø 63 mm connectors
- Thermal motor protection class F (IP55)
- Ambient operating temperature: $\leq 50^{\circ}\text{C}$




Flow in m^3/h



✓ **Direction-adjustable body:** 4 models to choose from

Total head

PERFORMANCE



Packaging:

L. 400 x H. 225 x D. 250 mm

L. 415 x H. 215 x D. 250 mm



CODE	MODEL PSPA	MAX. CURRENT (A)	VOLTAGE (V)	MAX. POWER P1 (W)	WEIGHT (KG)	HEIGHT (M)											RETAIL PRICE (€ EX. VAT)
						7	8	9	10	11	12	13	14	15	16	17	
50970	PSPA 11 M	5.8	230	1100	12	30	26	22	17	12	2						487.00
50971	PSPA 15 M	7	230	1500	13			32	26	21	15	2					514.00
50972	PSPA 18 M	8	230	1850	15					35	30	25	19	10			589.00
50973	PSPA 22 M	10	230	2200	16						36	32	28	22	15	2	631.00

Flow (m^3/h)

DUAL-SPEED SPA PUMP

2-YEAR
WARRANTY*

vipool

FILTRATION AND MESSAGE PUMP




- Use: **filtration and massage pump**
- **Direction-adjustable body position**
- Ø 63 mm connectors
- Thermal motor protection class F (IP55)
- Ambient operating temperature: $\leq 50^{\circ}\text{C}$
- **Built-in thermal protection**
- Available to order only



✓ **Direction-adjustable body:** 3 models to choose from

Total head

PERFORMANCE



Packaging:
L. 420 x H. 235 x D. 280 mm

MODEL	(MM)				
	L	L1	L2	L3	H
11 M	434	197	73	202	197

CODE	DUAL-SPEED SPA PUMP	MAX. CURRENT [A]	VOLTAGE [V]	MAX. POWER P1 [W]	WEIGHT [KG]	HEIGHT (M)													RETAIL PRICE (€ EX. VAT)
						2.5	3	3.5	4	8	9	10	11	12	13	14	15	16	
50980	PSPA-BI 15M	2/7	230	1500	16	14	7	1		37	33	30	24	17	11				663.00
50981	PSPA-BI 18M	2.5/9	230	1850	17	15	12	5		40	36	32	27	23	17	10			712.00
50982	PSPA-BI 22M	3/10	230	2200	19		15	12	3			43	40	35	30	25	17	5	765.00

Flow (m³/h)

HEATING BLOWER

2-YEAR
WARRANTY*

vipool



- For spas and balneotherapy pools
- 2 heated models
- Can be installed **vertically or horizontally**
- Supplied with a 1.5 m cable
- Ø 50 mm connection
- Thermal motor protection class F

Important: when installing the blower below the water level (fully charged), it is essential to connect it to our non-return valve kit (see diagrams A & B) to avoid any risk of water flowing into the appliance.

Diagram A






Diagram B



ASSEMBLY PRINCIPLES



Model	Threaded outlet			(mm)
BLC	L	W	H	Ø
	245	168	174	50



Packaging:
L. 300 x H. 190 x D. 215 mm



OPTIONS

✓ Valve kit



K2 valve



B2 valve

CODE	MODEL	MAX. T°C	CONNECTOR (Ø MM)	RETAIL PRICE € EX. VAT
B2	B2 non-return valve	80 °C	Ø 50	18.00
K2	K2 drain valve	80 °C	Ø 50	18.00

CODE	MODEL	POWER P1 +P1R (W)	CURRENT (A)	MAX. PRESSURE MPa	AIR VOLUME M³/MIN	DB	RETAIL PRICE € EX. VAT
50954	BLC 400 heating blower	400 + 180	2.8	0.013	2	<74	257.00
50953	BLC 900 heating blower	900 + 180	5	0.024	2.6	<79	278.00

FILTRATION



Plant room

• 6-CLONE	116
• 6-Clone cartridge filtration UNIT	117
• ALL IN PALL	118
• FULL IN PALL	119
• FILTRATION UNIT	120
• FIBREGLASS SIDE FILTER.....	121
• BLOW-MOULDED SIDE FILTER	122
• BLOW-MOULDED TOP FILTER	123

6-CLONE

2-YEAR
WARRANTY*

vipool

PRESSURE CARTRIDGE FILTERS: THE FUTURE OF FILTRATION




ACIS, a French manufacturer, has built up almost 20 years expertise in relation to swimming pool cartridge filtration and hydraulic pumps with the Vipool brand.



clear version

WATER CONSUMPTION



TRADITIONAL
FILTER with
backwashing



6-CLONE

NEW!



opaque version


- Direction-adjustable inlet and outlet
- The compact 6-Clone is suitable for all plant room configurations
- Uses Weltico cartridges (same size) - 15 microns
- 4 cartridge sizes: C3-C5-C6-C7
- Pressure gauge for checking the operating pressure and clogging
- Clear tank for visually inspecting any cartridge clogging
- Consumes less water than a traditional filter: no backwashing



- ✓ Fine filtration (15 microns)
- ✓ Makes handling easy: No 6-way valve - No more sand - No need for draining
- ✓ A product in keeping with the times, compact, customised, eco-friendly
- ✓ Works perfectly with a low power pump = no backwashing required



KIT COMPONENTS




OPTIONS




✓ 6-CLONES can be connected as an array (2, 3, 4, 5, etc.)




✓ Anti-bacterial cartridges




COMMON




VERSION C3



VERSION C5



VERSION C6



VERSION C7

CODE	6-CLONE CLEAR	RETAIL PRICE € EX. VAT PER PACK OF 6	RETAIL PRICE € EX. VAT PER UNIT
100794	6-Clone cartridge filter - C3 - 11 m³/h	578.00	600.00
100795	6-Clone cartridge filter - C5 - 15 m³/h	608.00	631.00
100796	6-Clone cartridge filter - C6 - 19 m³/h	696.00	723.00
100797	6-Clone cartridge filter - C7 - 22 m³/h	728.00	756.00
CODE	6-CLONE OPAQUE	RETAIL PRICE € EX. VAT PER PACK OF 6	RETAIL PRICE € EX. VAT PER UNIT
100794NT	6-Clone opaque cartridge filter - C3 - 11 m³/h	578.00	600.00
100795NT	6-Clone opaque cartridge filter - C5 - 15 m³/h	608.00	631.00
100796NT	6-Clone opaque cartridge filter - C6 - 19 m³/h	696.00	723.00
100797NT	6-Clone opaque cartridge filter - C7 - 22 m³/h	728.00	756.00

6-Clone cartridge filtration UNIT

NEW!

- Pump and filter assembly
- Pump/filter connection supplied and assembled (Ø50)
- ¼ turn stop valve
- 6-clone cartridge filter
- Operating pressure: Max. 1.5 bar
- Test pressure: Max. 3.5 bar



CODE	DESIGNATION	RETAIL PRICE € EX. VAT PER UNIT
100790	Filtration unit for a filtration rate of 11 m³/h - C3 cartridge - MCB 4/6 Mono pump	1049.00
100791	Filtration unit for a filtration rate of 15m³/h - C5 cartridge - MCB 6/8 1-ph. pump	1086.00
100792	Filtration unit for a filtration rate of 19m³/h - C6 cartridge - MCB 8/10 1-ph. pump	1182.00
100793	Filtration unit for a filtration rate of 22m³/h - C7 cartridge - MCB 10/12 1-ph. pump	1220.00

ALL IN PALL

5-YEAR
MOTOR
warranty
excluding bearings
& capacitor

2-YEAR
WARRANTY*

vipool

READY-TO-USE FILTRATION SYSTEM WITH SEPARATE FILTER



EASY
TO USE



MADE IN
FRANCE



- Patented product (no. 175-s902)
- Everything under control and **within reach**
- Range from 10 to 20 m³ maximum
- Assembly fitted with **dismantlable unions** and ¼ turn stop valve
- HP by-pass as standard

- ✓ **Light weight**, easily passes through doorways
- ✓ Choice of filter locations (**separate from the system**)
- ✓ **Easy installation and connection**



FRAME:
L 1200 x W 500 x H 1250 mm



STANDARD KIT COMPONENTS

- ✓ Colour: dark brown; material: 12 mm plywood with a Sveza birch outer for greater strength
- ✓ 1 electrical box with **On.e** module (Bluetooth connected timer) + 100W transformer for lighting
- ✓ 1 Vipool filter pump, MKB+ (3 models: 10-15 and 20 m³)
- ✓ 1 x 6-way valve for flow changes
- ✓ 1 x 3-valve HP by-pass
- ✓ 3 independent suction points with individual ¼ turn stop valves
- ✓ connection via unions to make installation easier
- ✓ 1 drain outlet with a ¼ turn stop valve
- ✓ 2 independent return outlets with individual ¼ turn stop valves
- ✓ 1 inlet and outlet for connecting the filter
- ✓ Blow-moulded Side filter (3 models: 10-15 or 20 m³)

NEW



OPTIONS



✓ chlorinator (p.77)



✓ pH regul

CODE	DESIGNATION	RETAIL PRICE € EX. VAT
200047	Chlorinator for filtration kit support	791.80
200048	pH regul. for filtration kit support	530.00

NUMEROUS CUSTOMISATION OPTIONS ON REQUEST



Example of customisation

- ✓ Chlorinator options
- ✓ Electrical box options
- ✓ Remote control system

CODE	FILTRATION KIT SUPPORT / ABOVE-GROUND	FILTER Ø MM	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
TP9	10 m ³ filtration - MKB+ 6/9 pump	ø 520	3845.00	3994.00
TP15	15 m ³ filtration - MKB+ 9/15 pump	ø 620	3858.00	4007.00
TP18	20 m ³ filtration - MKB+ 14/18 pump	ø 720	3878.00	4033.00

FULL IN PALL

5-YEAR
MOTOR
warranty
excluding bearings
& capacitor

2-YEAR
WARRANTY*

AN UPGRADE FROM ALL IN PALL WITH A PRESSURE CARTRIDGE FILTER

vipool



EASY
TO USE



- Range with 3 products to choose from: 15 to 22 m³ max.
- Assembly fitted and air-tested, fitted with dismantlable unions and ¼ turn stop valve
- HP by-pass as standard
- Simple set-up and maintenance



OUTLET ON THE
LEFT OR RIGHT



NEW

FRAME: L 1200 x W 500 x H 1250 mm



An **ultra-compact** product

Everything under **control** and **within reach**

Light weight, easily passes through doorways

Significant reduction in **electricity consumption**: an **energy efficient** pump is sufficient to ensure the right flow level in the system, as the filter **does not need backwashing**.



KIT COMPONENTS STANDARD

NEW

- ✓ Colour: dark brown; material: 12 mm plywood with a Sveza birch outer for greater strength
- ✓ 1 Vipool MCB filter pump
- ✓ 2 independent return outlets with individual ¼ turn stop valves
- ✓ 1 filtration electrical box with **On.e** module + 100W transformer for lighting
- ✓ 1 x 3-valve HP by-pass
- ✓ 6-Clone pressure filter (p.116)
- ✓ 3 independent suction points with individual ¼ turn stop valves
- ✓ 1 x 6-way valve



OPTIONS



✓ chlorinator (p.77)



✓ pH regul

CODE	DESIGNATION	RETAIL PRICE € EX. VAT
200047	Chlorinator for filtration kit support	791.80
200048	pH regul. for filtration kit support	530.00

NUMEROUS CUSTOMISATION OPTIONS ON REQUEST



Example of customisation

- ✓ chlorinator options
- ✓ Electrical box options
- ✓ Remote control system

CODE	FULL IN PALL - ABOVE-GROUND	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
TP9C5	Complete filtration solution for a rate of 15 m ³ - MCB 6-8 pump + 6-Clone C5 cartridge filter	3858.00	4020.00
TP15C6	Complete filtration solution for a rate of 19 m ³ - MCB 8-10 pump + 6-Clone C6 cartridge filter	3878.00	4046.00
TP18C7	Complete filtration solution for a rate of 22 m ³ - MCB 10-12 pump + 6-Clone C7 cartridge filter	3897.00	4065.00

FILTRATION UNIT

5-YEAR
MOTOR
warranty
excluding bearings
& capacitor

2-YEAR
WARRANTY*


vipool

COMPACT AND COMPLETE

- Baseplate with pump and filter
- Pump/filter connection supplied and assembled (Ø50)
- 6-way top valve
- Pressure gauge (bar)
- Turbidity indicator
- A4 stainless steel screws
- High density polyethylene (HDPE) blow-moulded filter
- **VIPOOL MCB+** pump with 2.5 m cable without plug
- Operating pressure: 2 bar
- Test pressure: 3 bar
- Sand grading: 0.5 - 0.8 mm



✓ **Connectors supplied** with the standard
50 mm glue-in unit + 38 mm grooved reducer



MODEL	A (MM)	B (MM)
4 - 6 SINGLE-PHASE	555	680
6 - 8 SINGLE-PHASE	760	759
8 - 10 SINGLE-PHASE	760	856
13 - 15 SINGLE-PHASE	760	962



Packaging:

L. 800 x H. 500 x D. 590 mm (4 m³/h filter)
L. 800 x H. 550 x D. 590 mm (6 m³/h filter)
L. 810 x H. 570 x D. 590 mm (10 m³/h filter)
L. 890 x H. 650 x D. 725 mm (15 m³/h filter)

CODE	MODEL	RATING (HP)	MODEL	FILTER Ø (MM)	MAX. FLOW (M³/H)	SAND WEIGHT* (KG)	WEIGHT (KG)	RETAIL PRICE (€ EX. VAT) PER PACK OF 6	RETAIL PRICE (€ EX. VAT)
100703	4 - 6 Single-phase	0.25	4 m³/h	350	4.32	20	20	642.00	674.00
100710	6 - 8 Single-phase	0.33	6 m³/h	400	6.12	35	23	765.00	803.00
100711	8 - 10 Single-phase	0.50	10 m³/h	527	10.80	85	27.8	911.00	957.00
100712	13 - 15 Single-phase	1	15 m³/h	627	15.30	145	33.5	1102.00	1157.00


FIBREGLASS SIDE FILTER

2-YEAR
WARRANTY*

vipool

HIGHLY RESISTANT

- Highly resistant filter, in fibreglass
- Diffuser over the top of the filter
- 1½" or 2" 6-way valve (depending on the filter Ø)
- Pressure gauge (bar)
- UV-resistant
- Clear cover for 11 and 15 m³ filters
- Maximum operating pressure: 2.5 bar
- Test pressure: 4 bar
- Max. T° C: 43°C
- Maximum filtration speed: 50 m³/h/m²
- 11 to 30 m³ filter
- Supplied with connectors
- Sand grading: 0.5 - 0.8 mm



FILTER	A	B	C	D	E	F	G
				(Ø MM)			
11 m³	390	450	770	235	535	500	125
15 m³	430	490	850	300	635	500	125
20 m³	520	606	890	390	723	500	220
30 m³	610	696	1180	480	920	780	220



Packaging:

11 m³ filter

L. 530 x H. 530 x D. 540 mm
+ L. 240 x H. 240 x D. 260 mm

15 m³ filter

L. 660 x H. 660 x D. 800 mm
+ L. 240 x H. 240 x D. 260 mm

20 m³ filter

L. 660 x H. 660 x D. 800 mm
+ L. 240 x H. 240 x D. 260 mm

30 m³ filter

L. 940 x H. 940 x D. 109 mm
+ L. 260 x H. 260 x D. 375 mm

CODE	MODEL	FILTRATION AREA (M²)	VALVES	CONNECTORS (MM)	SAND WEIGHT* (KG)	WEIGHT (KG)	RETAIL PRICE (€ EX. VAT)
100749	11 m³ filter	0.22	1½"	50	85	16.5 / 3	731.00
100750	15 m³ filter	0.32	1½"	50	145	24 / 3	867.00
100751	20 m³ filter	0.41	2"	63	215	36 / 4.8	1228.00
100752	30 m³ filter	0.66	2"	63	470	57 / 4.8	2054.00


BLOW-MOULDED SIDE FILTER

2-YEAR
WARRANTY*

vipool

COMPACT AND LIGHTWEIGHT

- Clear cover for easily monitoring the bed of sand
- Diffusers over the top of the filter
- 6-way SIDE valve
- Pressure gauge (bar)
- Maximum operating pressure: 2 bar
- Test pressure: 3 bar
- Max. T°C: 40°C
- Maximum filtration speed: 50 m³/h/m²
- Supplied in 2 packages with connectors
- Sand grading: 0.5 - 0.8 mm



MODELS	(Ø MM)					
	A	B	C	D	E	F
8 M ³ FILTER	455	390	125	730	360	420
10 M ³ FILTER	535	500	125	770	390	450
15 M ³ FILTER	635	500	125	850	430	490
20 M ³ FILTER	710	500	125	960	450	510



L. 460 x H. 460 x D. 610 mm + L. 240 x H. 240 x D. 260 mm (8 m³ filter)
 L. 530 x H. 530 x D. 640 mm + L. 240 x H. 240 x D. 260 mm (10 m³ filter)
 L. 660 x H. 660 x D. 800 mm + L. 240 x H. 240 x D. 260 mm (15 m³ filter)
 L. 730 x H. 730 x D. 830 mm + L. 240 x H. 240 x D. 260 mm (20 m³ filter)

CODE	MODEL BLOW-MOULDED SIDE FILTER	FILTRATION AREA (M ²)	VALVES	CONNECTORS (MM)	SAND WEIGHT* (KG)	WEIGHT (KG)	RETAIL PRICE		RETAIL PRICE (€ EX. VAT)
							(€ EX. VAT)	PER	
100763	8 m ³ filter	0.16	1"½	50	45	13/3	416.00	pack of 12	438.00
100760	10 m ³ filter	0.22	1"½	50	85	19/3	460.00	pack of 10	484.00
100761	15 m ³ filter	0.31	1"½	50	145	24.5/3	640.00	pack of 10	672.00
100762	20 m ³ filter	0.39	1"½	50	210	28.5/3	803.00	pack of 6	843.00


BLOW-MOULDED TOP FILTER

2-YEAR
WARRANTY*

vipool

COMPACT AND LIGHTWEIGHT WITH A TOP VALVE

- 360° direction-adjustable 6-way TOP valve to simplify installation
- Pressure gauge (bar)
- Filter baseplate
- Filter with drain
- Maximum operating pressure: 2 bar
- Test pressure: 3 bar
- Maximum temperature: 40°C
- Maximum filtration speed: 50 m³/h/m²
- Sand grading: 0.5 - 0.8 mm



MODELS	[Ø MM]				
	A	B	C	D	E
6 M ³ FILTER	400	390	757	590	640
10 M ³ FILTER	527	500	845	670	730
15 M ³ FILTER	627	500	950	775	835
20 M ³ FILTER	703	500	1020	845	905



L. 460 x H. 460 x D. 610 mm (6 m³ filter)
L. 530 x H. 530 x D. 640 mm (10 m³ filter)
L. 660 x H. 660 x D. 800 mm (15 m³ filter)



L. 730 x H. 730 x D. 830 mm + L. 240 x H. 240 x D. 260 mm (20 m³ filter)

CODE	MODEL BLOW-MOULDED TOP FILTER	FILTRATION AREA (M ²)	VALVES	CONNECTORS (MM)	SAND WEIGHT* (KG)	WEIGHT (KG)	RETAIL PRICE (€ EX. VAT) PER	RETAIL PRICE (€ EX. VAT)
100770	6 m ³ filter	0.13	1"½	50	35	14.5	347.00 pack of 12	364.00
100771	10 m ³ filter	0.22	1"½	50	85	19.5	469.00 pack of 12	492.00
100772	15 m ³ filter	0.31	1"½	50	145	24.5	639.00 pack of 10	671.00
100773	20 m ³ filter	0.39	1"½	50	210	28 / 3	790.00 pack of 6	829.00

A worker in a red uniform and cap holding a wrench, standing next to a swimming pool with a waterfall.

PROFESSIONAL ADVICE

LOW-LEVEL SUCTION

"A more attractive alternative to a main drain, guaranteeing a large suction surface area for optimum performance."

JUNIOR PRO

"A simple and effective counter-current swimming solution, supplied in a single package."

ALVÉO'NOX

"A modern 316L stainless steel front panel with honeycomb micro-perforations."



CCS and balneo solutions

• LOW-LEVEL SUCTION	128
• BS + JN JET KIT	130
• JUNIOR PRO	131
• ALVÉO'NOX.....	132
• NEW JET VAG.....	134
• PRO LUXE.....	136

JET VAG: A SOLUTION FOR EVERY POOL



HOW TO CHOOSE YOUR SEALING PARTS

The Jet Vag range is suitable for all new-build or renovation projects.

Jet Vag has simplicity at its core. The products are suitable for all available pools and structures, thanks to our 2 kinds of sealing parts:

- Standard with rear counter-flange
- For attaching to a side

WALL TYPE	STANDARD SEALING PART (Ø 63/75 mm) ref. 507721	SEALING PART FOR ATTACHING TO A SIDE (Ø 63/75 mm) ref. 800010
Concrete	●	●
Shell	●	-
Wood	-	●
Galvanised steel	-	●
Shuttering panel	-	●
Aluminium structure	-	●
Stainless steel structure	-	●



INSTALLATION ADVICE FOR THE CCS NOZZLE SEALING PART:

The nozzle must be approximately 25 cm below the surface of the water.

2-STEP ORDERING PROCESS*

JET VAG GOES AT YOUR PACE


Step 1, package 1: choose the sealing part

Step 2, package 2: choose the Jet Vag add-on (New, Pro Luxe, Duo Mix or Alvéo'nox)




✓ Once you have ordered the sealing part, the add-on choice can be made later.

With 2 and 3 HP single-phase and 3 to 5.5 HP three-phase, white or colour front panels, New, Pro Luxe or Alvéo'nox models, you are spoilt for choice!




then Package 2



*excluding Junior Pro, BS and JN kits (1 single package)

COUNTER-CURRENT SWIMMING TAILORED TO YOUR REQUIREMENTS

A WIDE RANGE OF FRONT PANELS TO CHOOSE FROM



THE ADVANTAGES OF JET VAG

- ✓ On/Off remote control for the pump
- ✓ Suitable connection box*, included as standard in our sealing part to facilitate connection
- ✓ Powerful CCS or balneo single- or three-phase pump, with a resin-coated motor covered by a 5-year warranty**
- ✓ Fun accessories: Jet Vag can be combined with our massage hoses and water jets

* What for? Sealing parts are equipped with 2 x 1.5 metre flexible translucent hoses, which need to be raised above the water level. These 2 hoses must be connected to our specific connection box, which will be sealed onto the pool deck.

** Excluding bearings and capacitor

LOW-LEVEL SUCTION

2-YEAR
WARRANTY*



jet vag

AN ULTRA-FLAT SEALING PART




Guarantee the optimum performance of your counter-current swimming system by adding low-level suction to your front panel. This sealing part can also be used as a replacement for a traditional main drain (or vertical suction grate)

- Flow 25.8 m³/h at a speed of 0.5 m/s
- ABS material
- Up to 3 x Ø50 mm outlets for the sealed version (concrete) and 2 x Ø50 mm or Ø63 mm outlets for the mounted version



- ✓ An alternative to the traditional main drain for an extra-flat design
- ✓ Suitable for Effervescence and Bulléo kits as a replacement for the suction grate.
- ✓ Large suction surface area



white



sand




grey



charcoal




stainless steel plate



CAN BE INSTALLED
VERTICALLY OR AS A MAIN
DRAIN ON THE BOTTOM
OF THE POOL




Package 1:
L. 570 x H. 110 x D. 310 mm



Package 2:
L. 520 x H. 250 x D. 80 mm




KIT COMPONENTS




SET-UP (package 1)


CODE	SEALING PART	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
800450PAS	Sealing parts for attaching to a concrete/concrete-liner structure	251.00	273.00



CODE	SEALING PART	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
800452PAS	Sealing parts for attaching to a shell structure with a flange	305.00	332.00



CODE	SEALING PART	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
800453PAS	Sealing parts for attaching to a panel-liner / wood structure	294.00	316.00



CODES (package 2)

CODE	LOW-LEVEL SUCTION COVER	RETAIL PRICE € EX. VAT PER UNIT
KITASP400	White	96.00
KITASP400S	Sand	118.00
KITASP400G	Grey	118.00
KITASP400A	Charcoal	118.00
KITASP400I	Stainless steel	326.00

BS + JN JET KIT

**5-YEAR
MOTOR
warranty**
excluding bearings
& capacitor

**2-YEAR
WARRANTY***

**MADE IN
FRANCE**

jet vag

SIMPLICITY AND EFFICIENCY



- **Suction kit** for concrete, liner and shell structures
- **Return nozzle kit** for concrete, liner and shell structures, Ø 35 mm
- Electrical box: single-phase or three-phase
- Pneumatic control 10 m air pipe with a **push button**
- MGD+ 2 and 3 HP single- or three-phase pump with Ø 63 mm connectors



- ✓ Supplied in a **single package**
- ✓ The JN kit **fits wood structures**



Packaging
L. 550 x H. 470 x D. 400 mm



OPTIONS

- ✓ Low-level suction



More information p.128

CODE	BS / JN JET KIT	WEIGHT (KG)	RETAIL PRICE € EX.VAT
800000	Full BS JET 2 HP single-phase kit	28	1447.00
800001	Full BS JET 3 HP single-phase kit		1483.00
800002	Full BS JET 3 HP three-phase kit		1483.00
800003	Full JN JET 2 HP single-phase kit		1483.00
800004	Full JN JET 3 HP single-phase kit		1539.00
800005	Full JN JET 3 HP three-phase kit		1539.00

JUNIOR PRO

**5-YEAR
MOTOR
warranty**
excluding bearings
& capacitor

**2-YEAR
WARRANTY***

**MADE IN
FRANCE**

jet vag

COMPLETE COUNTER-CURRENT SWIMMING KIT

**ACIS
PATENT
PENDING**

- Patented system: Ø 35 mm central nozzle with air and water flow control
- Ø 63/75 mm sealing part and 2 possible options*:
 - standard with a rear counter-flange for concrete and shell structures
 - for attaching to a side for panel structures
- A complete kit with remote control and pneumatic control



- ✓ Suitable for **all structures** (see p.126)
- ✓ **Quick and easy installation:** 1 sealing part and 1 front panel
- ✓ A complete **ready-to-install** kit



OPTIONS

✓ Massage hose

✓ Water jet



More information p.151



Packaging
L. 670 x H. 470 x D. 330 mm

CODE	STRUCTURE	COMPLETE JET VAG JUNIOR PRO	WEIGHT (KG)	RETAIL PRICE € EX. VAT PER PACK OF 4	RETAIL PRICE € EX. VAT PER UNIT
800006P	standard with rear counter-flange	Junior Pro 3 HP 1-ph. sealing part Ø 63/75 mm	28	1660.00	1728.00
800007P		Junior Pro 3 HP 3-ph. sealing part Ø 63/75 mm		1660.00	1728.00
800012P	for attaching to a side	Junior Pro 3 HP 1-ph. sealing part Ø 63/75 mm	28	1660.00	1728.00
800013P		Junior Pro 3 HP 3-ph. sealing part Ø 63/75 mm		1660.00	1728.00

STYLE AND PERFORMANCE



ACIS offers you a product that is both **technical, stylish and elegant**, inspired by current trends with a contemporary stainless steel shape.




- Made entirely from **316L stainless steel**: front panel and nozzle
- Illuminated **piezo control** indicating that the system is in operation
- Also available as a replacement front panel only (contact us)
- Standard illuminated piezo switch (2.5 m)
- Ø 42 mm **central nozzle**
- **Suitable** for all Jet Vag sealing parts

Flexible installation:

- ✓ Fits our existing sealing parts
- ✓ Suitable for **all structures** (see p.126)
- ✓ Supplied in **2 packages** (sealing part and add-on)



Package 1:
L. 325 x H. 340 x D. 240 mm




Package 2:
L. 550 x H. 470 x D. 400 mm



KIT COMPONENTS



(choice depending on the
structure: see below)



SET-UP OPTIONS (package 1)

CODE	SEALING PART (STANDARD WITH REAR COUNTER-FLANGE)	WEIGHT (KG)	RETAIL PRICE € EX. VAT PER PACK OF 6	RETAIL PRICE € EX. VAT PER UNIT	CODE	SEALING PART (FOR ATTACHING TO A SIDE)	WEIGHT (KG)	RETAIL PRICE € EX. VAT PER PACK OF 6	RETAIL PRICE € EX. VAT PER UNIT
507721	Ø 63/75 mm	5	507.00	531.00	800010	Ø 63/75 mm	5	507.00	531.00

Ø 90 mm sealing parts available (code: OPTI90)



CODES (package 2)

CODE	ALVÉO'NOX ADD-ON + BUILT-IN PIEZO CONTROL	WEIGHT (KG)	RETAIL PRICE € EX. VAT
800350	Alvéo'Nox 2 HP single-phase	30	3485.00
800351	Alvéo'Nox 3 HP single-phase		3570.00
800352	Alvéo'Nox 4 HP three-phase		3759.00

NEW JET VAG

5-YEAR
MOTOR
warranty
excluding bearings
& capacitor

2-YEAR
WARRANTY*


MADE IN
FRANCE

jet vag

COUNTER-CURRENT SWIMMING KIT



- Patented system: Ø 42 mm central nozzle with nozzle air and water flow control
- Ø 63/75 mm sealing part with **2 possible options**:
 - Standard with rear counter-flange
 - For attaching to a side
- Standard illuminated piezo switch (2.5 m)



Flexible installation:

- ✓ Fits our existing sealing parts
- ✓ Suitable for **all structures** (see p.126)
- ✓ Supplied in **2 packages** (sealing part and add-on)



white



grey



sand



charcoal



OPTIONS

More information p.151

- ✓ Massage hose




- ✓ Water jet



- ✓ Piezo switch with 15 m cable



Package 1:
L. 325 x H. 340 x D. 240 mm



Package 2:
L. 550 x H. 470 x D. 400 mm



KIT COMPONENTS



(choice depending on the
structure: see below)



SET-UP OPTIONS (package 1)

CODE	SEALING PART (STANDARD WITH REAR COUNTER-FLANGE)	WEIGHT (KG)	RETAIL PRICE € EX. VAT PER PACK OF 6	RETAIL PRICE € EX. VAT PER UNIT	CODE	SEALING PART (FOR ATTACHING TO A SIDE)	WEIGHT (KG)	RETAIL PRICE € EX. VAT PER PACK OF 6	RETAIL PRICE € EX. VAT PER UNIT
507721	Ø 63/75 mm	5	507.00	531.00	800010	Ø 63/75 mm	5	507.00	531.00

Ø 90 mm sealing parts available (code: OPTI90)



CODES (package 2)

CODE	NEW JET VAG ADD-ON	COLOUR	WEIGHT (KG)	RETAIL PRICE € EX. VAT
800040	2 HP single-phase	White	30	2075.00
800040S		Sand		2313.00
800040G		Grey		2313.00
800040A		Charcoal		2313.00
800041	3 HP single-phase	White		2167.00
800041S		Sand		2404.00
800041G		Grey		2404.00
800041A		Charcoal		2404.00
800042	4 HP Three-phase	White		2356.00
800042S		Sand		2594.00
800042G		Grey		2594.00
800042A		Charcoal		2594.00

PERFORMANCE AND ELEGANCE

- **One-piece** front panel with a Ø 42 mm **central nozzle**
- **Air flow control** on the front panel using the rotating knob enabling **air enrichment** to be adjusted
- PRO LUXE is suitable for **all pool types** thanks to its range of sealing parts: concrete/liner, concrete/tiles, wood, galvanised steel
- Standard **illuminated piezo switch** (2.5 m)
- 2, 3 or 4 HP three-phase CCS pump
- **Connection box**



OPTIONS

More information p.151

- ✓ Massage hose



- ✓ Water jet



- ✓ Piezo switch with 15 m cable




Flexible installation:

- ✓ Fits our existing sealing parts
- ✓ Suitable for **all structures** (see p.126)
- ✓ Supplied in **2 packages** (sealing part and add-on)



Package 1:
L. 325 x H. 340 x D. 240 mm



Package 2:
L. 550 x H. 470 x D. 400 mm



white



grey



sand



charcoal



KIT COMPONENTS



Sealing part + valves +
connection box*

(choice depending on the
structure: see below)



Front panel +
standard piezo switch



Suitable electrical box &
remote control



CCS pump



connection box available in
different colours on request

SET-UP OPTIONS (package 1)

CODE	SEALING PART (STANDARD WITH REAR COUNTER-FLANGE)	WEIGHT (KG)	RETAIL PRICE € EX. VAT PER PACK OF 6	RETAIL PRICE € EX. VAT PER UNIT	CODE	SEALING PART (FOR ATTACHING TO A SIDE)	WEIGHT (KG)	RETAIL PRICE € EX. VAT PER PACK OF 6	RETAIL PRICE € EX. VAT PER UNIT
507721	Ø 63/75 mm	5	507.00	531.00	800010	Ø 63/75 mm	5	507.00	531.00

Ø 90 mm sealing parts available (code: OPTI90)



for concrete and shell structures



for panel structures

CODES (package 2)

CODE	PRO LUXE MODEL	WEIGHT (KG)	COLOUR	RETAIL PRICE € EX.VAT
800312	PRO LUXE 2 HP single-phase add-on		White	2283.00
800312S			Sand	2527.00
800312G			Grey	2527.00
800312A			Charcoal	2527.00
800310	PRO LUXE 3 HP single-phase add-on	30	White	2374.00
800310S			Sand	2612.00
800310G			Grey	2612.00
800310A			Charcoal	2612.00
800311	PRO LUXE 4 HP three-phase add-on		White	2563.00
800311S			Sand	2807.00
800311G			Grey	2807.00
800311A			Charcoal	2807.00

PROFESSIONAL ADVICE

EFFERVESCENCE

"Our bubble plate adapts discreetly to all pool structures and all kinds of spaces: steps, balneo spaces, etc."

BALNEO KIT

"The Venturi nozzle system guarantees the perfect massage thanks to the combination of pressurised water and air."

HYDROMASSAGE NOZZLE

"Easy installation of this rotating nozzle, which is perfect for restricted areas (stairs, etc.)."



BALNEO



CCS and balneo
solutions

• EFFERVESCENCE® SOLO OR DUO	140
• BULLÉO SOLO OR DUO	142
• BALNEO SOLO OR DUO	144
• BALNEO KIT	146
• DUO MIX.....	148
• ACCESSORIES	150



EFFERVESCENCE® SOLO OR DUO

2-YEAR
WARRANTY*




jet vag

DESIGNED FOR RELAXATION




ALL
STRUCTURES

- Installed horizontally for **optimum bubble diffusion**
- Can be installed in any area and on **all types of structures**
- **Large** bubble diffusion **surface area**
- Perfectly **flat** and **no excess thickness**, even with a liner
- The Effervescence DUO model is supplied with 2 Effervescence® plates (+ 2 sealing parts)
- Plate dimensions: 49 cm (L) x 22 cm (W) x 7 cm (H)



SOLO

DUO



Key:

B2: non-return valve


K2: drain valve

OPERATION & COMPONENTS






KIT COMPONENTS




SET-UP (package 1)


CODE	SEALING PART	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
800450PAS	Sealing parts for attaching to a concrete/concrete-liner structure	251.00	273.00



CODE	SEALING PART	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
800452PAS	Sealing parts for attaching to a shell structure with a flange	305.00	332.00



CODE	SEALING PART	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
800453PAS	Sealing parts for attaching to a panel-liner / wood structure	294.00	316.00



CODE (package 2)

CODE	EFFERVESCENCE SOLO OR DUO ADD-ON	COLOUR	RETAIL PRICE € EX. VAT
800610	EFFERVESCENCE SOLO add-on Finishing cover / heating blower (400W+180W) / cabinet / piezo switch / valves	White	1256.00
800610S		Sand	
800610G		Grey	1385.00
800610A		Charcoal	
800610INOX		Stainless steel	1979.00
800710	EFFERVESCENCE DUO add-on (order 2 sealing parts) Finishing cover / heating blower (900W+180W) / cabinet / piezo switch / valves	White	1268.00
800710S		Sand	
800710G		Grey	1451.00
800710A		Charcoal	
800710INOX		Stainless steel	2348.00

BULLÉO SOLO OR DUO

2-YEAR
WARRANTY*



jet vag

THE BENEFITS OF A SPA IN A POOL



ALL
STRUCTURES



SOLO

or





DUO

- Start-up via **piezo control**
- For **all types of structures**
- Option to replace the standard suction grate with **low-level suction** available in **various colours** (p. 128)




OPERATION & COMPONENTS






SET-UP (package 1)


CODE	SEALING PART	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
800450PAS	Sealing parts for attaching to a concrete/concrete-liner structure	251.00	273.00



CODE	SEALING PART	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
800452PAS	Sealing parts for attaching to a shell structure with a flange	305.00	332.00



CODE	SEALING PART	RETAIL PRICE € EX. VAT PER PACK OF 5	RETAIL PRICE € EX. VAT PER UNIT
800453PAS	Sealing parts for attaching to a panel-liner / wood structure	294.00	316.00



CODE (package 2)

CODE	BULLEO SOLO OR DUO ADD-ON	COLOUR	RETAIL PRICE € EX. VAT
800810		White	2141.00
800810S	BULLEO SOLO add-on Finishing cover / heating blower (400W+180W) / MGD+ 2HP single-phase pump / suction / nozzles / cabinet / piezo switch / valves	Sand	
800810G		Grey	2331.00
800810A		Charcoal	
800810INOX		Stainless steel	2930.00
800910		White	€ 2,391.00
800910S	BULLEO DUO add-on (order 2 sealing parts) Finishing cover / heating blower (900W+180W) / MGD+ 3 HP single-phase pump / suction / nozzles / cabinet / piezo switch / valves	Sand	
800910G		Grey	2585.00
800910A		Charcoal	
800910INOX		Stainless steel	€ 3,289.00

BALNEO SOLO OR DUO

5-YEAR
MOTOR
warranty
excluding bearings
& capacitor

2-YEAR
WARRANTY*


**MADE IN
FRANCE**

jet vag



MASSAGING EFFECT GUARANTEED



or



- One-piece Balneo SOLO or DUO front panels with **2 direction-adjustable nozzles & 2 rotating nozzles**
- Ø 63/75 mm sealing part(s) with **2 possible options**:
 - standard with rear counter-flange
 - for attaching to a side
- Standard illuminated piezo switch (2.5 m) / **OPTION** 15 m



KIT COMPONENTS



(choice to suit the structure:
see opposite)



or



1 or 2 front panels with
a piezo switch



Suitable electrical box &
remote control



MGD+ 24/28 2HP pump
(Balneo SOLO)

or



CCS pump (Balneo DUO)



connection box available in
different colours on request

SET-UP OPTIONS (package 1)

PRODUCT	CODE	SEALING PART (STANDARD WITH REAR COUNTER-FLANGE)	WEIGHT (KG)	RETAIL PRICE € EX. VAT PER UNIT
Balneo SOLO	507721	Standard Ø 63/75 mm	5	531.00
Balneo DUO	507721BA	2 standard Ø 63/75 mm sealing parts	11	1015.00

PRODUCT	CODE	SEALING PART(S) (FOR ATTACHING TO A SIDE)	WEIGHT (KG)	RETAIL PRICE € EX. VAT PER UNIT
Balneo SOLO	800010	Ø 63/75 mm	5	531.00
Balneo DUO	800010BA	2 Ø 63/75 mm sealing parts	11	1015.00

Ø 90 mm sealing parts available (code: OPTI90)



for concrete and shell structures



for panel structures

CODES (package 2)

CODE	BALNEO SOLO ADD-ON	WEIGHT (KG)	COLOUR	RETAIL PRICE € EX. VAT
800300	MGD+ 24/28 M 2HP single-phase	28	White	1422.00
800300S			Sand	1739.00
800300G			Grey	1739.00
800300A			Charcoal	1739.00
800301	MGD+ 24/28 T 2HP three-phase		White	1422.00
800301S			Sand	1739.00
800301G			Grey	1739.00
800301A			Charcoal	1739.00

CODE	BALNEO DUO ADD-ON	WEIGHT (KG)	COLOUR	RETAIL PRICE € EX. VAT
800329	CCS 215 3HP single-phase	30	White	2015.00
800329S			Sand	2259.00
800329G			Grey	2259.00
800329A			Charcoal	2259.00
800330	CCS 295 4HP three-phase		White	2186.00
800330S			Sand	2418.00
800330G			Grey	2418.00
800330A			Charcoal	2418.00

BALNEO KIT

**5-YEAR
MOTOR
warranty**
excluding bearings
& capacitor

**2-YEAR
WARRANTY***

**MADE IN
FRANCE**

jet vag

ENJOY THE BENEFITS OF BALNEO

A gentle solution: **the benefits of massage** and bubbles thanks to the **venturi nozzle system**

6-NOZZLE BALNEO KIT




6 Elegance Venturi nozzles -
3 rotating and
3 direction-adjustable

1 piezo control



1 suction system



1 MGD+ 3 HP pump



1 electrical box

9-NOZZLE BALNEO KIT



9 Elegance venturi nozzles -
6 rotating and 3 direction-adjustable

1 piezo control



2 suction systems



OR



1 x 215M single-phase pump



1 electrical box

Balneo kit customisation options



- Nozzle colours
- Piezo control cover
- Optional low-level suction colours

- DESIGN RANGE
- WE-LINE RANGE

A range of different nozzle models:

- We-line range: see p.34
- Design range: see p.46

NEW!



OPTIONS

- ✓ Adjustable air intake
(3 nozzles per air intake)
ref. 32117 (p. 151)



- ✓ Installation kit:
KITMONTBALNEO (p. 151)



Packaging
L. 530 x H. 470 x D. 400 mm

WHICH BALNEO KIT IS RIGHT FOR MY POOL?

3 VERSIONS DEPENDING ON THE POOL STRUCTURE

Nozzles that are suitable for the structure on which they will be installed.

Concrete version



Concrete

or

Shell version



Shell

or

Panel-liner/ concrete-liner version



Panel-liner

(identical concrete-liner installation, without using the rear nut)

2 NOZZLE QUANTITIES, DEPENDING ON THE KIT



6-nozzle Balneo kit



6 venturi nozzles: 3 direction-adjustable and 3 rotating Elegance nozzles

or




9-nozzle Balneo kit



9 venturi nozzles: 3 direction-adjustable and 6 rotating Elegance nozzles


2 POSSIBLE WALL BUSHING LENGTHS (VENTURI)

20 mm diameter air wall bushing not supplied



Standard version

or



Long version

STRUCTURE	NUMBER OF NOZZLES	CODE	BALNEO KIT	WEIGHT (KG)	RETAIL PRICE € EX. VAT
CONCRETE	6	RB6-B	6-nozzle balneo kit with MGD+ 3 HP single-phase pump	30	2332.00
		RB6L-B	6-nozzle long balneo kit (275 mm) with MGD+ 3 HP single-phase pump	30	2521.00
	9	RB9-B	9-nozzle balneo kit with CCS 215 single-phase pump	33	2967.00
		RB9L-B	9-nozzle long balneo kit (275 mm) with CCS 215 single-phase pump	33	3162.00
SHELL	6	RB6-C	6-nozzle balneo kit with MGD+ 3 HP single-phase pump	30	2332.00
		RB6L-C	6-nozzle long balneo kit (275 mm) with MGD+ 3 HP single-phase pump	30	2521.00
	9	RB9-C	9-nozzle balneo kit with CCS 215 single-phase pump	33	2967.00
		RB9L-C	9-nozzle long balneo kit (275 mm) with CCS 215 single-phase pump	33	3162.00
PANEL-LINER/ CONCRETE-LINER	6	RB6-PBL	6-nozzle balneo kit with MGD+ 3 HP single-phase pump	30	2332.00
		RB6L-PBL	6-nozzle long balneo kit (275 mm) with MGD+ 3 HP single-phase pump	30	2521.00
	9	RB9-PBL	9-nozzle balneo kit with CCS 215 single-phase pump	33	2967.00
		RB9L-PBL	9-nozzle long balneo kit (275 mm) with CCS 215 single-phase pump	33	3162.00

DUO MIX

**5-YEAR
MOTOR
warranty**
excluding bearings
& capacitor

**2-YEAR
WARRANTY***

**MADE IN
FRANCE**

jet vag

THE IDEAL COUNTER-CURRENT SWIMMING AND BALNEO SOLUTION



- **One-piece** Balneo front panel with **2 direction-adjustable and 2 rotating nozzles** + 1 one-piece Jet Vag PRO LUXE front panel with a Ø 42 mm **central nozzle** for **counter-current swimming**
- Standard **illuminated piezo switch** (2.5 m) / **OPTION** 15 m
- Ø 63/75 mm sealing part(s) with **2 possible options**:
 - **standard with rear counter-flange**
 - **for attaching to a side**
- PRO LUXE front panel with **air flow control** on the front panel using the rotating knob enabling **air enrichment** to be adjusted
- **Solenoid valve** for switching from one mode to another (CCS/Balneo)



✓ **Versatile**: choose between **relaxation or exercise** using the simple piezo control



white



sand



grey



charcoal



Package 1:
L. 570 x H. 110 x D. 310 mm



Package 2:
L. 520 x H. 250 x D. 80 mm

KIT COMPONENTS



Sealing part + valves + connection box*

(choice to suit the structure: see below)



2 front panels with a piezo switch



Electrical box & remote control



CCS pump



Solenoid valve



connection box available in different colours on request

SET-UP OPTIONS (package 1)

CODE	SEALING PART (STANDARD WITH REAR COUNTER-FLANGE)	WEIGHT (KG)	RETAIL PRICE € EX. VAT PER UNIT
507721BA	2 standard Ø 63/75 mm sealing parts	11	1015.00

CODE	SEALING PART (FOR ATTACHING TO A SIDE)	WEIGHT (KG)	RETAIL PRICE € EX. VAT PER UNIT
800010BA	2 Ø 63/75 mm sealing parts	11	1015.00

Ø 90 mm sealing parts available (code: OPTI90)



for concrete and shell structures



for panel structures

CODES (package 2)

CODE	DUO MIX ADD-ON	WEIGHT (KG)	COLOUR	RETAIL PRICE € EX. VAT
800319	DUO MIX 3 HP single-phase	28	White	2472.00
800319S			Sand	2704.00
800319G			Grey	2704.00
800319A			Charcoal	2704.00
800320	DUO MIX 4 HP three-phase		White	2636.00
800320S			Sand	2868.00
800320G			Grey	2868.00
800320A			Charcoal	2868.00

HYDROMASSAGE

ADAPTABLE AND PRACTICAL NOZZLES

- A **practical** rotating nozzle: can be placed wherever you wish on a **new or renovated** pool
- Perfect for **restricted areas** such as stairs
- **Effective massage**
- Option of creating an assembly with **multiple installation options**
- **Adapts** to a 1"1/2 socket, e.g.: vacuum port
- New bearing system



NEW!

Improved rotation performance



white



sand




grey



chrome plated



charcoal



CODE	INDIVIDUAL NOZZLE	COLOUR	RETAIL PRICE € EX. VAT
32121	Rotating nozzle	White	94.00
32121S		Sand	
32121G		Grey	
32121A		Charcoal	
32121C		Chrome plated	


NOZZLES + VENTURI WALL BUSHINGS

DIRECTION-ADJUSTABLE NOZZLES, FITTED ON VENTURI WALL BUSHINGS

Colours on request













2 (VENTURI) WALL BUSHING OPTIONS



20 mm diameter air wall bushing not supplied

CODE	LENGTH (MM)	INDIVIDUAL NOZZLE	RETAIL PRICE € EX. VAT
32113-B	190	Nozzle on a concrete wall bushing	115.00
32114-B	275	Nozzle on a long concrete wall bushing	168.00
32113-C	190	Nozzle on a shell wall bushing	115.00
32114-C	275	Nozzle on a long shell wall bushing	168.00
32113-PBL	190	Nozzle on a panel-liner/concrete-liner wall bushing	115.00
32114-PBL	275	Nozzle on a long panel-liner/concrete-liner wall bushing	168.00

	CODE	MODEL	RETAIL PRICE € EX. VAT PER UNIT	WELL-BEING AND COMFORT
 WATER JET	JDO42	Ø 42 mm water jet (New Jet Vag, Lum Jet Vag, Alvéo'Nox and Pro Luxe)	214.00	
	JDO35	Ø 35 mm water jet (Junior, Junior PRO, BS and JN kit or old Jet Vag kit)	214.00	
 MASSAGE	507503	1.50 m massage hose for Ø 35 mm nozzle	189.40	
	507502	1.50 m massage hose for Ø 42 mm nozzle	214.00	
	507501	3.00 m massage hose for Ø 35 mm nozzle	204.40	
	507500	3.00 m massage hose for Ø 42 mm nozzle	228.40	
 COMFORT	50756	316L stainless steel handle for concrete, shell or liner (400 mm)	216.50	

	CODE	MODEL	RETAIL PRICE € EX. VAT PER UNIT	TECHNICAL ADD-ONS
	50782	BS and JN suction	88.00	
	50784	JN return kit with nozzle + push button + pneumatic control pipe + air suction tube, kit for concrete, liner, wood and shell pools	256.20	
	50785	BS return kit with nozzle + push button + pneumatic control pipe + air suction tube, kit for concrete, liner and shell pools	229.60	
	50779	Single BS nozzle	165.30	
	50783	Single JN nozzle	199.70	
	174277C10	Pneumatic control pipe (per 10 metres)	16.70	
	6438	Pneumatic push button	34.30	
	6439	Pneumatic push button and 1" 1/2 mount	41.50	
	KITMONT-BALNEO	Air pipe installation kit for 3 venturi nozzles (connectors and hoses)	68.50	
	32117	Adjustable air intake (suitable for max. 3 nozzles)	28.20	

PIEZO CONTROLS



EASY
TO USE

NEW-BUILD
RENOVATION

2-YEAR
WARRANTY*



- Reliable operation with electric, rather than pneumatic, control
- The piezo switch provides increased visibility of your control in the water
- 2 backlit colours providing an on/off indicator
- Fitted on new or existing installations.
- The stainless steel piezo control is attractive and works perfectly with

a stainless steel counter-current swimming system

- Supplied with a power unit and a 2.5 m or 15 m cable
- The perfect replacement for the pneumatic system, which is limited by distance and premature ageing of the air pipe

⚠ Maximum operating temperature: 65° C.
Do not install on the coping.



PIEZO-INOX-ADAPT

For installation on a CCS front panel equipped with a pneumatic system. For modification of an existing system

378.80



PIEZ06438P

ø M22 piezo switch (2.5 m cable) + Receiver and remote control

378.80



PIEZ06438P15

ø M22 piezo switch (15 m cable) + Receiver and remote control

403.90



PIEZ06439P

Piezo switch with 1" 1/2 adapter (2.5 m cable) + Receiver and remote control.

403.90



PIEZ06439P15

Piezo switch with 1" 1/2 adapter (15 m cable) + Receiver and remote control.

441.30




PIEZ06438P-SOLO

ø M22 piezo switch only (2.5 m cable)

190.00

SERVICE UNIT



CODE	MODEL	RETAIL PRICE € EX. VAT PER UNIT
------	-------	---------------------------------

800081

Service unit

1245.50

- Below-ground polyester unit with an RTM cover for CCS
- Closing system
- 2 door seals supplied for Ø 63 mm PVC

Article 1 - Purpose and scope

These terms and conditions of sale (T&Cs) apply between the company ACIS and the customer, when carrying out its business activity. These T&Cs set out all of the parties' obligations. All product orders imply the customer's entire and unconditional acceptance of these T&Cs, which take precedence over any contradictory documents, and in particular, all the customer's purchasing terms and conditions, notwithstanding any specific terms and conditions agreed in writing between our company and the customer. All documents other than these T&Cs, including catalogues, brochures, advertising and instructions are provided for information only and are non-contractual.

Article 2 - Orders

An order is any order for our products, which is accepted by our company, accompanied by payment of any deposit that appears on the purchase order. Orders submitted to our company cannot be rescinded by the customer once the order has been confirmed by ACIS, unless agreed otherwise in writing by our company. Any request to amend the composition or volume of an order placed by a customer can only be processed by our company if the request is submitted in writing, including by fax or email, and is received by our company no later than two (2) working days after receipt of the initial order and following a new order confirmation from ACIS with any possible price adjustment. Should the customer amend the initial order, our company shall not be bound by the delivery lead times agreed for the initial order. ACIS reserves the right to suspend the fulfilment of any customer orders should our trade terms not be adhered to. Goods ordered cannot be returned.

Should a customer place an order with our company, without having paid for a previous order or orders, our company may refuse to fulfil the order and deliver the goods in question, without the customer being entitled to claim any compensation, for any reason whatsoever.

Article 3 - Price

3.1. Calculation/revision: The prices of our products are provided for information in the company's catalogues for the current calendar year at the time the order is placed. However, these prices may be revised without notice, in line with variations in the prices of the constituent items making up the cost price of products. Any price changes shall be applied automatically to orders placed after the change takes effect. The customer shall be informed of this price change when placing the order. Our prices are exclusive of tax and shipping.

3.2. Minimum order value: We only accept orders (or bundled requests) with values of twenty-five euros (€25.00) or above ex. VAT. Where applicable, a sufficient number of parts to ensure that the total value is as close as possible to this minimum charge shall be delivered. This minimum does not apply to order balances. Our prices do not include the eco-tax. All orders with a value of less than one hundred and fifty euros (€150.00) ex. VAT shall be processed and managed subject to an additional fee of twenty euros (€20.00) ex. VAT.

Furthermore, all orders placed for direct delivery (to a customer of the customer) with a specific delivery note shall be processed and managed subject to an additional fee of thirty five euros (€35.00 ex. VAT).

Article 4 - Payment terms

4.1. Our invoices are payable within 30 calendar days from the date of delivery. The due date appears on the invoice. The prices are net without discount.

4.2. All orders that we agree to fulfil shall be fulfilled, subject to the customer providing sufficient financial guarantees and paying the amounts owed by the due date, in accordance with the legislation governing these T&Cs. Consequently, should our company have serious or specific reasons to suspect that the customer will have difficulties making payment on the date on which the order is placed, or after this date, or should the customer no longer provide the same guarantees as it did when the order was accepted, our company may make acceptance or fulfilment of the order conditional on a cash payment or the customer providing our company

with sufficient guarantees. Should the customer refuse to make a cash payment without providing sufficient guarantees, our company may refuse to fulfil the order or orders placed and deliver the goods in question, without the customer being entitled to claim an unjustified refusal to sell or claim any compensation.

4.3. Non-payment/late payment: In the event of a late payment or a complete or partial failure to pay for goods delivered by the payment due date appearing on the invoice, the customer must pay our company a late payment penalty equal to three (3) times the legal interest rate calculated on the basis of the price, inc. VAT, appearing on the invoice. The legal interest rate shall be that in force on the day the goods are delivered. This penalty shall be applied from the payment due date appearing on the invoice, without any formalities or prior formal notice.

Unless ACIS has given its express prior written agreement, and provided that the mutual receivables and payables are unquestionable, liquid and payable, any penalties for delays in the event of the products ordered by the customer being non-compliant may not be validly offset against amounts owed by the latter to ACIS, for the purchase of said products.

In addition to late payment penalties, any amount, including the deposit, that has not been paid by its due date shall result, as of right, in the payment of a fixed penalty of 40 euros for recovery costs. These penalty fees shall not prevent the company from exercising its right to institute legal proceedings in the relevant court, to obtain a ruling ordering the customer to pay, with penalties being applied for each day that payment is overdue.

Article 5 - Delivery and shipping

Delivery shall be made to the premises indicated on the purchase order by the customer, with products being handed over directly to the customer. The customer may change the delivery location, subject to giving 4 working days notice prior to the scheduled delivery date, at the customer's sole expense. Similarly, in the event of special requests from the customer regarding the packaging or shipping conditions for products ordered, which are duly accepted in writing by ACIS, the costs and related expenses shall form the subject of an additional specific invoice.

5.1. Lead times: Delivery lead times are provided for information purposes only; these depend, in particular, on the order in which orders arrive and the availability of carriers. In principle, delivery lead times are 12 working days for products in stock from the date on which ACIS confirms the order and the price is paid, and 10 weeks for products that are available to order or customised products. Our company endeavours to adhere to the delivery lead times indicated when accepting the order, on the basis of the industry standard delivery time, except in the event of force majeure (as defined in Article 12 below).

5.2. Late delivery: Any delay in relation to the delivery lead times stated initially shall not justify the termination of an order placed by the customer and recorded by our company, nor justify the cancellation of an order, nor render ACIS liable for any reason whatsoever (as well as in the event of force majeure - as defined in Article 12 below), nor give rise to any penalties or compensation from us. The penalty clauses appearing in the sales documents, such as the customer's purchasing terms and conditions, shall not apply to us.

5.3. Shipping: It is the customer's responsibility, in the event of damage to goods delivered or missing products, to express all relevant reservations to the carrier, by registered letter with acknowledgement of receipt, within three (3) calendar days, excluding public holidays, of receiving the goods. A written copy of this letter shall be sent simultaneously to our company. Should the customer fail to follow this procedure, the goods shall be deemed to have been accepted by the customer and no claim shall be accepted against ACIS. It is the customer's responsibility to provide any supporting evidence as to the true nature of any such defects or missing products.

Our company cannot be held liable, under any circumstances, for events occurring during shipping, destruction, loss or theft, even if ACIS has chosen the carrier.

5.4. Acceptance: The customer's unreserved acceptance of products ordered, within three (3) calendar days, covers all visible defects and/or missing products (after the aforementioned period, the customer may not initiate any action for non-conformity nor bring this action as a counter-claim to defend itself in the event of any action to recover debts by our company). No goods may be returned by the customer without our company's express prior written consent. In the event of visible defects or missing products, which have been confirmed by us, ACIS shall replace non-compliant items and/or provide missing items, without the customer being entitled to claim any compensation or cancel the order. The customer must provide any supporting evidence as to the true nature of such defects, with our company reserving the right to proceed, directly or indirectly, with any checks or inspections on site, which the customer hereby accepts. Defects and damage to delivered products resulting from abnormal warehousing and/or storage conditions on the customer's premises, in particular during unloading or in the event of an accident of any kind whatsoever, which cannot be attributed to our company, shall not be covered by our company's warranty.

Products sent to us for repair (with the exception of the cases set out in Article 9 below) must always be shipped carriage paid by the customer. All repair requests shall form the subject of a quote, for prior acceptance by the customer.

5.5. Suspension of deliveries: Should an invoice not be paid in full by its due date, after formal notice has remained ineffective for 48 hours, our company reserves the right to suspend any ongoing or pending deliveries.

Article 6 - Transfer of risk

The risks of loss or damage shall be transferred to the customer once products are handed over to the carrier, independently of any transfer of ownership and irrespective of the order date and payment date. The customer acknowledges that it is the carrier's responsibility to make the delivery. ACIS shall be deemed to have fulfilled its obligation to deliver once it has handed over products ordered to the carrier, which has unreservedly accepted them. The customer shall not be entitled to lodge a warranty claim against ACIS in the event that products are not delivered or are damaged during shipping or unloading.

Article 7 - Transfer of ownership

Ownership of our products shall not be transferred until the customer has paid for them in full, in principal and related charges, even if a payment extension has been granted. By express agreement, our company may exercise the rights it holds, as part of this retention of ownership clause, for any amounts outstanding, to all products in the customer's possession, as they are contractually assumed to be unpaid for, and our company may repossess or claim them as compensation for any unpaid invoices, without prejudice to its right to cancel any ongoing sales. Any deposit paid by the customer shall be retained by ACIS as fixed compensation, without prejudice to any other action that ACIS would be within its rights to take against the customer.

In the event of a failure to pay, the customer shall refrain from reselling its stock proportionate to the quantity of unpaid products. It may not, under any circumstances, pledge or offer as security the products delivered by ACIS that remain unpaid. Our company may unilaterally, after issuing a formal notice, draw up an inventory, or have an inventory drawn up, of products delivered to the customer that remain unpaid. In this regard, the customer expressly undertakes, by agreeing to these terms and conditions, to grant free access to its warehouses, stores or other premises and to ensure that the company is always able to identify its products. Should insolvency or liquidation proceedings be instituted against the customer, ongoing orders shall be automatically cancelled and our company reserves the right to reclaim the goods held in stock. Consequently, the customer undertakes to have the products ordered insured at its own expense, for the benefit of ACIS, by a reputable insurance company, until the complete transfer of ownership and to provide proof of this on delivery. Failing this, ACIS shall be entitled to postpone delivery until such proof has been provided.

Article 8 - Technical characteristics and product safety

Our products are designed exclusively for family use (except for local authority products) under the supervision of parents and/or legal guardians. In order to guarantee the safety of end users, products requiring hydraulic and/or electrical connections for installation and/or commissioning (e.g. our Jet Vag products) must be installed by a professional, who is fully conversant with all the usage rules set out in our documents and all safety measures required by the applicable regulations for this type of product. Consequently, the customer must ensure compliance, if the aforementioned products are resold, within the framework of its normal business activities, with the provisions described above. In particular, the customer must ensure effective communication, irrespective of the distribution process it intends to use, (e.g. e-commerce), of the relevant safety information relating to installation and/or commissioning for products that require hydraulic and/or electrical connections, in particular by means of its own T&Cs. In the event of a failure to comply with the above provisions:

- the aforementioned products shall not be covered by the warranty as set out in Article 3 of these Terms and Conditions,
 - and ACIS shall not be held liable for any losses whatsoever incurred by the end consumer as a result of the customer failing to comply with the aforementioned safety rules.
- In addition, any breach of the aforementioned provisions shall entitle ACIS to:
- hold the customer liable and obtain compensation for any losses incurred,
 - and, where applicable, terminate this contract.

By agreeing to these terms and conditions, the customer declares that it has been fully and expressly informed of the fundamental nature of this obligation and of the consequences should it be breached. All our products comply with the applicable safety standards. In order to continually improve the quality of our products, we reserve the right to modify the specifications and characteristics of our products at any time. The photos of our products are not contractually binding. As our products are constantly changing, the company may modify the technical composition and the characteristics of listed products, which are provided for information only, without notice. Products that no longer feature in our range shall be replaced by a product that is at least equivalent.

Article 9 - Hidden defects

9.1. Hidden defects are defects in materials, design or manufacturing that affect the products delivered rendering them unfit for use.

9.2. Our warranty only applies to products:

- that have become the lawful property of the customer,
- and are entirely manufactured by our company.

A design flaw is not a hidden defect and customers are deemed to have been provided with all the technical information relating to our products.

9.3. Our company's warranty for hidden defects is limited to a period of two (2) years. This period shall be extended to five (5) years for resin-coated motors only (excluding bearings and capacitor). This warranty commences from the date on which the end consumer purchases the product from our customer in store. Our warranty shall cease to be valid, as of right:

- at the end of the aforementioned two- or five-year period depending on the nature of the product in question,
- but also if the customer has failed to inform us of an alleged defect within twenty (20) clear days of the discovery thereof. The customer must provide proof of the day on which this defect was discovered.

9.4. The warranty for hidden defects shall be granted following:

- Receipt of a photocopy of the delivery note and invoice by ACIS,
- Transmission of a return note with an ACIS acceptance number to the customer,
- Carriage paid return shipping of the product, by the customer,
- Inspection of the equipment in ACIS' workshops.

ACIS shall then decide if the product is defective.

9.5. Under the warranty for hidden defects, our company shall only be obliged to replace or repair defective goods and/or original parts recognised by us as defective,

free of charge, without the customer being entitled to claim any damages, for any reason whatsoever. Should the customer carry out work on the product, warranties shall be limited to provision of the part and/or equipment recognised as defective, excluding any shipping or travel costs and the costs of external repairs or any other damages.

The replacement of defective products or parts shall not result in the warranty being extended.

9.6. The warranty for hidden defects shall not apply in the event:

- that our products have been used under unintended, incorrect or abnormal conditions of use or performance,
- that our products have not been maintained or installed correctly, or in the event of faulty connections or normal wear and tear,
- that the operating instructions provided by ACIS have not been strictly adhered to,
- of damage and/or wear and tear caused by the adaptation or special installation, abnormal or otherwise, of our products, unless this has been carried out under our supervision,
- of damage or an accident resulting from an impact, fall or a lack of and/or insufficient supervision, or in the event that the product has been transformed,
- of negligence on the part of the customer,
- that equipment is modified, repaired or dismantled, even partially, outside our workshops or not in the presence of one of our technicians,
- that products requiring a hydraulic and/or electrical connection are installed or commissioned by a non-professional, in breach of the safety rules and instructions set out in Article 8 of these T&Cs,
- of force majeure (as defined in Article 12 below).

Furthermore, the warranty shall be suspended until all late payments have been made. The customer is expressly informed that this suspension shall not result in the duration of the warranty being extended. Application of the warranty shall not give rise to the payment of compensation.

Article 10 - Intellectual and industrial property

ACIS shall retain all intellectual and industrial property rights to the products. Consequently, the customer shall refrain from modifying, masking or removing our distinctive marks displayed on our products. Furthermore, the customer undertakes not to make any use of technical documents (instruction manuals, product data sheets, photos, price lists, etc.) belonging to ACIS, in any way that is likely to infringe the intellectual or industrial property rights of our company, and undertakes not to disclose them to any third party. Breaching these obligations may lead to the termination, as of right, without prior notice, of ongoing orders and shall result in all sums owed being payable immediately by the customer, without prejudice to any action for damages that we may institute.

Article 11 - Unforeseeability

The statutory scheme governing unforeseeability, under Article 1195 of French Civil Code, shall apply in the event of a change in economic circumstances surrounding the conclusion of the sale, which has a significant negative effect on the balance thereof.

Article 12 - Force majeure

Any event beyond the control of the parties, which they could not be reasonably expected to foresee and which they could not reasonably prevent or overcome, insofar as these events make it entirely impossible to fulfil obligations, shall be considered as force majeure or unforeseeable circumstances. The following shall specifically be considered as cases of force majeure or unforeseeable circumstances, absolving our company of its obligation to deliver within the originally scheduled lead times: strikes by all or some employees of our company or its usual carriers, fire, flood, war, production stoppages due to unforeseeable faults, the inability to obtain raw materials, epidemics, thawing snow and ice, roadblocks, strikes or disruption to electricity and gas supply, or any disruption in supply that is not the fault of our company, as well as any other disruption in supply that is the fault of our suppliers. In such circumstances, our company must notify the customer in writing, specifically by fax or email, of the occurrence of the event. At this point, the contract between our company and the customer shall be suspended, as of right, without giving rise to damages, from the date on which the event occurs.

Article 13 - Termination

13.1. In the event of a breach of Articles 3 and 4 above and in the event of late payment after the due date for products ordered by the customer, the contract may be terminated, as of right, by ACIS, with this breach resulting in formal notice being given, without warnings or formalities.

13.2. Termination as a result of unforeseeability (as defined in Article 11 above) may, notwithstanding termination as the result of a failure by the customer to fulfil its obligations, only take place one (1) month after formal notice has been issued to the other party by registered letter with acknowledgement receipt.

13.3. Termination, as of right, as the result of force majeure may, notwithstanding termination as the result of a failure by the customer to fulfil its obligations, only take place one (1) month after formal notice has been issued to the other party by registered letter with acknowledgement of receipt. This formal notice must set out the intention of applying this clause.

Article 14 - Privacy policy

The collection and processing of your personal data allows us to improve and personalise the services we offer. This information may be stored for the purpose of demonstrating compliance with legal and statutory obligations (payment, disputes, after-sales service, etc.). This information shall be used for processing orders, managing returns, customer relations, correspondence for tracking deliveries and marketing management.

In accordance with the French Data Protection Act (Informatique et Libertés) of 6th January 1978, the customer has the right to access, rectify and object to the processing of their personal data. The customer may exercise their rights by writing to: ACIS, 15, rue des Marais - 44310 Saint Philbert de Grand Lieu, France. In accordance with the applicable regulations, the customer's request must be signed and accompanied by a photocopy of an identity document bearing the customer's signature and stating the address to which the response must be sent. A response shall then be sent to the customer within two (2) months of receiving the request.

ACIS undertakes not to transfer or sell any of the customer's personal information to third parties, nor to use this information for unauthorised purposes.

Article 15 - Applicable law - Jurisdiction

Any matter pertaining to these T&Cs, and the sales they apply to, which may not be covered by these contractual provisions, shall be governed by French Law, to the exclusion of any other law. All disputes regarding the application of these T&Cs, their validity, interpretation, execution, consequences thereof and sales contracts entered into by our company, or payment of the price, shall be heard by the commercial court for our company's registered office, including in the event of the introduction of third parties or multiple defendants.

Article 16 - Amendments to the T&Cs

In light of changes to regulations, ACIS' marketing policy and changes to products, ACIS reserves the right to amend these T&Cs at any time. The new T&Cs shall only apply to sales made following the amendment(s).

These terms and conditions of sale (T&Cs) apply between the company ACIS and the customer, when carrying out its business activity. These T&Cs set out all of the parties' obligations. All product orders imply the customer's entire and unconditional acceptance of these T&Cs, which take precedence over any contradictory documents, and in particular, all the customer's purchasing terms and conditions, notwithstanding any specific terms and conditions agreed in writing between our company and the customer. All documents other than these T&Cs, including catalogues, brochures, advertising and instructions are provided for information only and are non-contractual.

Non-contractually binding documents and photos. Product characteristics are purely indicative and may be modified without notice.
Credits: Cover photo: stock.adobe.com: Sergey Nivens.
Professional advice visuals: storyset by Freepik.
Istock - Fotolia - Studio'N'Co.

INDEX

Symbols

6-CLONE	116
6-CLONE unit	117

A

A200 Design skimfilter	69
A200 Design skimmer.....	43
A300 Design skimfilter	69
A400 Design skimfilter	70
A400 Design skimmer.....	38
A400 Design skimmer with inserts ...	59
A400 Elegance skimfilter.....	72
A400 Elegance skimmer.....	50
A400 We-line skimmer	32
A500 Design skimfilter	70
A500 NHL Design skimmer	40
A600 Design skimfilter	71
A600 Design skimmer.....	41
A600 Design skimmer with inserts ...	59
A600 Elegance skimfilter.....	72
A600 Elegance skimmer.....	51
A600 stainless steel skimmer	60
A800 Design skimfilter	71
A800 Design skimmer.....	42
A800 stainless steel skimmer	60
A800 We-line skimmer	33
All in pall	118

B

Balneo Accessories	150
Balneo kit	146
Balneo solo or duo	144
Blow-moulded side filter	122
Blow-moulded top filter.....	123
Blueswim Tunable	29
BS + JN JET KIT	130
Bulléo solo or duo	142

C

CCS & BALNEO pumps.....	109
CCS pre-filter pump.....	111
Cleaning tanks	79
Colour lighting covers.....	28
CPL unit with remote control	29

D

Design accessories	48
Design direction-adjustable nozzle + screw cover	48
Design easyled spotlight.....	22
Design grate.....	48
Design main drain.....	49
Design new-build spotlight.....	19
Design plug	48
Design renovation kit	44
Design renovation spotlight.....	17
Design return nozzle.....	46
Design screw cover	48
Design vacuum port.....	47
Discrète	83
Dual-speed pump	110
Dual-speed spa pump.....	113
Duo mix	148

E

Effervescence® solo or duo	140
Elegance accessories	57
Elegance grate	57

Elegance Jumboskim	52
Elegance main drain	56
Elegance new-build spotlight.....	20
Elegance nozzle with inserts.....	59
Elegance plug	57
Elegance renovation kit	53
Elegance return nozzle.....	54
Elegance screw cover	57
Elegance twinfilter.....	73
Elegance vacuum port	55
Elegance vacuum port with inserts...	59
Everbag	78
Evo Easyled spotlight.....	24

F

Fibreglass side filter.....	121
Filter cartridge.....	66
Filter wall options.....	76
Filter walls	75
Filtration unit	120
FPF: flexible pocket filter.....	89
Full in pall	119

H

Heating blower.....	114
Hydromassage	150

I

Ikone Easyled spotlight.....	23
Immerstar	84

J

JETVAG module with remote control.	29
Junction boxes	30
Junior Pro	131

L

Level regulator.....	58
Lighting controls.....	29

M

Massage hose	151
MCB+ pump	90
MGD+ pump	108
MJB pump	93
MKB+ pump	92
MKB 2S pump	104
MKB VS pump	105
MNB+ pump	91
MPB pump	94

N

Nautilyse	77
New Jet Vag	134
NORYSTAR pump	95
Nozzles + venturi wall bushings.....	150

O

ON/OFF with remote control	29
----------------------------------	----

P

Par56 light bulbs.....	14
PHT pump	98
Piezo switch	152

R

Renovo® pump	96
Renovo® Vs pump	102

S

Saddle unit	74
Saddle unit options	76
Sealing parts options.....	58
Service unit	152
Skimmer barrier	58
Skimmer extension.....	58
Skimmer lid	58
Skimmer raiser.....	58
SKIN cover	76
Spa pump	112
Spottie	26
Stainless steel grate	61
Stainless steel screw cover	61
Stainless steel screw cover + nozzle .	61
Stainless steel sealing parts	60
Stainless steel skimmer.....	60

T

Timberteck trim.....	76
----------------------	----

V

Varipool	101
Varipool e	101
Visiopool.....	85

W

Wall bushings.....	47, 55
Water jet.....	151
Welfiltre.....	67
We-line direction-adjustable nozzle..	35
We-line Easyled spotlight	21
We-line grate	35
We-line main drain	36
We-line new-build spotlight	18
We-line plug.....	35
We-line renovation spotlight	16
We-line return nozzle	34
We-line screw cover.....	35
We-line vacuum port	35
Welinox.....	61
Welticolle	58
Wired par56 light bulbs	15



15 rue des marais
44310 Saint-Philbert-de-Grand-Lieu

+33(0)2 40 59 95 35
client.acis@acis-france.com
www.acis-france.com



*Follow us on
social media!*

